

CYCLES
AND
ACCESSORIES



CATALOGUE

Reprinted by kind permission of "Cycling"

THE GENERAL FITTINGS CO. LTD

105a TORRIANO AVENUE, LONDON, N.W.5

TERMS OF BUSINESS

Supplies of goods quoted in this catalogue are confined to bona-fide Dealers who maintain stocks and purchase goods for re-sale in accordance with the recognised retail selling conditions.

The List Prices shown in this Catalogue are given solely as a general guide to re-sale prices, but in view of the continually changing conditions, dealers are advised to check the figures with the margins permitted under any Government Control Orders relating to the goods, and with the Lists issued by makers of proprietary lines.

PRICES. The prices quoted are those current at the date of publication and are subject to revision without notice. All goods will be charged at the prices prevailing on date of despatch. Prices quoted do not constitute an offer.

PURCHASE TAX. PURCHASE TAX IS NOT INCLUDED IN ANY OF THE PRICES SHOWN BUT WILL BE ADDED **NETT** AT THE APPROPRIATE RATE AT THE TIME OF DELIVERY.

CARRIAGE PAID CONSIGNMENTS. (Per cheapest route).

ACCESSORIES AND COMPONENTS from this List will be sent Carriage Paid in accordance with the following scale:-

- All goods delivered to dealers' premises by the Company's transport vehicles within their area of operation.
- Consignments value £2 nett and over to any part of England and Wales.
- Consignments value £5 nett and over to any mainland Railway Stations in Scotland and Northern Ireland.

BICYCLES will be sent Carriage Paid on orders of not less than FOUR units per consignment. Where machines are despatched by Passenger Train the carriage will be chargeable less an allowance.

FREE VAN DELIVERY over a wide area by our own vans. Please note our Drivers have strict instructions not to accept returns without authority from the depot concerned.

RETURNS. When returning goods for credit or exchange, please state reason and give invoice number or date. Faulty goods will be returned to the manufacturer and their report communicated as soon as received.

CLAIMS. Goods should be carefully examined immediately on delivery and notice of any damage must be advised to the Carriers and Company within THREE days of receipt of the consignment. If a consignment is not delivered within SEVEN days of the date of the advice note or invoice, the Company must be notified at once, otherwise the claim may be refused by the Carriers.

NEW ACCOUNTS. Dealers wishing to open a credit account with the Company are requested to furnish two trade references.

All Prices are subject to Alteration without Notice

PAYMENT OF ACCOUNTS. All accounts are payable at the Company's Registered Office, 105a Torriano Avenue, London, N.W. 5. Cheques, Money Orders and Postal Orders should be made payable to the Company and crossed "& Co." for protection. Treasury and Bank Notes should always be sent by registered post for safety. The Company has no journey accounts and settlements must be made in accordance with the Company's conditions for payment. Only the Company's official acknowledgement recognised.

DISCOUNTS. The Prices are subject to 2½% discount, monthly Account, or 3¾% for cash seven days, except nett items and goods subject to manufacturers' special terms.

THE COMPANY, not being manufacturers, are compelled to stipulate that they cannot accept any responsibility for consequential damage in the event of failure of the goods for any reason whatsoever. The goods are sold with the benefit of any express guarantee which may be given by the manufacturers but subject thereto, all conditions and warranties whether statutory or otherwise, are expressly excluded.

HOURS OF BUSINESS:

Monday	8-30 a.m. - 6-30 p.m.
Tuesday	} 8-30 a.m. - 6-0 p.m.
Wednesday	
Thursday	} 8-30 a.m. - 5-30 p.m.
Friday	
Saturday	Closed

CODED PRICES. For the protection of dealers the trade prices in this List are concealed in the Reference Numbers quoted prior to the resale price of the article.

Each article has a reference number divided by a stroke / into two parts, the first part represents the identification number which should be quoted on all occasions and the second half which is pre-fixed by the letter 'E' 'D' 'C' 'DP' etc. standing for EACH DOZEN CARD and DOZEN PAIRS etc., represents the trade price.

TRADE PRICES CAN BE READILY ASCERTAINED BY READING THE LAST TWO FIGURES AS PENCE AND ALL THE PRECEDING FIGURES AS SHILLINGS.

EXAMPLES:

Page 1	GFB1/101	Indicates 1/1 per box.
Page 29	GFC206/C405	Indicates 4/5 per Card.
Page 83	GFL36/E110	Indicates 1/10 each.
Page 150	GFSL/HY1710	Indicates 17/10d. per 100 yds.

IN CERTAIN CASES, e.g. Smiths Speedometer, Speedometer Flexible Drives, only Retail Prices are shown and Trade Discount is indicated by a code letter as follows:-

(A)	..	33⅓%
(B)	..	25%
(C)	..	30%
(D)	..	40%
(E)	..	37½%
(F)	..	20%

MERCHANDISE MARKS ACT. Goods of foreign manufacture are marked (F).

THE GENERAL FITTINGS CO. LTD.

ESTABLISHED 1881

Head Office

105a TORRIANO AVENUE, LONDON, N.W. 5 Tel. GULLiver 6661 (3 lines)

Depot: 46a OUT RISBYGATE, BURY ST. EDMUNDS, SUFFOLK. Tel. Bury St. Edmunds 2401

STEEL BALLS

HOFFMANN OR SKEFCO

in Boxes of 100

GFB1/B101 $\frac{1}{2}$	3/32 in.	..
GFB2/B10 $\frac{1}{2}$	1/8 in.	..
GFB3/B104 $\frac{1}{4}$	5/32 in.	..
GFB4/B110 $\frac{1}{2}$	3/16 in.	..
GFB5/B205	7/32 in.	..
GFB6/B211 $\frac{1}{2}$	1/4 in.	..
GFB7/B402 $\frac{1}{2}$	9/32 in.	..
GFB8/B509	5/16 in.	..
GFB9/B809	3/8 in.	..



"STAR" BALL CAGES

7 x $\frac{1}{4}$ in. Balls enclosed in cage for S.A. etc.
(See also Hub Parts)

GFB14/D300	..	each
		4 $\frac{1}{2}$ d.



BALL PAKS

An attractive Show Card displaying 10
packets of Steel Balls in each of four
sizes:- 1/8in - 5/32in. - 3/16in - 1/4in.

GFB17/C3100	..	packet
		1/2

REPLACEMENT PACKS

Steel Balls immersed in oil and packed in
heat sealed polythene bags.

		packet
GFB17a DP904	1/8in. (64 Balls)	1/2
GFB17b DP904	5/32in. (50 Balls)	1/2
GFB17c DP904	3/16in. (30 Balls)	1/2
GFB17d DP904	1/4in. (22 Balls)	1/2

WE STOCK



HOFFMANN OR SKEFCO

in Boxes of 1,000

GFB10/B709 $\frac{1}{2}$	1/8 in.	..
GFB11/B1109	5/32 in.	..
GFB12/B1605	3/16 in.	..
GFB13/B2607	1/4 in.	..



CYCLETTE BASKETS

Bow Front. Wicker and Split Cane with
inserts in various Colours

	each
7in. x 5in. x 5 $\frac{1}{2}$ in. with "Shopper's" Handle	
GFB16/E306	5/3

CYCLE BASKETS

Bow Front. All Wicker Varnished
11 in. x 8 in. x 7 $\frac{1}{2}$ in. Lamp Bracket Hole
and "Shopper's" Handle

GFB15/E704	each
	11/-




BASKETS SUPPORTS

Terry No. 1140

Clips to Handlebar Stem holding Basket
away from Brakework

	each
GFB18/E200 Black enamelled	3/-



"SPORTSMAN" SUPPORT

Clips to Handlebars to clear Brake Rods

	each
GFB19/E108 Black enamelled	2/6

FOR TRADESMEN'S CARRIER

BASKETS

See Page 40

BASKET STRAPS

Leather Straps. Best Quality. 36 per card

	each
GFB21/C706 7 in x $\frac{1}{2}$ in.	
/D206	4d.
GFB21a/C800 9 in. x $\frac{1}{2}$ in.	
/D208	4d.

BELLS

**STADIUM No. 922**

Straight Sided Chromium Plated Finish. Boxed individually in two colour printed carton.

each
GFB22/E108 2/6

**KIDDIES "PICTURE" BELLS (F)**

Trelock with 2in. dome. Chrome plated, enamelled "Picture" top. Space ship scenes, etc.

each
GFB23/D2400 3/-


As above, Mickey Mouse Design

GFB23a/D2600 3/3

**LUCAS No. 50**

"Challis" 3 in. Bell Metal Dome with Medallion and Bell Band Clip.

each
GFB24/E400 C.P. Finish.. .. 6/-

**LUCAS No. 30**


Challis Bell similar to the No. 50 but with Steel Dome held by top nut.

each
GFB25/E300 C.P. Finish 4/6
GFB25a/E206 Blk. or Silver Fin. 3/9

**LUCAS No. 3**


2 ³/₁₆ in. Steel Dome with Medallion. Band Clip Fixing.

each
GFB26/E208 C.P. Finish 4/-
GFB26a/E202 Blk or Silver Fin. 3/3

**MILLER No. 820 BELL**


3 in. Bell Metal Challis Type Dome with Medallion. Band Clip Fixing.

each
GFB27/E400 C.P. Finish 6/-

**MILLER No. 720 BELL**


3 in. Steel Dome and Medallion. Single Screw Clip.

each
GFB28/E300 C.P. Finish 4/6

**MILLER No. 520 (Rotary Action)**

2 ³/₁₆ in. Dome with Medallion and Non-Slip Band Clip.


each
GFB29/E206 C.P. Finish 3/9

**MILLER No. 420 BELL**

(Rotary Action)

2 ³/₁₆ in. Dome with Medallion. Enamelled Base. Single Screw Type Clip.

each
GFB30/E202 C.P. Finish 3/3

**ADIE No. 949 POPULAR BELL**

2½ in. Dome C.P. with 2 Screw Clip. Full Rotary Action.

GFB31/D2104	Chrome	..	each	2/8
GFB31a/E106	Silver Finish	..	each	2/3

**ADIE BELLS No. 1053**

"Challis Type" Bell, 3 in. C.P. Dome Two Screw Clip. Individually Boxed

GFB34/E206	..	..	each	3/6
------------	----	----	------	-----

**ADIE No. 343 "MASTER" BELL**


3 in. dia. Dome fitted with Medallion. Band Clip. Perfect Mechanism and Manufactured in Selected Heavy Gauge Steel.

GFB35/E300	Chromium Plated	each	4/6
------------	-----------------	------	-----

**"CLOVERLEAF" CONTINENTAL (F)**


2½ in. Rotary Action Bell. 2 Screw Clip. Polished C.P. Dome with Emblem.

GFB40/E108	..	..	each	2/6
------------	----	----	------	-----

**ADIE No. 848 JUVENILE BELL**

Stove Enamelled Base with 2 in. Dome. Full Rotary Action. In Heavy Gauge Steel Reversible Clip for ½ in. to ¾ in. Bars.

GFB32/E106	C.P. Finish	..	each	2/3
GFB32a/E104	Red, Blue, Green or Silver	..	each	2/-

**ADIE No. 444 "EMBLEM" BELL**


2½ in. dia. with "Emblem" Medallion for England, Scotland, Wales and Ireland. Packed Three per Type in Display Carton.

GFB36/D2000	..	..	each	2/6
-------------	----	----	------	-----

**VICTREE "SPRING RING" BELLS**

Snap Action. 2½ in. Polished Alloy Dome with Clips to fit 7/16 in. 11/16 in. 1 in. or 1 1/16 in.

GFB38/D1603	..	..	each	2/3
GFB38a/D1603	Anodised Col.	..	each	2/3

**ADIE No. 646 BELL**

Stove Enamelled Base with 2 Screw Clip. 2½ in. Dome with Medallion. Selected Heavy Gauge Steel with High Quality Finish

GFB33/E202	Chromium Plated	each	3/3
------------	-----------------	------	-----

**ADIE No. 242 BELLS**


Revolving Type in Heavy Gauge Steel. Chromium Plate Dome with reliable precision action. 2 Screw Clip.

GFB37/E402	..	..	each	6/3
------------	----	----	------	-----

TOMBAR "REVOLVING DOME" BELLS (F)


Best quality chrome plated with strong 2-screw clip.

GFB37a/E504	..	..	each	8/-
-------------	----	----	------	-----

**TRELOCK "PING" BELL (F)**


Spring Action, Side Striking Hammer, 2 Screw Clip. Polished or Anodised, Blue Red, Gold or Green.

GFB39/E106	Polished	..	each	2/3
GFB39a/E108	Anodised Colours	..	each	2/6

**"CLOVERLEAF" JUVENILE BELL (F)**


With Rotary Action and Reversible 2 Screw Clip.

GFB41/E106	C.P. Finish	each
GFB41a/E104	Red, Blue or Green	2/3
		2/-

**PHILLIPS No. 260**

Celtonia Hammer Type, Chromium Plated.

GFB44/E209		each
		4/2

**HARMO PUSH BUTTON BELLS**

With 2 7/8 in. Dome in Polished or Anodised Colour Finish.

GFB42/E404		each
		6/6


**PHILLIPS No. 264
ROTARY ACTION BELL 2 1/4"**

GFB43/E204	C.P. Dome	each
		3/6

BELL BAND CLIPS

Complete with Screws

GFB45/D400	Genuine Lucas	each
GFB46/D300	G.F.C. Best Quality	6d.
		4 1/2d.

**BOTTOM BRACKET FITTINGS****B.W. BOTTOM BRACKET CUPS**

Precision Made with Polished Ball Races.

Adjusting.

Peg Hole No. 1 9/16 in.

GFB47/D704	Shallow Black ..	each
GFB47a/D710 1/2	Chrome ..	11d.
		11 1/2d.

Peg Hole No. 2 1/8 in.

GFB48/D710 1/2	Deep Black ..	11 1/2d.
GFB48a/D801	Chrome ..	1/-
	Milled Pattern No. 5	
GFB49/D801	Deep Black ..	1/-
GFB49a/D807	Chrome ..	1/1d.


Fixed

Elongated Milled Pattern No. 7 9/16 in.

GFB50/D710 1/2	Shallow Black ..	11 1/2d.
GFB50a/D801	Chrome ..	1/-

No. 8 1/8 in.

GFB51/D810	Deep Black ..	1 1/2d.
GFB51a/D904	C.P. ..	1/2

**B.W. LOCK RING**

No. 9 for Cotterless Brackets, Milled

GFB52/D404	Black ..	each
GFB52a/D500	Chrome ..	6 1/2d.
		7 1/2d.

B.W. COTTERLESS SETS

Set

Deep 2 - 8 - 9

GFB53/DS2009	Black ..	2/7 1/2
GFB53a/DS2204	Chrome ..	2/9 1/2

Shallow 1 - 7 - 9

GFB54/DS1903 1/2	Black ..	2/5
GFB54a/DS2009	Chrome ..	2/7

**B.W. "FEATHERWEIGHT" SET**

Racing No. 14 - 15 - 16

GFB55/S308	Chrome ..	set
		5/6

BRAMPTON "PHOENIX" SET

Racing Pattern

GFB56/S310	Chrome ..	set
		5/9

**HOLLOW RACING AXLES**

GFB61/E309	No. 14 R. Chrome	each
GFB62/E309	No. 15 R. Chrome	5/7 1/2
GFB63/E309	No. 23 R. Chrome	5/7 1/2

RALEIGH PATTERN AXLES

Sports - Similar to A 16

Roadster - Similar to A 8

GFB64/D2103	Chrome	each
		2/8

GFB65/D2103	Chrome ..	each
		2/8
	Similar to A 16. G.C.C.	
GFB66/D2103	Chrome ..	2/8



RALEIGH PATTERN BRACKET CUPS AND LOCK RINGS

in Complete Sets

GFB57/DS1903 Chrome .. set 2/5

RALEIGH PATTERN CUPS

R.H. Thread each
GFB58/D707 Chrome .. 11 1/2d.
Ditto. L.H. Thread
GFB59/D707 Chrome 11 1/2d.

RALEIGH PATTERN LOCK RINGS

each
GFB60/D401 Chrome .. 6d.



B.W. BOTTOM BRACKET AXLES

No. 12 1 3/4 C.L. G.C.C. each
Cottered (Carrier)
GFB67/D2008 Black .. 2/7
GFB67a/D2201 Chrome .. 2/9

No. 2c 1 1/8 in. C.L. G.C.C. Cotterless each
GFB68/D2008 Black .. 2/7
GFB68a/D2201 Chrome .. 2/9

No. 8. 1 1/2 C.L. G.C.C. Cotterless (Cycles with Balloon Tyres) each
GFB69/D1909 Black .. 2/5 1/2
GFB69a/D2103 Chrome .. 2/8


No. 14. 1 1/2 C.L. G.C.C. Cotterless each
GFB70/D1909 Black .. 2/5 1/2
GFB70a/D2103 Chrome .. 2/8

No. 15. 1 1/2 C.L. Non-G.C.C. Cotterless each
GFB71/D1909 Black .. 2/5 1/2
GFB71a/D2103 Chrome .. 2/8

No. 20. 1 5/16 C.L. G.C.C. (Juvenile) each
GFB72/D1909 Black .. 2/5 1/2
GFB72a/D2103 Chrome .. 2/8

No. 22. 1 5/8 C.L. G.C.C. Cotterless (Robin Hood) each
GFB73/D2008 Black .. 2/7
GFB73a/D2201 Chrome .. 2/9

No. 23. 1 5/8 in. C.L. Non-G.C.C. Cotterless. each
GFB74/1909 Black .. 2/5 1/2
GFB74a/2103 Chrome .. 2/8



B.W. BRACKET UNIT

Axle Cups and Bearings totally enclosed in Sleeve to fit into Frames as replacement for worn out or damaged Brackets. Available with No. 14 or 15 Axles or to order.

each
GFB75/E409 Black .. 7/2
GFB75a/E501 Chrome 7/2

SPECIAL FIXED CUPS FOR ABOVE B.W. No. 6

each
GFB76/D911 Black 1/3
GFB76a/D1005 Chrome 1/3 1/2

SPECIAL LOCK RINGS FOR ABOVE B.W. No. 10

each
GFB77/D805 1/2 Black .. 1/-
GFB77a/D903 Chrome 1/2

BOTTOM BRACKET TAPS

GFB78/E1706 D.E. 13/8 x 24T —

B.B. CLEARING TAPS

GFB79/E1100 R.H. 13/8 x 24T —
GFB80/E1100 L.H. .. —
GFB81/E1306 Tandem size R.H. —
GFB82/E1306 L.H. —
State whether R. of L. hand required

B.B. TAP HOLDERS

with Pilot Guide for hand use

GFB83/E1406 —


BRAKES



MONITOR "SHEERLINE" CALIPER BRAKES

with Patent Anchoring Device on Rear Brake Shoes. Waterproof Cables. C.P. Finish. Tourist Levers.


each
GFB84/E610 Front .. 10/3
GFB85/E700 Rear .. 10/6
GFB86/E700 Ladies .. 10/6



PHILLIPS "VOX POPULI" CALIPER BRAKES

Side Pull Centre Bolt Fixing. Solid Lever Silver Covered Casing. C.P. Finish. Stabilisers fitted to Rear Brakes (Rear Vertical Bolt Fitting can also be supplied)


each
GFB87/E608 No. 400 Front .. 10/-
GFB88/E700 No. 401 Rear .. 10/6
GFB89/E700 No. 402 Ladies .. 10/6



PHILLIPS PHILCO BRAKES

Centre Pull Caliper 2 in. Clip fitting on Front. Plate Fitting rear with No. 11 C.P. Lever.


each
GFB90/E603 No. 115 Front .. 9/5
GFB91/E607 No. 116 Rear .. 9/10



ASHBY "TYPE MONIQUE"

Bevelled Arches. Stabilisers to Rear Brake.
Plastic Covered Cable.

		each
GFB92/E706	Front	11/3
GFB93/E804	Rear	12/6
GFB93a/E804	Ladies Rear ..	12/6




PHILLIPS

"GRAND VITESSE" BRAKES

Waterproof Silver Cable. Built-in Stabilisers to Rear No. 11 Levers. Fitted Special Straight-Legged Springs acting on two studs.

		each
GFB94/E702	No. 519 Front ..	10/9
GFB95/E706	No. 520 Rear ..	11/3




G.B. "STANDARD"

The original Universal Caliper Brake. Stirrup Range 2 in. to 3 in. with Superhood Levers.

		pair
GFB102/P2608		40/-

As above but supplied with Tourist or Standard Racing Levers.

		pair
GFB103/P2508		38/6



WEBB MODEL 300 UNIVERSAL BRAKES

Highly Finished C.P. Steel Brake with Waterproof Cables and Bevelled Arches with new Streamlined Hooded Lever.

		each
GFB96/E608	No. 381 Front ..	10/-
GFB97/E700	No. 382 Rear ..	10/6
GFB98/E704	No. 383 Ladies ..	11/-

With Tourist Lever.

GFB99/E700	No. 371 Front ..	10/6
GFB100/E704	No. 372 Rear ..	11/-
GFB101/E708	No. 373 Ladies ..	11/6



WEINMANN (SWISS) ALLOY (F) BRAKES

Horizontal Bolt Fitting with Hooded Levers Non-Slip. Red or Grey Moulded Brake Blocks.

No. 730/730/116 Standard.


		pair
GFB105/P2504		38/-

No. 730/730/116/160 with Quick Release Cable Fitment.

GFB106/P2710		41/9
---------------------	-------	-------------

No. 500/730/116/160 with Quick Release Cable Fitment. (Front Brake Shallow Stirrup).

GFB106a/P2710		41/9
----------------------	-------	-------------



G.B. COUREUR BRAKES

in Hiduminium with Cam Release Stirrup Depth from $1\frac{7}{8}$ in. - $2\frac{5}{8}$ in. with 'Nylon' Pivot Bush and Moulded Non-Slip Brake Blocks. Fitted Superhood Levers.

		pair
GFB104/P2608		40/-

G.B. SPARE PARTS KIT

A strong boxed Kit which contains a representative selection of all spare brake parts. Illustrated list inside Lid.

GFB107/E12600		
----------------------	-------	--



PHILLIPS

RESILION CANTILEVER BRAKES


Solo. Chromium Plated.

		each
GFB110/E1206	Front	18/9
GFB111/E1402	Rear Gents..	21/3

REPLACEMENT CABLES

For above.


		each
	Front or Rear.	
GFB111a/E408		7/-



PHILLIPS "COSMOS" BRAKES

Roller Lever Pattern with $\frac{7}{8}$ in Handlebar Clips.


		each
GFB112/E511	No. 18 Front	8/11
GFB113/E711	No. 19 Rear	11/11



PHILLIPS No. 410

Westwood Rim Type Caliper Brake Rear with $\frac{3}{4}$ in. "D" Stay Clips and Plate for Seat Stays. With Waterproof Cable and No. 11 Lever.


		each
GFB114/E800		12/-



PHILLIPS No. 444

Westwood Rear Brake. Waterproof covered Cable and No. 11 Lever Clip Fitting to Seat Tube. $\frac{7}{8}$ in. D Stay Clips.

		each
GFB115/E606		9/9



PHILLIPS No. 405

Front Brake with Waterproof Cable and No. 11 Lever. $\frac{7}{8}$ in. "D" Fork Clips as standard. For Westwood Rims.


		each
GFB116/E710		11/9



PHILLIPS "QUICKFIT"

Pull-up Action Brakes with Short Levers $\frac{7}{8}$ in. Stem Clips.


		each
GFB117/E508	No. 4 Front ..	8/6
GFB118/E706	No. 9 Rear ..	11/3



PHILLIPS CELTONIA HANDLEBARS AND BRAKES

C.P. Finish fitted with Expander Bolt. Width 18 in. Complete with Bottom Parts.


								set
GFB119/S2408	N.R. Raised Pattern	..	..	..	..	..	..	37/-
GFB120/S2408	N.R. Drop'd Pattern	..	..	..	..	..	..	37/-
GFB121/S2405	Stand'd Raised Pattern	..	..	..	..	..	..	36/8
GFB122/S2311	High N.R. Raised Pattern	..	..	..	..	..	..	35/11
GFB122a/S2800	Carrier Raised (Black)	..	..	..	..	..	..	42/-



PHILLIPS KIDDIES N.R. RAISED HANDLEBARS

With Two Brakes 16 in. width. $\frac{3}{8}$ in. Stem.
Complete with Bottom Parts.

GFB124/S2104 set
32/-



**PHILLIPS CELTONIA JUVENILE
BARS AND BRAKES**


N.R. Raised 16 in. Width $\frac{7}{8}$ in. Stem. Complete with Bottom Parts.

GFB123/S2403 set
36/5

**PHILLIPS KIDDIES N.R. RAISED
HANDLEBAR**

With Front Brake only.
Complete with Bottom Parts. 16 in. width.
 $\frac{3}{8}$ in. Stem.

GFB125/S1511 set
23/11



HANDLEBARS

WITH TOP PARTS ONLY

Celtonia with Double Top Parts.

	each
GFB126/E1701 N.R. Raised ..	25/7
GFB127/E1701 N.R. Dropped ..	25/7
GFB128/E1610 Standard Raised	25/3
GFB129/E1704 High N.R. Raised	26/-
GFB130/E1609 Juvenile 7/8 in.	25/3

Carrier Raised.

GFB130a/E1910 29/9

Kiddie's with Double Top Parts.

GFB131/E1508 23/6

Kiddie's with Front Top Parts.

GFB132/E1302 19/9

BRAKE BLOCKS



No. 269 G.B., PHILLIPS, STRATA, Etc.

GFB133/DP504 pair
8d.



No. 245 RALEIGH CALIPER

GFB136/DP504 pair
8d.



No. 250 ENDRICK RIM
Shallow.

GFB137/DP504 pair
8d.



No. 275 B.S.A. CALIPER
1946 - on

GFB138/DP504 pair
8d.



No. 70 RALEIGH STIRRUP

GFB145/DP504 .. pair
8d.

No. 286 SLOTTED

For Standard Caliper Brakes. 1 13/16 in.

GFB145a/DP608 .. pair
10d.

No. 287 WEINMANN

36 mm Long. Slotted.

GFB145b/DP608 .. pair
10d.

No. 254 NARROW CRABBE
HERCULES

GFB148/DP504 .. pair
8d.

No. 258 B.S.A. STIRRUP
AND "VOX POPULI"

GFB151/DP504 .. pair
8d.

No. 70/2 RALEIGH CARRIER
ALSO TRICYCLE

GFB154/DP608 .. pair
10d.

No. 288 WEBB CALIPER

1 5/8 in. long.

GFB154a/DP504 .. pair
8d.



No. 144 PHILLIPS CARRIER

GFB153/DP704 .. pair
11d.

No. 284 G.B. COUREUR
AND GRAND TOUR

Grey 1 1/2 in. Soft (Studded)

GFB142/DP608 .. pair
10d.

No. 285 G.B. STANDARD

Pink Studded 1 3/4 in.

GFB143/DP608 .. pair
10d.

No. 282 G.B. COUREUR
AND GRAND TOUR

GFB147/DP504 .. pair
8d.



No. 19 CARRIER

GFB152/DP808 .. pair
1/1



No. 51 x 1 3/8 JUVENILE and TRICYCLE

GFB155/DP408 .. pair
7d.

No. 258 x 1 3/8 FLYING ACE

GFB156/DP408 .. pair
7d.

No. 251 x 2 1/4 in. RESILION
CANTILETTE

Narrow 1/4 in. Deep

GFB160/DP504 .. pair
8d.

No. 253 x 2 1/4 in. RESILION
CANTILETTE

7/16 in. Deep

GFB161/DP504 .. pair
8d.

No. 260 x 2 1/4 in. RESILION
CANTILETTE

5/16 in. Deep

GFB162/DP504 .. pair
8d.



No. 3 STANDARD CRABBE WIDE

GFB144/DP504 .. pair
8d.

No. 281S MONITOR SHEERLINE

GFB146/DP504 .. pair
8d.



No. 256 SUNBEAM

Rear to 1937

GFB149/DP808 .. pair
1/1



No. 257 SUNBEAM

Front Left and Right also Rear 1938/on

GFB150/DP808 .. pair
1/1

No. 251 x 3 in. RESILION
CANTILEVER

Narrow 1/4 in. Deep.

GFB157/DP608 .. pair
10d.

No. 253 x 3 in. RESILION
CANTILEVER

7/16 in. Deep

GFB158/DP608 .. pair
10d.

No. 260 x 3 in. RESILION
CANTILEVER

5/16 in. Deep

GFB159/DP608 .. pair
10d.

Resilion Pattern Brake Blocks are also
available in Red Soft for Alloy Rims.

GFB163/DP800 No. 251 x 3 in. pair
1/-
GFB164/DP800 No. 253 x 3 in. 1/-
GFB165/DP800 No. 260 x 3 in. 1/-

FIBRAX RED SOFT BRAKE BLOCKS FOR ALLOY RIMS

Available in the following types.

Nos. 105, 237, 245, 250, 269, 282 and 283
GFB166/DP600 pair
9d.

Nos. 284, 285, 286, 287
GFB167/DP608 pair
10d.



FIBRAX COUNTER DISPLAY CABINETS

Containing Eight Dozen Pairs Popular
Assorted Brake Blocks.

each
GFB169/E4208 64/-

GENUINE WEINMANN MOULDED BLOCKS (F)

Grey or Red. Studded in Display Boxes of
50 pairs.

GFB177/B2800 10d.
GFB177a/DP608 10d.



ALBION SERIES "ANTI-SLIP" STUDDED BLOCKS

GFB176/C508 12 pairs per Card pair
8d.



FERODO BRAKE BLOCKS

No. 51a. Bowden & Crabbe Square Pattern

pair
GFB170/DP504 8d.

No. 98b. Raleigh Caliper

GFB171/DP504 8d.

57a. Raleigh Stirrup

GFB172/DP504 8d.

No. 102 Endrick Rim Shallow

GFB173/DP504 8d.

No. 109 G.B., Strata, etc.

GFB174/DP504 8d.

No. 66. Phillips Carrier

GFB175/DP704 11d.

BRAKE BLOCKS IN SHOES



FIBRAX BRAKE BLOCKS IN C.P. SHOES


Best Quality. Complete with Pins and
Nuts and available with the following type
Fibrax Blocks.

Stirrup Types		pair
GFB178/C1200	No. 3	1/6d.
GFB179/C1200	No. 70	1/6d.
GFB180/C1200	No. 258	1/6d.



Caliper Types

GFB181/C1400	No. 245	1/9d.
GFB182/C1400	No. 269	1/9d.
Slotted for Caliper Brakes		pair
GFB183a/C1600	No. 286	2/-
Carrier		pair
GFB183/C1600	No. 144	2/-




FERODO BLOCKS

of the following types can be supplied in
Best Quality Nickel Plated Shoes complete
with Pins and Nuts. 12 pair per Card.

Nos. 51a - 52 - 57a - 98b

pair
GFB184/C1600 2/-



**PHILLIPS BRAKE BLOCKS
IN SHOES**

Best Quality. Complete with Pins and Nuts. 12 pairs per Display Card. Each pair in Cellophane Bag.

B201x. Standard and Juvenile Roller Lever

pair
GFB185/C708 1/-

B205x. Kiddies Roller Lever

GFB186/C704 11d.

C201x. Vox Populi, Grand Vitesse, Millward and Super Club Caliper Brakes.

GFB187/C1008 Front .. . 1/4

C209x. Vox Populi, Grand Vitesse, Millward and Super Club Caliper Brakes.

GFB187a/C1400 Rear .. . 1/9



BRAKE INNER WIRE. 50 ft. COILS

Non-Fray

Carburettor and Gear

GFB195/Co304 No. 0 1½d.

Brake

GFB196/Co304 No. 1 1½d.

Brake and Clutch

GFB196/Co410 No. 2 2d.

Clutch


GFB198/Co502 No. 3 2d.

Clutch Heavy

GFB199/Co506 No. 4 2d.

Ditto. No. 0 Plastic Covered

GFB200/Co410 .. . 2d.



BRAKE BLOCKS IN SHOES

for Phillips Philco Centre Pull Brakes.

pair
GFB188/DP908 C204x Front .. 1/3
GFB189/DP908 C205x Rear .. 1/3



**ALBION SERIES "ANTI-SLIP"
STUDED BRAKE BLOCKS**

in Shoes

(Cards of 12 Pairs)

pair
GFB190/C1200 Caliper Pattern 1/6
GFB191/C1200 Standard Flat Top 1/6



BRAKE INNER WIRES

In cut lengths with Fixed Pear Nipples.

GFB299/D400 No. 1 Size Front .. each 6d.

GFB300/D500 Rear .. 7½d.

GFB301/D600 Ladies .. 9d.

GFB302/D400 No. 2 Size Front .. 6d.

GFB303/D600 Rear .. 9d.

Silver Plastic Covered.

GFB303a/D700 Rear .. 10½d.

GFB304/D800 Ladies .. 1/-

With Fixed Barrel Nipples.

GFB305/D400 No. 1 Front .. 6d.

GFB306/D600 Rear .. 9d.

GFB307/D700 Ladies .. 10½d.



G.F.C.

BEST QUALITY BRAKE BLOCKS

in Plated Shoes. Complete with Pins and Nuts. 12 pairs per Display Card.

GFB191/B608 Standard .. . 10d.



RALEIGH PATTERN CALIPER

(12 Pairs per Box)

GFB193/B608 .. . 10d.

RALEIGH PATTERN ROADSTER

(12 Pairs per Box)

GFB192/B608 .. . 10d.

STANDARD CALIPER

(12 Pairs per Display Card)

GFB194/B608 .. . 10d.

JUNIOR

GFB195/B600 .. . 9d.



WATERPROOF BRAKE OUTER

CASING. 50 ft. COILS

Black, Silver, Red, Blue, Yellow, Green and White

Foot

"0" Carburettor and Derailleur Gears

GFB201/Co500 .. . 2d.

"1" Brake

GFB202/Co600 .. . 2½d.

"2" Brake and Clutch

GFB203/Co608 .. . 2½d.

"3" Heavy and Motor Cycle

GFB204/Co904 .. . 3½d.

**SUPPLE FLUTED
"CONTINENTAL" TYPE**

Outer Casing. 50 ft. Coils. Black, Silver, Red, Blue, Green, Yellow and White.

foot
GFB205/Co500 No. 0 Derailleur 2d.

GFB205a/Co600 No. 1 Brake .. 2½d.

GFB206/Co608 No. 2 Brake .. 2½d.

"FIBRAX" LINERS FOR CYCLE HUB BRAKES

Hub or Cycle	Dimensions	No. per Set	Set No.	Drilled or Undrilled	Price per Set
Bayliss Wiley Tandem	$3\frac{1}{8} \times \frac{5}{8} \times \frac{5}{32}$	2	PCL/10	U	5/2
Blumfield Tandem	$4\frac{1}{2} \times \frac{5}{8} \times \frac{5}{32}$	2	PCL/25	D	8/2
Blumfield Solo, 1933 on, and Tandem	$3\frac{1}{8} \times \frac{1}{2} \times \frac{5}{32}$	2	PCL/11	D	5/2
British Hub Solo and Solite ..	$3 \times \frac{1}{16} \times \frac{7}{64}$	2	PCL/12	U	4/2
British Hub Super Solo, 1936-39	$3\frac{3}{4} \times \frac{1}{16} \times \frac{1}{8}$	2	PCL/29	U	5/-
British Hub Super Solo 1946 on (as W945)	$3\frac{3}{4} \times \frac{1}{16} \times \frac{1}{8}$	2	PCL/35	D	6/6
British Hub Tandem, Front ..	$4\frac{1}{4} \times \frac{5}{8} \times \frac{1}{8}$	2	PCL/13	U	5/2
British Hub Tricycle, Rear ..	$4\frac{1}{4} \times \frac{5}{8} \times \frac{1}{8}$	2	PCL/13	U	5/2
British Hub Tandem, 1932 on, Rear 4in. Hub Steel Shoes ..	$4\frac{1}{2} \times \frac{3}{4} \times \frac{1}{8}$ 8 holes	2	PCL/27	D	6/8
British Hub Super Tandem, Front and Rear 4in. Hub Alloy Shoes	$4\frac{1}{2} \times \frac{3}{4} \times \frac{1}{8}$ 6 holes	2	PCL/27A	D	6/5
British Hub Super Special Tandem, 5in. 1937, Hub	$4\frac{3}{8} \times \frac{7}{8} \times \frac{1}{8}$ 8 holes	2	PCL/28	D	7/10
B.S.A. Solo	$3 \times \frac{5}{8} \times \frac{5}{32}$	2	PCL/30	U	4/8
B.S.A. Tandem	$3\frac{3}{8} \times \frac{5}{8} \times \frac{5}{32}$	2	PCL/14	U	5/4
Cyclo Hub	$3 \times \frac{5}{8} \times \frac{5}{32}$	2	PCL/15A	U	4/10
Cyklhub Solo	$3 \times \frac{1}{16} \times \frac{7}{64}$	2	PCL/12	U	4/2
Cyklhub Solo, 1936 on	$3\frac{3}{4} \times \frac{1}{16} \times \frac{1}{8}$	2	PCL/29	U	5/-
Enfield	$4\frac{1}{4} \times \frac{1}{16} \times \frac{1}{8}$	2	PCL/23	U	4/6
Enfield Solo, 1935 on	$3\frac{1}{2} \times \frac{1}{16} \times \frac{1}{8}$	2	PCL/32	U	4/-
Enfield Tandem	$4\frac{1}{8} \times \frac{5}{8} \times \frac{5}{32}$	2	PCL/33	U	6/3
New Hudson, to 1934, with long Rivets	$3\frac{3}{8} \times \frac{5}{8} \times \frac{5}{32}$	2	PCL/15A	U	4/10
Perry Tandem	$3\frac{1}{8} \times \frac{5}{8} \times \frac{5}{32}$	2	PCL/10	U	5/2
Phillips	$3\frac{1}{2} \times \frac{1}{16} \times \frac{1}{8}$	2	PCL/19	D	5/-
Radnall	$3\frac{1}{2} \times \frac{1}{16} \times \frac{1}{8}$	2	PCL/19	D	5/-
Raleigh	$3\frac{1}{16} \times \frac{5}{8} \times \frac{0}{64}$	2	PCL/15D5	D	5/-
Sturmey Archer	$3\frac{1}{16} \times \frac{5}{8} \times \frac{0}{64}$	2	PCL/15	U	4/4
Sturmey Archer Tandem, 1934 on	$4 \times \frac{5}{8} \times \frac{5}{32}$	2	PCL/26	D	6/7
Sturmey Archer, 1935 on, Drilled 5 holes	$3\frac{1}{16} \times \frac{5}{8} \times \frac{0}{64}$	2	PCL/15D5	D	5/-
Sturmey Archer, to 1935, Drilled 6 Holes	$3\frac{1}{16} \times \frac{5}{8} \times \frac{0}{64}$	2	PCL/15D6	D	5/2
Triumph Velox	$3\frac{3}{4} \times \frac{5}{8} \times \frac{5}{32}$	2	PCL/11	U	4/8
Triumph Velox Tandem	$4\frac{3}{4} \times \frac{5}{8} \times \frac{5}{32}$	2	PCL/25	D	8/2

BRAKE LININGS



"FIBRAX" LINERS FOR CYCLE
HUB BRAKES
GFB205b/E

FULL RANGE OF
FERODO LINERS AVAILABLE
LIST ON APPLICATION

MOTORIZED CYCLES — MOPEDS AND SCOOTERS


Machine	Year	F. or R.	Dimensions	Set No.	Linings per Set Undr'd Drilled	
Britax Ducati Autocycle ..	1955/6	F.	$3\frac{3}{4} \times \frac{3}{4} \times \frac{1}{8}$	PLC/49	4/-	4/6
" Scooterette ..		or				
" Hurricane Racer ..		R.				
Bond Minibyke ..		F. or R.	$4\frac{1}{2} \times \frac{3}{4} \times \frac{1}{8}$	PCL/27	5/8	6/8
B.S.A. Winged Wheel fitted to New Hudson Sunbeam etc.		F.	As on Cycle			
Corgi (as W.945 F. & R.)		R.	$5\frac{3}{8} \times \frac{5}{8} \times \frac{3}{16}$	PCL/44	7/8	8/7
Lambretta 123cc ..	1953/54	F.	$3\frac{3}{4} \times \frac{1}{8} \times \frac{1}{8}$	PCL/35	5/6	6/6
Lambretta 150cc ..	1955	R.	$3\frac{3}{4} \times \frac{1}{8} \times \frac{1}{8}$	PCL/35	5/6	6/6
Mosquito		F.	$96 \times 15 \times 4$ mm	PCL/36	5/4	
		R.	$138 \times 20 \times 4$ mm	PCL/37	8/2	
Mobylette Stirrup ..		F.	$3\frac{1}{2} \times \frac{9}{16} \times \frac{1}{8}$	PCL/19	4/4	5/-
Mobylette Brakes ..		R.	$3\frac{1}{2} \times \frac{9}{16} \times \frac{1}{8}$	PCL/19	4/4	5/-
Mobylette Hub Brakes 3 holes			Brake Blocks No. 264		8d. per pair	
Mobylette 4 holes ..	to 1954	F. or R.	Brake Blocks No. 271 x 2 $\frac{1}{2}$ "		8d. per pair	
NSU Vincent Firefly ..		F. or R.	$84 \times 22 \times 4$ mm	PCL/38	5/7	6/-
Phillips Coasterhub or Int. Exp.		F.	$84 \times 22 \times 4$ mm	PCL/39	5/7	6/1
Stirrup		R.	$4\frac{1}{4} \times \frac{3}{4} \times \frac{1}{8}$	PCL/27	5/8	6/8
Stirrup		F.	$3\frac{1}{2} \times \frac{9}{16} \times \frac{1}{8}$	PCL/19	4/4	5/-
Stirrup		R.	Brake Blocks 144		11d. per pair	
Quickly 49cc	1955	F.	Brake Blocks 144 in Shoes		2/- per pair	
		R.	$3\frac{1}{16} \times \frac{5}{8} \times \frac{1}{32}$	PCL/40	5/4	6/-
			$3\frac{1}{16} \times \frac{5}{8} \times \frac{1}{32}$	PCL/40	5/4	6/-
Stirrup Brakes			Brake Blocks 144		11d. per pair	
			Brake Blocks 144 in Shoes		2/- per pair	
Sun Motorette			$3\frac{3}{4} \times \frac{1}{8} \times \frac{1}{8}$	PCL/35	5/6	
MKV Hornet			$4\frac{1}{4} \times \frac{3}{4} \times \frac{1}{8}$	PCL/27	5/8	6/8
Velosolex Caliper Brakes			Brake Blocks 105x36mm		Red 9d. pair or Black 8d. pair	
Velosolex alternative Vespa 125cc	1950/55	F.	Brake Blocks 283			
	1950/54	R.	$130 \times 17 \times 3.5$	PCL/41	6/2	
	1955	R.	$130 \times 22 \times 3.5$	PCL/42	7/-	
		R.	$133 \times 22 \times 4$ mm	PCL/43	8/8	

Farrington Waterproof Cable Brake Transmissions

Supplied in Black or Silver. Each Cable Boxed




				each
GFB207/DI400	Standard Centre Pull	.. Front	..	1/9
GFB208/DI900	" " "	.. Rear	..	2/4 1/2
GFB207/D2100	" " "	.. Ladies	..	2/7 1/2
GFB210/DI700	Standard Side Pull			
	(Pear Nipple)	Front	..	2/1 1/2
GFB211/D2200	" " "	Rear	..	2/9
GFB212/D2400	" " "	Ladies	..	3/-
GFB213/DI700	Standard Side Pull			
	(Barrel Nipple)	Front	..	2/1 1/2
GFB214/D2200	" " "	Rear	..	2/9
GFB215/D2400	" " "	Ladies	..	3/-
GFB216/DI800	Raleigh Pattern	.. Front	..	2/3
GFB217/D2300	" " "	.. Rear	..	2/10 1/2
GFB218/D2600	" " "	.. Ladies	..	3/3
GFB219/DI700	Hercules Old Pattern	Front	..	2/1 1/2
GFB220/D2200	(Side pull with finger adjustment)	Rear	..	2/9
GFB221/D2400	" " "	Ladies	..	3/-
GFB222/DI800	Hercules New Pattern	Front	..	2/3
GFB223/D2200	" " "	Rear	..	2/9
GFB224/D2600	" " "	Ladies	..	3/3
GFB225/DI500	B.S.A. Old Pattern	.. Front	..	1/10 1/2
GFB226/D2000	" " "	.. Rear	..	2/6
GFB227/D2200	" " "	.. Ladies	..	2/9
GFB228/DI500	B.S.A. 1950 Type	.. Front	..	1/10 1/2
GFB229/D2000	" " "	.. Rear	..	2/6
GFB230/D2300	" " "	.. Ladies	..	2/10 1/2
GFB223a/DI200	B.S.A. Streamlight	.. Front	..	1/6
GFB233b/DI700	" " "	.. Rear	..	2/1 1/2
GFB233c/D2000	" " "	.. Ladies	..	2/6
GFB233d/DI700	B.S.A. Gold Vase	.. Front	..	2/1 1/2
GFB233e/D2200	" " "	.. Rear	..	2/9
GFB233f/D2500	" " "	.. Ladies	..	3/1 1/2



PHILLIPS CRABBE HUB BRAKE CABLES

			each
GFB267/D2000	For No. 248 C.1819x	Front	.. 2/6
GFB268/D2904	For No. 249 and G. C1820x	Rear	.. 2/11
GFB269/D2904	For No. 249 and G. C1821x	Ladies	.. 2/11



				each
GFB231/DI100	Monitor Sheerline	.. Front	..	1/4 1/2
GFB232/DI500	" " "	.. Rear	..	1/10 1/2
GFB233/DI800	" " "	.. Ladies	..	2/3
GFB234/DI000	Vox Populi	.. Front	..	1/3
GFB235/DI500	" " "	.. Rear	..	1/10 1/2
GFB236/DI800	" " "	.. Ladies	..	2/3
GFB237/DI200	G.B. for Superhood, Strata,	Front	..	1/6
GFB238/DI700	Burlite	.. Rear	..	2/1 1/2
GFB239/DI800	" " "	.. Ladies	..	2/3
GFB240/DI600	G.B. (with Adjusters)	.. Front	..	2/-
GFB241/D2100	For Tourists or Std. Racing			
	Levers	Rear	..	2/7 1/2
GFB242/D2300	" " "	Ladies	..	2/10 1/2
GFB243/DI700	G.B. For "Sports" Brakes	Front	..	2/1 1/2
GFB244/D2200	Wth Adjuster at Stirrup end	Rear	..	2/9
GFB245/D2500	" " "	Ladies	..	3/1 1/2
GFB246/DI100	Doherty New Type	.. Front	..	1/4 1/2
GFB247/DI600	" " "	.. Rear	..	2/-
GFB248/DI800	" " "	.. Ladies	..	2/3
GFB249/DI300	Webb	.. Front	..	1/7 1/2
GFB250/DI800	" " "	.. Rear	..	2/3
GFB251/D2100	" " "	.. Ladies	..	2/7 1/2
GFB252/DI200	Webb Hooded Lever Type	Front	..	1/6
GFB253/DI800	" " "	.. Rear	..	2/3
GFB254/DI900	" " "	.. Ladies	..	2/4 1/2
GFB255/D2100	S.A. Hub Brake. New Pattern	Front	..	2/7 1/2
GFB256/D2700	" " "	.. Rear	..	3/4 1/2
GFB257/D2700	" " "	.. Ladies	..	3/4 1/2
GFB258/D2300	S.A. Hub Brake. O.P. with			
	Shackle	.. Front	..	2/10 1/2
GFB259/D2800	" " "	.. Rear	..	3/6
GFB260/D3100	" " "	.. Ladies	..	3/10 1/2


MOTOR CYCLE TRANSMISSIONS COMPLETE

		each
GFB270/DI300	Carburettor Standard	1/7 1/2
GFB271/DI700	Carburettor Heavy	2/1 1/2
GFB272/DI800	Carburettor Villiers Patt.	2/3
GFB273/DI700	Carburettor Bantam	2/1 1/2
GFB274/DI700	Exhaust	2/1 1/2
GFB275/DI900	Standard Clutch	2/4 1/2
GFB276/D2000	" " 1/4 Barrel	2/6
GFB277/D2000	" " 3/8 in. Barrel Nipple	2/6
GFB278/D2400	Heavy Clutch 3/8 in. ditto.	3/-
GFB279/D2400	Front Brake 5/16 in. Adjuster	3/-
GFB280/D2000	" 3/8 in. Barrel	2/6

FARRINGTON WATERPROOF TRANSMISSIONS

FOR MOTORISED BICYCLES

(Silver Finish - Individually Boxed)



CYCLEMASTER THROTTLE



WINGED WHEEL PATTERN BRAKE CABLES

FOR MINI-MOTOR

					each
GFB281/E110	Throttle	Solo	1949/51 Patt.	..	2/9
GFB282/E200			1951/53 Patt.	..	3/-
GFB283/E200		Tandem	1949/51 Patt.	..	3/-
GFB284/E204			1951/53 Patt.	..	3/6
GFB285/E208	Release	Solo	1949/51 Patt.	..	4/-
GFB286/E208			1951/53 Patt.	..	4/-
GFB287/E300		Tandem	1949/51 Patt.	..	4/6
GFB288/E300			1951/53 Patt.	..	4/6
GFB289/E200	Decompressor	Solo	..	..	3/-
GFB290/E204		Tandem	..	..	3/6

FOR CYCLEMASTER

					each
GFB291/E200	Throttle	Solo	..	..	3/-
GFB292/E204	Release	Solo	..	..	3/6

FOR N.S.U. QUICKLY

ALL PATTERNS AVAILABLE



A B C D E

BRAKE CABLE NIPPLES

					each
GFB308/D8 /G800	"A"	Long Cycle Brake	..	..	1d.
GFB309/D7 /G700	"B"	Brake and General	..	..	1d.
GFB310/D8 /G800	"C"	Valve Lifter and Cycle Brake	..	..	1d.
GFB311/D8 /G800	"D"	Raleigh Barrel	..	..	1d.
GFB312/D8 /G800	"E"	S.A. Brake Hub	..	..	1d.
GFB313/D8 /G800	"F"	Hercules Brake	..	..	1d.

FOR B.S.A. "WINGED WHEEL"

					each
GFB293/E108	Throttle	Solo	..	..	2/6
GFB294/E204	Release	Solo	..	..	3/6
GFB298/E200	Brake	Solo Rear	..	..	3/-



"FIREFLY" RELEASE

FOR "FIREFLY"

					each
GFB296/E108	Throttle	Solo	..	..	2/6
GFB297/E200	Release	Solo	..	..	3/-
GFB298/E108	Compression	Solo	..	..	2/6



BRAKE CABLE STOPS


					each
GFB314/D8 /G800	No. 1 Size, C.P.	..	..	..	1d.
GFB315/D8 /G800	No. 2 Size, C.P.	..	..	..	1d.
GFB316/D9 /G804	Raleigh Pattern	..	..	..	1d.



BRAKE CABLE END CAPS

Chromium Plated.

					each
GFB317/D6 /G508	"O" Size	..	..	..	1d.
GFB318/D7 /G700	"1" Size	..	..	..	1d.
GFB319/D9 /G804	"2" Size	..	..	..	1½d.
GFB320/D10 /G1000	"3" Size	..	..	..	1½d.
GFB321/G11 /G1004	"4" Size	..	..	..	1½d.



**SOLDERLESS NIPPLES
CYCLE BARREL TYPE**

With Screw at end,

GFB322/C700	36 per Card ..	each
/D206	Loose	4d.



**LARGE BARREL M/C
SOLDERLESS NIPPLES**

With Screw at end

GFB323/C904	36 per Card	each
/D304	Loose	6d.




SOLDERLESS NIPPLES

Pear Type with Screw

GFB324/C700	36 per Card ..	each
/D206	Loose	4d.

For Cable Clips in Chain and Seat Stay Sizes for securing Gear and Dynamo Cables see Hub and Gear Spares Page 60.



CABLE BANDS


For securing Brake Cables, etc.

Dunlop - 36 per Card

GFB325/C600	Black	each
GFB325a/D200		3d.
GFB326/C600	Assorted Colours	3d.
GFB326a/D200		3d.

G.F.C. BEST QUALITY RUBBER

GFB327/D100	Black	each
GFB328/D100	Colours	1 1/2d.



TERRY CABLE CLIPS


Chromium Plated. Spring-on

GFB329/G1400	For Single Cables	doz. 1/9
GFB330/G1400	For Twin Cables	1/9
GFB331/G1408	For Triple Cables	1/10



CABLE CLAMP BOLT AND NUTS

GFB335/D600	G.B.	each 9d.
GFB336/D300	G.F.C.	4 1/2d.



CABLE TIDY

C.P. Plated Steel

GFB334/C400	13 per Card ..	each 6d.
-------------	----------------	----------



BRAKE SPRINGS FOR CALIPER BRAKES

GFB337/D111	Centre Pull - Philco, etc.	each 3d.
GFB338/D301	Vox Populi, etc.	4 1/2d.
GFB339/D301	Grand Vitesse, etc.	5d.
GFB340/D400	G.B. Front or Rear	6d.
GFB341/D306	Raleigh Pattern Front and Rear	5 1/2d.
GFB342/D303	Hercules Pattern Front and Rear	5d.
GFB343/D304	Webb. Double Coil	5d.
GFB344/D400	Monitor. "Sheerline"	6d.

**BRAKE LEVERS**

		each
GFB345/E201	Standard (Pear Type) for Vox Populi etc. C.P.	3/2
GFB346/E201	Standard (Barrel Type) C.P.	3/2
GFB347/E404	Webb Racing Lever (Hooded) C.P.	6/6
GFB348/E300	Webb Universal Lever C.P.	4/6
GFB349/E608	G.B. "Superhood" Lever with built-in Adjuster	10/-
GFB350/E500	G.B. Standard Racing Pattern	7/6
GFB351/E500	G.B. Tourist Lever	7/6
GFB351a/E304	Monitor Sheerline Alloy Lever (Tourist or Sports)	5/-
GFB351b/E200	Monitor Sheerline Standard Lever	3/-

**CENTRE BOLTS FOR CALIPER BRAKES**

				each
GFB352/D400	G.F.C. Less Fittings	Front	..	6d.
GFB353/D400	G.F.C. Less Fittings	Rear	..	6d.
GFB354/D1204	Phillips "Vox Populi" complete	Front	..	1/7
GFB355/D1204	Phillips "Vox populi" complete	Rear	..	1/7
GFB354a/D301	Phillips "Vox Populi" less fitting	Front	..	4½d.
GFB355a/D301	Phillips "Vox Populi" less fitting	Rear	..	4½d.
GFB356/D400	Monitor	Front	..	6d.
GFB357/D400	Monitor	Rear	..	6d.
GFB358/D1200	Webb (Adjustable Arches)	Front	..	1/6
GFB359/D1200	Webb (Adjustable Arches)	Rear	..	1/6
GFB360/D1104	G.B. Less Fittings	Front	..	1/5
GFB361/D1000	G.B. Less Fittings	Rear	..	1/3
GFB362/D2008	G.B. Complete	Front	..	2/7
GFB363/D1904	G.B. Complete	Rear	..	2/5

SPARE PARTS FOR RESILION AND G.B. BRAKES

A COMPREHENSIVE STOCK IS KEPT COVERING THE FULL RANGE. DETAILS AND "G.B." PRICE LISTS AVAILABLE ON REQUEST

**BRAKE FORK CLIPS AND PINS**

Carded 12 Pairs per Card

Phillips Chromium Plated

	pair
GFB364/C711	1/-
For 7/8 in. "D" Forks	
GFB365/C1007	1/4
For 5/8 in. "Rd" Forks	
GFB366/C804	1/1
For Kiddies Forks	

SWIVEL JOINT PINS

GFB370/D8	Genuine Phillips	each
GFB371/D6	Hercules Pattern	1d.

**BRAKE LUGS OR TOP JOINT PINS**

Complete with Nuts and Washers

	each
GFB372/D208	4d.
Genuine Phillips B501x	
Raleigh Pattern	
GFB373/D208	4d.
Raleigh Old Pattern	
GFB374/D208	4d.
Hercules Pattern	
GFB375/D208	4d.
Juvenile Pattern	
GFB375a/D208	4d.

**BRAKE TUBES**

Chromium Plated


	each
Front with Top Joints	
GFB376/D1000	1/3



Rear with Top and Bottom Joints	
GFB377/D1204	1/7

PLUNGER RODS WITH ARM


FRONT C.P.



GFB378/D608 .. 10d. each

REAR C.P.

GFB379/D608 .. 10d. each



PLUNGER RODS WITH SWIVEL

GFB380/D309 G.F.C. N.P. Fin. 6d. each
GFB381/D400 Phillips. C.P. 6d.



FRONT STIRRUPS

Phillips Chromium Plated. Complete with Fork Clips and Blocks in Shoes

GFB385/E309 Standard.. 5/7 each
GFB386/E307 Kiddies .. 5/4
GFB387/E406 Carrier Black 6/9
GFB388/E408 Yoke and Hinge 6/4

DOWN RODS WITH SWIVEL

Black Enamelled

GFB382/D301 Standard Models 5d. each
GFB383/D301 Yoke and Hinge 5d.
GFB384/D507 Kiddies .. 8½d.



CONNECTION SCREW UNITS

For Rear Roller Lever Stirrups. With Hexagon and Milled Nut.

GFB391/D301 Standard .. 5d. each
GFB392/D211 Juvenile .. 4½d.



BRAKE SPRINGS ROLLER LEVER

All Models

GFB389/D109 R.H. .. 2½d. each
GFB390/D109 L.H. .. 2½d.



Rear Leg Springs all Models

GFB393/D200 .. 3d.

REAR STIRRUPS ONLY

With Clips

Leg units to fit above Bottom Bracket
Black Enamelled

GFB394/D3704 Standard .. 4/8 each
GFB395/D5008 Carrier .. 6/4
GFB396/D3704 Juvenile .. 4/8
GFB397/D3704 Yoke and Hinge .. 4/8




Can also be supplied in Stud Fitting.

BRAKE BOTTOM PARTS

IN SETS



STIRRUP UNIT



STANDARD



KIDDIES

REAR BRAKE BOTTOM PARTS

Comprising Bell Crank Unit, Down Rod with Swivel and Rear Stirrup. Complete with Blocks in Shoes and Stay Clips.

					set
GFB398/S505	Standard	..	..	..	8/1
GFB399/S505	Juvenile	..	..	..	8/1
GFB400/S606	Carrier	..	..	..	9/9
GFB401/S402	Kiddies	..	..	..	6/3
GFB402/S601	Yoke and Hinge	..	..	..	9/1

DOUBLE BRAKE BOTTOM PARTS

in complete sets, including Front and Rear Stirrups with Blocks in Shoes and Fork and Stay Clips, Bell Crank Units and Down Rods.

					set
GFB403/S809	Standard	..	..	..	13/1
GFB404/S809	Juvenile	..	..	..	13/1
GFB405/S1008	Carrier	..	..	..	16/-
GFB406/S705	Kiddies	..	..	..	11/1
GFB407/S1000	Yoke and Hinge	..	..	..	15/-



BELL CRANK LEVER UNITS

Complete Lever Bolt Bush Washer and Nut.

			each
GFB408/D907	Standard	..	1/3
GFB409/D907	Carrier	..	1/3
GFB410/D907	Kiddies	..	1/3
GFB411/D2008	Yoke and Hinge	..	2/7



BELL CRANK LEVERS ONLY

			each
GFB412/D408	Standard	..	7d.
GFB413/D408	Carrier	..	7d.
GFB414/D408	Kiddies	..	7d.
GFB415/D1501	Yoke and Hinge	..	1/11



BELL CRANK

Bolt Units

			each
GFB416/D600	Standard & Carrier	..	9d.
GFB417/D600	Kiddies	..	9d.
GFB418/D600	Yoke and Hinge	..	9d.

Motor Cycle Control Levers

Chromium Plated Finish. State whether $\frac{7}{8}$ in. or 1 in. Diameter

AIR OR MAGNETO

L.H. or R.H. Solid Clip

GFB419/E408 each
7/-

COMPRESSION RELEASE LEVER

GFB421/E308 each
5/6

COMBINED MAGNETO AND COMPRESSION RELEASE

L.H. or R.H.

GFB420/E800 each
12/-



STANDARD CLUTCH OR BRAKE LEVER

Solid Pattern. L.H. or R.H.

GFB422/E608 each
10/-



SINGLE TOOTH TYPE LEVERS

Specially made for Power Assisted Bicycles
and Motorised Lawn Mowers.

GFB425/E500 each
7/6

SPORTS PATTERN WITH LONG PRESSED LEVER

R.H. or L.H.

GFB423/E504 each
8/-

RATCHET TYPE BRAKE LEVER

GFB424/E500 each
7/6

Twist Grips



BRITAX M. 351

Twist Grips, Friction Type to fit $\frac{7}{8}$ in. Bars.
For Motorised Cycles, etc.

GFB429/E404 each
6/6

Dummy Grip to match.

GFB430/D800 1/-




STANDARD PATTERN TWIST GRIPS

for $\frac{7}{8}$ in. or 1 in. Bars, includes Friction
adjustment.

GFB426/E600 Long $7\frac{1}{2}$ in. .. each
9/-
GFB427/E604 Short $5\frac{5}{8}$ in. .. 9/6

Dummy Grips to match

GFB428/D608 10d.



BRITAX "TWIST DIP" SWITCH

For safe night riding. Easily fitted in place
of existing left-hand grip and dipper
switch. Utilises existing electrical wiring.

GFB431/E1608 M. 353 each
25/-

BRUSHES

G.F.C. "RED HANDLE" BRUSHES

British Made.

Flat Varnish. each

GFB432/D1104	$\frac{1}{2}$ in.		1/5
GFB433/D1304	$\frac{3}{4}$ in.		1/8
GFB434/D1610	1 in.		2/1
GFB435/D2309	$1\frac{1}{2}$ in.		3/-

*Harris...*the paint brush with
a name to its handle

"HARRIS" J.D.I. DISPENSER

Containing 38 Junior Brushes assorted in
sizes $\frac{1}{2}$ in. $\frac{3}{4}$ in. 1 in. $1\frac{1}{2}$ in. 2 in. $2\frac{1}{2}$ in. 3 in.
Retail value
of dispenser

GFB437/E9408 £7 2 0

"HARRIS" JUNIOR BRUSHES

Pure Black Bristles. Clear Polished Handles
with Red Tips.

			each
GFB438/D1800	1 in.		2/3
GFB439/D3000	$1\frac{1}{2}$ in.		3/9
GFB440/E302	2 in.		4/9
GFB441/E406	$2\frac{1}{2}$ in.		6/9
GFB442/E502	3 in.		7/9
GFB443/E708	4 in.		11/6

"RENOWN" SMALL ENAMEL
BRUSHES

Plain Wood Handles. 24 per Card.

GFB453/C504 each 4d.

ARTISTS BRUSHES

on Palette cards of 24 brushes. Handles
finished in various colours.


GFB454/C600 Sizes 1 - 6 each 4½d.
(4 of each per card).
GFB455/C608 Sizes 6 - 7 - 8 10d.
(8 of each per card).



"HARRIS" STANDARD BRUSHES

Clear Polished Handles with Brown Tips. A
thicker brush with longer bristles than
the Junior.

			each
GFB444/D1400	$\frac{1}{2}$ in.		1/9
GFB445/D1504	$\frac{3}{4}$ in.		1/11
GFB446/D2304	1 in.		2/11
GFB447/E310	$1\frac{1}{2}$ in.		5/9
GFB448/E502	2 in.		7/9
GFB449/E708	$2\frac{1}{2}$ in.		11/6
GFB450/E900	3 in.		13/6
GFB451/E1300	4 in.		19/6

THE "POPULAR" CELLULOSE
SOFT HAIR BRUSHES

With Coloured Handles. 24 per Card.

GFB452/C1008 each 8d.

BOLTS AND NUTS

BEST QUALITY
HIGH TENSILE BOLTS OR SETSCREWS

Hexagon Heads

WHITWORTH THREAD

	Length Under Head	$\frac{3}{16}$ in.	$\frac{1}{4}$ in.	$\frac{5}{16}$ in.	$\frac{3}{8}$ in.
GFB456/DA	$\frac{3}{16}$ in.	1/1	1/1	1/8	2/4
GFB457/DA	1 in.	1/2	1/2	1/9	2/5
GFB458/DA	$1\frac{1}{4}$ in.	1/3	1/3	1/10	2/6
GFB459/DA	$1\frac{1}{2}$ in.	1/4	1/4	1/11	2/7
GFB460/DA	$1\frac{3}{4}$ in.	1/5	1/5	2/-	2/8
GFB461/DA	2 in.	1/6	1/6	2/1	2/9

B.S.F. THREAD

	Length under Head	$\frac{3}{16}$ in.	$\frac{1}{4}$ in.	$\frac{5}{16}$ in.	$\frac{3}{8}$ in.
GFB462/DA	$\frac{3}{16}$ in.	1/1	1/1	1/8	2/4
GFB463/DA	1 in.	1/2	1/2	1/9	2/5
GFB464/DA	$1\frac{1}{4}$ in.	1/3	1/3	1/10	2/6
GFB465/DA	$1\frac{1}{2}$ in.	1/4	1/4	1/11	2/7
GFB466/DA	$1\frac{3}{4}$ in.	1/5	1/5	2/-	2/8
GFB467/DA	2 in.	1/6	1/6	2/1	2/9

BEST QUALITY STEEL BOLTS

Oil Black Finish. Hexagon Heads
C.E.I. 26 T.P.I.

	Length under Head	$\frac{1}{4}$ in.	$\frac{5}{16}$ in.	$\frac{3}{8}$ in.
GFB468/DA	$\frac{3}{16}$ in.	1/2	1/6	2/0½
GFB469/DA	1 in.	1/2½	1/6½	2/1
GFB470/DA	$1\frac{1}{4}$ in.	1/3½	1/7	2/3
GFB471/DA	$1\frac{1}{2}$ in.	1/5	1/8½	2/4½
GFB472/DA	2 in.	1/7	2/-	2/8½



BRIGHT STEEL HEXAGON TURNED NUTS

WHITWORTH THREAD

	$\frac{3}{16}$ in.	$\frac{1}{4}$ in.	$\frac{5}{16}$ in.	$\frac{3}{8}$ in.	dozen
GFB473/G408					7d.
GFB474/G600					9d.
GFB475/G704					11d.
GFB476/G904					1/2

B.S.F. THREAD

	$\frac{3}{16}$ in.	$\frac{1}{4}$ in.	$\frac{5}{16}$ in.	$\frac{3}{8}$ in.	dozen
GFB477/G408					7d.
GFB478/G600					9d.
GFB479/G704					11d.
GFB480/G904					1/2

SET SCREWS AND NUTS


C.E.I. thread $\frac{1}{4} \times 26$ T.P.I. Assorted $\frac{1}{2}$ in to 2 in. Black Finish.
72 per box.

GFB484/B1208 each 3½d.

STEEL HEXAGON NUTS - OIL BLACK FINISH
C.E.I. 26 T.P.I.

	$\frac{1}{4}$ in.	$\frac{5}{16}$ in.	$\frac{3}{8}$ in.	dozen
GFB481/D7				10½d.
GFB482/D9				1/1½
GFB483/G1108				1/5½


CARRIERS



MIDLAND CARRIERS

Semi-tubular Steel. Black enamelled for 26 in. Wheels.


		each
Sports Pattern Spindle Fitting		
GFC1/E310 4577	5/9	
Roadster Pattern Spindle Fitting		
GFC2/E400 4649	6/-	
Sports Pattern Universal Stay Fitting		
GFC3/E310 4576	5/9	
Roadster Pattern Universal Stay Fitting		
GFC4/E400 4648	6/-	



MIDLAND CARRIERS


Semi-tubular Steel. Black enamelled for 26 in. Wheels with Spring Parcels Clip.

Sports Spindle Fitting	each
GFC5/E408 4615	7/-
Roadster Spindle Fitting	
GFC5/E500 4652	7/6
Sports Universal Fitting	
GFC7/E408 4614	7/-
Roadster Universal Fitting	
GFC8/E500 4651	7/6

LLOYDS CLOSE JOINT
TUBULAR TYPE CARRIERS

Black Enamel. 26 in. Wheel Spindle Fitting


	each
GFC9/E310	6/-
As above, but with Strong Spring Parcels Clip.	each
GFC10/E407	6/10



No. 70 LIGHT TOURIST CARRIER

Black enamelled. Stay Fitting with Spring Clip.

	each
GFC11/E308	5/6



SPORTSMAN TUBULAR CARRIER

with Spring Parcels Clip. Black enamelled 26 in. Wheel Spindle Fitting.

	each
GFC12/E402	6/3



BROOKS STRIP STEEL CARRIERS

No. 06/W with Webb Straps. 26 in. Wheel. Spindle Fitting. Black enamelled.

	each
GFC13/E404	6/6

As above with Spring Parcels Clip.


	each
GFC14/E500	7/6



**ASHBY No. 130
PRESTUBE CARRIERS**

with detachable Spring Parcels Clip.
26 in. Wheels. Spindle Fitting.


		each
GFC15/E505	Black	8/1
GFC16/E511	Silver or Green ..	8/10



**"CHIC" CARRIER FOR
JUNIOR CYCLE**

with stand. Black enamelled. Spindle
Fitting.


		each
GFC25/E304	12/14 in. wheels ..	4/11
GFC26/E305	16/18 in. wheels ..	5/2
GFC27/E311	20 in. wheels ..	5/10



"LECO" PADDED CHILD SEAT

Top tube fitting. Leathercloth top. One-
piece down tube fitting. Footrests.

		each
GFC37/E600	Complete	9/-



MIDLAND SUPREME CARRIERS

Fitted with Stand which clips beneath the
carrier when not in use. Prevents scratched
and damaged cycles by falling when left
Spindle Fitting. 26 in. Wheels.

		each
GFC21/E808	Black enamelled ..	13/-
GFC22/E1904	Chromium	29/-

As above, but fitted Spring Parcels Clip.

		each
GFC23/E904	Black enamelled ..	14/-
GFC24/E2008	Chromium	31/-

CHILD SEATS




**ASHBY No. 15
CHILD CARRIER**

Seat easily removed to form parcels carrier.
Steel throughout. Rear fitting with leg
shields. Enamelled Black. Complete.

		each
GFC31/E1808		28/-

As above, but upholstered de-luxe with
leg shields. Complete.

		each
GFC32/E2304		35/-




TRADESMEN'S CARRIERS

For attachment to front wheel spindles
and handlebars. Fully adjustable to suit
any size frame or Handlebar position.
Size 18 in. x 12 in.

		each
GFC29/E1500	Enamelled Black ..	22/6

As above, but with 19 in. x 12 in. Flat
Carrier

		each
GFC30/E1500		22/6



ASHBY No. 7

Strong and rigid design with fittings for
attachment to head and down tube. Carrier
does not move with front wheel.

18 in. x 12 in. Fits any size frame. Enamelled
Black.

		each
GFC28/E1500		22/6

**THE "DERRETT"
CHILD CARRIER**

Comprises a strong and comfortable safe
saddle seat with back rest and footrests.
Is fitted to top tube of cycles with child
facing the handlebars, safe and secure.

		each
GFC35/E1309		20/8

"LECO" STEEL CHILD CARRIER

Rear fitting. Adjustable footrests. Folds flat. For 26 in. or 28 in. wheel. Exceptionally strong. Complete.

each
GFC33/E1404 **21/6**

As above, but with seat, arms and back covered in best quality Leathercloth. Weight 5½ lbs. Complete.


each
GFC34/E1804 **27/6**

**LEG SHIELD FOR REAR FITTING
"LECO" CHILD CARRIERS**

(as illustrated on child seat above)

Steel, Enamelled black

per pair
GFC38/P108 **2/6**

**FOOTRESTS DOWN TUBE FITTING**


for top tube child seats. Steel. Enamelled Black. One piece.

each
GFC39/E104 Complete **2/-**

FOOT RESTS**REAR STAY FITTING**


For rear child carriers. Steel Enamelled Black. Two piece.

pair
GFC40/P104 Complete **2/-**

BAG SUPPORTS**QUICKFIT-CLIP-ON-BAG SUPPORTS**

½ in. or ⅝ in. rear stay fitting.


each
GFC41/E302 Steel Black .. **4/9**
GFC42/E400 Alloy Polished .. **5/11**

**BROOKS BAG SUPPORT**

C.P.


Plated wire with wing nut and screw to fix on rear stays.

each
GFC44/E310 **5/9**

**"HYLO" WIRE PATTERN SUPPORT**


Fully adjustable. Chromium.

each
GFC43/E304 **5/-**

**"NINETY" BAG SUPPORT**

Chrome wire. Fastens under rear caliper brake bolt fixing nut.

each
GFC45/E200 **3/-**

**HIGHWAY BAG SUPPORT**

To clip to seat pillar.


each
GFC46/E506 Black enamel .. **8/3**
GFC46a/E602 Silver Grey .. **9/3**
GFC46b/E706 C.P. **11/2**

**MIDLAND SUPPORTS No. 912**

Tubular steel. Easy fixing to rear stay. Clears caliper brake.

each
GFC47/E208 Black **4/-**
GFC48/E308 Anodised Alloy **5/6**

CARRIER SUNDRIES



BACK PLATES

GFC49/D200 each 3d.



CARRIER CLIPS


With Screws and Nuts

GFC54/D302 7/8 "D" each 5d.
 GFC55/D302 8/8 "Rd" 5d.
 GFC56/D302 1 1/8 "Rd" 5d.

NAME PLATE CLIPS

Complete with screws and Nuts


GFC57/D304 Black 1 in. each 5d.
 GFC58/D304 Black 1 1/8 in. 5d.



SPRINT WHEEL CARRIERS

Designed to accommodate 26 in. or 27 in. Wheels. Chromium Plated Steel.

GFC64/P300 Cyclo Rosa pair 4/6
 GFC65/P208 G.F.C. 4/-




BACK SCREW 1 3/4 in x 1/4 in.

GFC50/D102 each 2d.

Wing Nuts for same.

GFC51/D200 3d.



CARRIER CLIPS

hinged type with Bolt and Wing Nuts

GFC59/D403 7/8 "D" each 6 1/2 d.
 GFC60/D403 "Rd" 6 1/2 d.
 GFC61/D403 1 1/8 "Rd" 6 1/2 d.



GFC66/B1408
 GFC67/B1000

18 in. x 9/16 in. each 11d.
 9 in. x 5/8 in. 7 1/2 d.

BAYCLIFF BLACK LEATHER STRAPS

Packed in Display Boxes

GFC68/B900	7 in. x 5/8 in.	36 per box	..	..	..	4 1/2 d.
GFC69/B704	9 in. x 5/8 in.	24 per box	..	..	..	5 1/2 d.
GFC70/B808	15 in. x 1/2 in.	24 per box	..	..	..	6 1/2 d.
GFC71/B1000	18 in. x 1/2 in.	24 per box	..	..	..	7 1/2 d.
GFC72/B808	24 in. x 5/8 in.	12 per box	..	..	..	1/1
GFC73/B1000	30 in. x 5/8 in.	12 per box	..	..	..	1/3
GFC74/B1104	36 in. x 5/8 in.	12 per box	..	..	..	1/5
GFC75/B1208	42 in. x 5/8 in.	12 per box	..	..	..	1/7



CARRIER SPINDLE EXTENSION NUTS

GFC52/D400 1 1/8 in. each 6 1/2 d.
 GFC53/D404 3/8 in. 6 1/2 d.



TERRY RAQUET CLIPS

GFC62/E204 Black Enamelled each 3/6
 GFC63/E208 Silver Finish 4/-

BAYCLIFF SUPERB QUALITY BLUE CHROME LEATHER STRAPS

With Cadmium Roller Buckles. 24 straps per Display Box

each



G.F.C. STRAPSWITH PLATED ROLLER BUCKLES

					each
GFC76/D206	7 in.	(36 per card)	..	..	4d.
GFC77/D208	9 in.	(36 per card)	..	..	4d.
GFC78/D306	12 in.	(36 per card)	..	..	5½d.
GFC79/D404	15 in.	(24 per card)	..	..	6½d.
GFC80/D502	18 in.	(24 per card)	..	..	8d.
GFC81/D602	24 in.	(24 per card)	..	..	9½d.
GFC82/D810	36 in.	(18 per card)	..	..	1/1½
GFC83/D1206	42 in.	(18 per card)	..	..	1/7



CARBIDE

GFC84/D800	½ lb. Tins	..	..	tin
GFC85/I304	1 lb. Tins	..	..	1/8

FEEDING BOTTLES
AND CARRIERS

FEEDING BOTTLES

Complete with Metal Topped Corks
G.F.C. 1 Pint. Ribbed.

		each
GFC86/E202	Polished Alloy ..	3/3
GFC86a/E202	Polythene	3/3



COLORAL STRAIGHT SIDED

1 Pint. Ribbed

		each
GFC92/E300	Anodised Silver..	4/6
GFC93/E300	„ Red ..	4/6
GFC94/E300	„ Blue ..	4/6
GFC95/E300	„ Green	4/6
GFC96/E300	„ Gold ..	4/6

COLORAL
TAPERED 1 PINT RIBBED

		each
GFC87/E304	Anodised Silver..	5/-
GFC88/E304	„ Red ..	5/-
GFC89/E304	„ Blue ..	5/-
GFC90/E304	„ Green	5/-
GFC91/E304	„ Gold ..	5/-
GFC97/D2600		3/3

COLORAL HIP FLASKS

Complete with cork.

GFC104/E104	Polythene	2/-
-------------	-----------------	-----

SIMPLEX BOTTLES

1 Pint. Ribbed.


Highly polished finish with blue metal topped "Simplex" corks.

		each
	With Plain Corks.	
GFC105/E210		4/3
	With Drilled Corks (2 holes)	
GFC106/E210		4/3

SIMPLEX
BOTTLE CARRIERS

Stainless steel. Collapsible single carriers.
Individually boxed in attractive carton.

		each
	Handlebar Fitting.	
GFC107/E406		6/9
	D/Tube Fitting.	
GFC108/E406		6/9



COLORAL WIRE PATTERN
(Single)

Chromium Plated
Steel. Complete with Clips

GFCI38/E304	Handlebar ..	each
		5/-
GFCI39/E304	Down Tube Fitting	each
		5/-

SIMPLEX WIRE MODEL
(Single)

Complete with Clips Handlebar Fitting

GFCI40/E404		each
		6/6
	Down Tube Fitting	each
GFCI41/E404		6/6

CORKS FOR
FLASKS AND BOTTLES

GFCI12/D104	Plain. 1 $\frac{5}{16}$ in.	each
		2d.
GFCI13/D200	Metal Topped G.F.C.	3d.
GFCI14/D400	Coloral 1 $\frac{5}{16}$ in. ..	6d.

With two holes for Feeding Bottle Tube

GFCI15/D406	Coloral Metal-Topped	each
		6 $\frac{1}{2}$d.

FEEDING BOTTLE TUBES


Carlton Standard - Medical Grade. P.V.C.

36 per Display Box

GFCI16/B1200		each
/D400		6d.

Carlton Continental Polythene.
36 per Cylinder

GFCI17/Cy800		
GFCI17/D208	Loose	4d.



FEEDING BOTTLE CARRIERS
(Single)

COLORAL LOCKING LEVER

Alloy with Plated Locking Clips.
Handlebar Fitting.

GFCI18/E300	Anodised Silver..	each
		4/6
GFCI19/E300	" Red ..	4/6
GFCI20/E300	" Blue ..	4/6
GFCI21/E300	" Green ..	4/6
GFCI22/E300	" Gold ..	4/6

As above, Down Tube Fitting

GFCI23/E300	Anodised Silver..	each
		4/6
GFCI24/E300	" Red ..	4/6
GFCI25/E300	" Blue ..	4/6
GFCI26/E300	" Green ..	4/6
GFCI27/E300	" Gold ..	4/6

COLORAL JUNIOR—TAKES
COLORAL JUNIOR BOTTLES

Handlebar Fittings. Silver or Anodised
Blue, Green, Red, Gold

GFCI28/E106	Anodised Silver	each
		2/3
GFCI29/E106	" Red ..	2/3
GFCI30/E106	" Blue ..	2/3
GFCI31/E106	" Green ..	2/3
GFCI32/E106	" Gold ..	2/3

As above, Down Tube Fitting

GFCI33/E106	Anodised Silver..	each
		2/3
GFCI34/E106	" Red ..	2/3
GFCI35/E106	" Blue ..	2/3
GFCI36/E106	" Green ..	2/3
GFCI37/E106	" Gold ..	2/3

FEEDING BOTTLE CARRIERS
(Double)

COLORAL LOCKING LEVER
PATTERN

(Double)


Alloy with Plated Clip. Handlebar Fitting.
Silver or Anodised.


GFCI42/E502	Silver ..	each
		7/9
GFCI43/E502	Red ..	7/9
GFCI44/E502	Blue ..	7/9
GFCI45/E502	Green ..	7/9
GFCI46/E502	Gold ..	7/9

COLORAL JUNIOR
(Double)

takes Coloral Junior Bottle.
Handlebar Fitting.

GFCI48/E208	Anodised Silver..	each
		4/-
GFCI49/E208	" Red ..	4/-
GFCI50/E208	" Blue ..	4/-
GFCI51/E208	" Green ..	4/-
GFCI52/E208	" Gold ..	4/-



**SIMPLEX WIRE PATTERN**

Handlebar Fitting. Complete with Clips.

GFC154/E508

each
8/6**COLORAL WIRE PATTERN**
(Double)Chromium Plated Steel. Haddlebar Fitting
Complete with Clips.GFC153/E504 each
7/11**SETS OF FITTINGS FOR BOTTLE CARRIER**

Coloral for Single or Double Carrier.

GFC155/S100

per set
1/6**CYCLE CHAINS** $\frac{1}{2}$ in. Pitch x $\frac{1}{8}$ in. Wide.

			each
GFC156/E310	Yellorex 4 ft. 8 in.	(112 Pitches)	5/6
GFC157/E500	Perry 4 ft. 8 in.	(112 Pitches)	7/6
GFC158/E500	Coventry 4 ft. 8 in.	(112 Pitches)	7/6
GFC159/E504	Coventry 5 ft.	(120 Pitches)	7/6
GFC160/E602	Elite 4 ft. 9 in.	(114 Pitches)	9/4

 $\frac{1}{2}$ in. Pitch x $\frac{3}{16}$ in. Wide.

			each
GFC161/E500	Coventry 4 ft. 8 in.	(112 Pitches)	7/6
GFC162/E500	Perry 4 ft. 8 in.	(112 Pitches)	7/6
GFC163/E705 $\frac{1}{2}$	Coventry Heavy Duty (Carrier)		
	5 ft. (120 Pitches)		11/3
GFC164/E700	Perry for Heavy Duty (Carrier)		
	4 ft. 9 in. (114 Pitches)		11/3

 $\frac{1}{2}$ in. Pitch x $\frac{3}{32}$ in. Wide (For Derailleur)

			each
GFC165/E604	Yellorex		9/6
GFC166/E604	Perry		9/6
GFC167/E701	Brampton 4 ft 10 in.	(116 Pitches)	10/3
GFC168/E704	5 ft. (120 Pitches)	..	10/3

**MOTOR CYCLE CHAINS**

			Retail Coventry per foot	Retail Renold per foot
GFC170/B	3/8 in x 5/32 in.	..	—	5/8
GFC171/B	3/8 in x 7/32 in.	..	—	8/8
GFC172/B	1/2 in x 3/16 in.	..	7/1	8/3
GFC173/B	1/2 in x 5/16 in.	..	7/1	8/3
GFC174/B	5/8 in. x 1/4 in.	..	8/4	9/8
GFC175/B	5/8 in. x 3/8 in.	..	8/4	9/8

**CHAIN BOLTS**

				each
GFC169/G603	$\frac{1}{2}$ in. x $\frac{1}{8}$ in.			
/D7				1d.



No. 4

No. 107

No. 26

No. 27

No. 30

 $\frac{1}{2} \times \frac{1}{8} - 3/16\text{ths and } 3/32\text{nds}$

SPARE LINKS FOR COVENTRY, ELITE, H.D. AND BRAMPTON CHAINS

PART No. 4. INNER LINK		each
GFCI76/D10	Coventry	2½d.
GFCI77/D10	Elite	2½d.
GFCI78/D11	Heavy Duty	2½d.
PART No. 107. OUTER LINK		each
GFCI79/D6½	Coventry	2d.
GFCI80/D6½	Elite	2d.
GFCI81/D6½	Heavy Duty	2d.
GFCI82/D11¾	Brampton	2d.
PART No. 26. CONNECTING SINGLE LINK		
GFCI83/D208½	Coventry	5d.
GFCI84/D208½	Elite	5d.
GFCI85/D209½	Heavy Duty	5d.
PART No. 27. SPRING CLIP FASTENER		
GFCI86/D4	Coventry	1½d.
GFCI87/D4	Elite	1½d.
GFCI87a/D4½	Heavy Duty	1½d.
PART No. 30. CRANKED LINK DOUBLE		
GFCI88/D205½	Coventry	5½d.
GFCI89/D303	Elite	6d.
GFCI90/D305	Heavy Duty	6d.



SPARE LINKS FOR PERRY CHAINS

Spring Clips No. 7		each
GFC200/D4	½ in. x ⅛ in.	1½d.
GFC201/D4	½ in. x ⅜ in.	1½d.
Single Connecting Links No. 6		
GFCI94/D209½	½ in. x ⅛ in.	5d.
GFCI95/D209½	½ in. x ⅜ in.	5d.
Double Cranked Links No. 10		
GFCI97/D206	½ in. x ⅛ in.	5½d.
GFCI98/D206	½ in. x ⅜ in.	5½d.
½ in. x ⅜ in. Wide. Heavy Duty		
GFC202/D4	Spring Clip No. 7	1½d.
GFCI96/D209½	Single Connecting Links No. 6	5d.
GFCI99/D305	Double Cranked Links No. 10	6d.




CYCLE CHAIN RIVET EXTRACTORS

Renold for Cycle Chains including ½ in. Pitch.
each
1/8 in., 3/16 in. or 3/32 in. wide
GFCI91/E401½ 5/6

CYCLO EXTRACTORS Ref. 158

Rivets chains as well as extracting 1/8 in.
or 3/32 in. each
GFCI92/E304 5/-
(Not suitable for Elite Chains) 6 per card



MOTOR CYCLE CHAIN RIVET EXTRACTORS

each
Renold for most Motor Cycle Chains
GFCI93/E1200 16/-

YELLOREX CONNECTING LINKS

		each
GFCI90a/E4/D306	½ in. x ⅛ in.	6d.
GFCI90b/E4/D306	½ in. x 3/32 in.	6d.



SPARE LINKS FOR MOTOR CYCLE CHAINS

	Coventry	Renold
	No. 26 Per 10	No. 30 Per 10
GFC203/B		
3/8 in. x 5/32 in. or 7/32 in. .. —	—	3/7 6/3
GFC204/B		
1/2 in. x 3/16 in. or 5/16 in. .. 6/-	10/6	6/11 12/3
GFC205/B		
5/8 in. x 1/4 in. or 3/8 in. .. 8/11	15/3	9/10 17/3



**PHILLIPS M901X STANDARD
CHAIN ADJUSTERS**

GFC206/C405 12 pairs per card pair
6½d.

**PHILLIPS M903X
RACING PATTERN ADJUSTERS**

GFC207/C904 12 pairs per card pair
1½



G.F.C. STANDARD 3/8 in. HOLE

GFC209/C304 12 pairs per card pair
5d.



OIL BATH GEARCASES

Best Black Finish. Open Centres

For 44 Tooth Chain Wheels.

19½ in. Centres. 28 in. Wheels

GFC231/E1608 each
25/-

For 46 Tooth Chain Wheels
18½ in. Centres. 26 in. Wheels

GFC232/E1608 each
25/-

For 48 Tooth Chain Wheels
19½ in. Centres. 28 in. Wheels

GFC233/E1608 each
25/-



**CYCLO PRECISION "TRUE TRACK"
CHAIN ADJUSTERS**

GFC208/P8 pair
1/-



**G.F.C. SKELETON
TOP CHAIN GUARDS**

For 26 in. Wheels. Black

GFC210/E110 "D" Clips .. each
2/9
GFC211/E110 "RD" Clips .. 2/9

**CONTINENTAL MODEL
SHORT CHAIN GUARDS**

"Rainmaster" complete with Clips. Lined Gold

GFC229/D2204 Black each
2/9½
GFC230/D2604 White 3/3½



TRICYCLE CHAIN GUARDS

For 14 in. Wheels

GFC220/E206 Black each
3/9
GFC221/E300 White 4/6

For 16 in. Wheels

GFC222/E206 Black each
3/9
GFC223/E300 White 4/6



**"STREAMLINE"
MODEL CHAINGUARDS FOR 26 in.
WHEELS, BLACK**

GFC212/E204 "D" Clips .. each
3/6
GFC213/E204 "RD" Clips .. 3/6
GFC430/E210 Colours or White 4/3

FOR 24 in. WHEELS "D" CLIPS

GFC214/D2608 Black each
3/4
GFC215/E210 White 4/3
GFC216/E210 Red 4/3
GFC217/E210 Blue 4/3
GFC218/E210 Green 4/3
GFC219/E210 Maroon 4/3



FOR 16 in., 18 in., 20 in. WHEELS


GFC224/E210 Black each
3/6
GFC225/E304 White 5/-
GFC226/E304 Red 5/-
GFC227/E304 Blue 5/-
GFC228/E304 Green 5/-
GFC429/E304 Maroon 5/-

**HERCULES PATTERN
TOP CHAIN GUARDS**

with special clips to fix on Down Tube and Chain Stays.

GFC234/E204 Black each
3/6
GFC235/E300 White 4/6

CYCLOMETERS AND SPEEDOMETERS



**THE LUCAS
"KING OF THE ROAD"
CYCLOMETER**

Neat, light and strong. It records accurately up to 10,000 and then repeats. Bright, clear figures record miles and tenths of a mile. Completely dust proof and waterproof, and must not be oiled. Complete with striker and rust proof hub spindle bracket.

Chromium Plated Finish.

	each
GFC236/E506 For 24in. wheels	7/6
GFC237/E500 For 26in. wheels	7/6
GFC238/E500 For 27in. wheels	7/6
GFC239/E500 For 28in. wheels	7/6



THE "C.I." CYCLOMETER



Chromium Plated. 26 in. Wheels. Records miles and tenths of a mile.

	each
GFC240/E500	7/6

CYCLOMETER BRACKETS

Lucas Replacement Brackets. Universal. Spindle Fitting suitable for all types of Hub.

	each
GFC249/D400	6d.



**SMITH'S DE-LUXE MODEL
SPEEDOMETER AND MILEAGE
RECORDER**

(Suitable for Power-Assisted Cycles).

A first-class instrument, recording miles and tenth's of mile and registers up to forty miles per hour. 2½ in. dial with silver enamelled body and chromium plated rim. The speedometer head includes a fixed handlebar fitting clip. Complete with Gear box, ring and flexible drive. For right hand fitting. Individually boxed. Suitable for 26in. or 28 in. wheels. (left hand model available for use where right hand model cannot be fitted - as in the case of Dynohubs, etc.).

	each
GFC246/E3701½	49/6

**SMITH'S "POPULAR"
SPEEDOMETER AND MILEAGE
RECORDER**

2½ in. dial. Black enamelled case with Chromium Plated Rim and Fittings. Gear-driven Flexible Shaft. Mileage recording. 24 in., 26 in., 28 in. wheel models. Standard right hand fitting. (left hand fitting to order).

	each
GFC245/E2810½	38/6

**For Illustrations of
Smith's
Complete Speedometers
see Page 31**

"G.F.C." SPEEDOMETERS (F)

Specially strengthened head makes this first-class speedometer and mileometer especially suitable for power assisted cycles. Totally enclosed gear with simplified drive (no gear ring). Individually boxed in attractive coloured carton.


	each
GFC247/E2504 L.H. Fitting ..	38/-
GFC248/E2504 R.H. Fitting ..	38/-

"E.F.A." SPEEDOMETERS (F)

Designed for power drive as above, but with single prong lubricated gear drive.

	each
GFC248a/E2804	42/6






THE DE LUXE MODEL



THE POPULAR MODEL



CYCLOMETER STRIKERS

G.F.C. "Roller" Pattern		
	each	
GFC251/C608	cards of 12	10d.
Genuine Lucas		
	each	
GFC252/D400	Standard Pattern	6d.

**GEAR DRIVE
FOR SMITHS SPEEDOMETERS**

complete with Bracket and Fibre Pinion Popular Model		
	each	
GFC263/E410 $\frac{1}{2}$		6/6

**GEAR DRIVE
FOR SMITHS SPEEDOMETERS**

complete with Bracket and Rubber Pinion Deluxe Model		
	each	
GFC264/E604 $\frac{1}{2}$		8/6

**BRACKETS
FOR SMITH'S SPEEDOMETERS
FOR GEAR DRIVE**

Spindle Fitting		
	each	
GFC265/E9	Popular R. or L.H.	1/-
GFC266/E9	De Luxe L. or R. H.	1/-

CABLES FOR SMITH'S SPEEDOMETERS

Popular Model		De Luxe Model	
Complete Cable	Inner Flexible Drive	Complete Cable	Inner Flexible Drive
each	each	each	each
4/-	All lengths up to 2 ft. 6 in.	8/6	All lengths up to 2 ft. 6 in.
4/6	2 ft. 7 in. to 3 ft.	9/6	2 ft 7 in. to 3 ft.
5/-	3 ft. 1 in. to 3 ft. 6 in.	10/6	3 ft 1 in. to 3 ft 6 in.
5/6	3 ft 7 in. to 4 ft.	11/6	3 ft 7 in. to 4 ft
GFC253/EB	GFC254/EB	GFC255/EB	GFC256/EB

**REPLACEMENT CABLES FOR
G.F.C. SPEEDOMETERS (F)**

Silver. 30 in. Long.	
	each
GFC255a/E606	9/9

**GEAR RINGS
FOR SMITH'S SPEEDOMETER**

Popular Model	
	each
GFC257/E304 $\frac{1}{2}$	26T for 24 in.wheels 4/6
GFC258/E304 $\frac{1}{2}$	28T for 26 in. wheels 4/6
GFC259/E304 $\frac{1}{2}$	30T for 28 in.wheels 4/6

Deluxe Model	
For 26 in. or 28 in. Wheels	
	each
GFC260/E304 $\frac{1}{2}$	4/6

**GEAR BOXES FOR
G.F.C. SPEEDOMETERS (F)**

Left or Right Hand	
	each
GFC255b/E706	11/3

**PINIONS
FOR SMITH'S SPEEDOMETERS**

IIT Fibre Pinion only for Popular Model.	
	each
GFC261/E110 $\frac{1}{2}$	2/6
Rubber Pinion only for De Luxe Model.	
	each
GFC262/E104	1/9

CHAIN WHEEL AND CRANK SETS



**No. F 27
WILLIAMS
CARRIER CHAIN WHEEL
AND CRANK SETS (FIXED)**

6½ in. of 7 in. Heavy carrier. ½ in x 3/16 in.
G.C.C. or Non G.C.C. Black Finish

GFC267/SI400 40-44 or 48 T **21/-**



CHAIN WHEEL SETS


For Junior Cycles and Tricycles. ½ in. x ⅛ in.
Chromium Plated Finish with 4½ in. cranks.

GFC268/S908 22 T Flat .. **14/6**
GFC269/S908 28 T Joggled .. **14/6**



With 5½ in. Cranks-


GFC270/SI000 32 T Joggled .. **15/-**
GFC271/SI003 36 T Joggled .. **15/5**
GFC272/SI200 40 T Joggled .. **18/-**



**WILLIAMS
STANDARD JOGGLED SETS
MODELS F100 OR F45**

½ in x ⅛ in. with 6½ in. or 7 in. Half Round
Crank. 1½ in or 1¾ in. C.L. G.C.C. or Non-
G.C.C. clearance. Chromium Plated Finish.

GFC272a/SI200 44 Teeth .. **18/-**
GFC273/SI200 46 Teeth .. **18/-**
GFC274/SI200 48 Teeth .. **18/-**
GFC275/SI210 52 Teeth .. **19/3**



**WILLIAMS
C 1200 3-ARM SETS**

½ in x ⅛ in. or 3/32 in. No-Flange. Non-
Gear Case clearance 1½ in. C.L. with 6¾ in.
Super Lightweight Fluted Cranks. Chromi-
um Plated.


GFC285/S4309 44, 46, 47 or 48 T **65/7**
49, 50 or 52 T

WILLIAMS C1200 CHAIN RINGS

½ in. x ⅛ in. of 3/32 in.

Lightweight Racer Pattern. Chromium
Plated.

GFC287/E800 44, 46, 47 or 48 T **12/-**
49, 50 or 52 T



WILLIAMS 5-PIN SETS

Model B 100 ½ in x ⅛ in.


Chromium Plated. Gear Case or Non-
Gear Case clearance 1½ in. C.L. Joggled
With Half Round Cranks 6½ in. or 7 in.

36, 40, 42, 46 or 48 Teeth. set
GFC276/SI303 .. **20/-**
50, 52, Teeth ..
GFC277/SI401 .. **21/-**
1 in. x 3/16 in. 18 and 20 to 30 Teeth.
With Square Cranks
GFC278/SI305 .. **20/-**

CHAIN RINGS 'B' 5-PIN

Chromium Plated ½ in x ⅛ in. Joggled.

GFC279/E408 36 - 48 teeth .. **7/-**
GFC280/E507 52 teeth .. **8/6**
Flanged.
GFC281/E509 36-48 teeth .. **8/9**
GFC282/E608 49-52 teeth .. **10/-**



WILLIAMS C 1000 3-ARM SETS

½ in x ⅛ in or 3/32 in.

No Flange, Non-Gear Case clearance.
1½ in. C.L.C. P. Finish with 6½ in. Light-
weight Racer Cranks.

GFC283/S2406 44, 46 or 48 teeth **36/9**

RINGS ONLY

GFC284/E704 44, 46 or 48 teeth **11/-**

**WILLIAMS C.34. 3-ARM SETS**

(Screwed or Bolted)

1/2 in. x 1/8 in. or 3/32 in. No Flange

Non Gear Case Clearance 1 1/2 in. C.L.
Chromium Plated with 6 1/2 in. or 7 in. Half
Round Cranks.

32, 34, 36, 38, 40, 42, 44, 46, 47 or 48 T. set

GFC289/SI406 21/9

49, 50, 52, 54, 56, 58 or 60 T.

GFC290/SI506 23/3

With 6 1/2 in. or 7 in. Square Cranks

32, 34, 36, 38, 40, 42, 44, 46, 47 or 48 T. set

GFC291/SI510 23/9

49, 50, 52, 54, 56, 58 or 60 T.

GFC292/SI608 25/-

With Lightweight Racer Cranks 6 1/2 in.
32, 34, 36, 38, 40, 42, 44, 46, 47, 48 T. set

GFC293/S2208 34/-

49, 50, 52, 54, 56, 58, 60 T.

GFC294/S2306 35/3

WILLIAMS C.34**3 PIN CHAIN RINGS**Chromium Plated. No Flange
(Screwed or Bolted)

each

1/2 in x 1/8 in. or 3/32 in.

32, 34, 36, 38, 40, 42, 44, 46, 47, 48 T.

GFC295/E600 9/-

1/2 in. x 1/8 in. or 3/32 in.
49, 50, 52, 54, 56, 58, 60 T.

GFC296/E610 10/3

(1 in. x 3/16 in.)

16, 19, 20, 22, 23, 24, 25, 26, 27, 28, 29
30 T.

GFC297/E602 9/3

**WILLIAMS C.45. 3 ARM SETS**

1/2 in. x 1/8 in. or 3/32 in. No Flange

This set will allow the ring to be removed
over the largest pedal and toe clip. Easily
converted to double set by using special
sleeve.Non gear case clearance 1 1/2 in. C.L.
Chromium Plated with 6 1/2 in. or 7 in. half
round cranks.

44, 46, 47 or 48 T.

GFC298/SI406 21/9

GFC299/SI506 49, 50 T. .. 23/3

With 6 1/2 in. or 7 in. Square Cranks
44, 46, 47, or 48 T.

GFC300/SI510 23/9

GFC301/SI608 49, 50 T. .. 28/-

With 6 1/2 in. Lightweight Racer Cranks

44, 46, 47 or 48 T.

GFC302/S2208 34/-


GFC303/S2306 49, 50 T. .. 35/3

WILLIAMS C.45**3 PIN CHAIN RINGS**Chromium Plated. 1/2 in x 1/8 in. or 3/32 in.
No Flange

each

GFC304/E600 44, 46, 47, 48 T. 9/-

GFC305/E610 49, 50 T. .. 10/3

**CRANK BUSHES**

each

GFC318/D600 R. or L.H. .. 9d.

**WILLIAMS****TANDEM CHAIN WHEEL SETS**FRONT. 3-arm 6 1/2 in. or 7 in. cranks. gear
case clearance or non-gear case clearance.
1/2 in. x 1/8 in. Chromium Plated

GFC306/SI704 32 or 42 T. .. 26/-

REAR. 3-arm double with 6 1/2 in. or 7 in.
cranks. Gear case clearance or non-gear
case clearance. 1/2 in. x 1/8 in. Chromium
Plated.

GFC307/S3510	32/44 T.	} set	53/9
GFC308/S3510	32/46 T.		
GFC309/S3510	32/48 T.		
GFC310/S3510	32/52 T.		
GFC311/S3510	42/44 T.		
GFC312/S3510	42/46 T.		
GFC313/S3510	42/48 T.		
GFC314/S3510	42/52 T.		

As above in Sets. Front and Rear complete

GFC315/S5300 79/6

WILLIAMS TANDEM RINGS

Chromium Plated 1/2 in. x 1/8 in.


Front and Inner. 32 or 42 T.

GFC316/EI400 21/-

Outer, 44, 46, 48, 52 T.

GFC317/EI104 17/-

DOUBLE CHAINWHEEL SETS



WILLIAMS C1032. DOUBLE SET

1/2 in. x 3/32 in. No Flange

Non gear Case Clearance 1 1/2 in. C.L.
6 1/2 in. racer cranks. Chromium plated.

GFC319/S3302	46/49 T. . .	49/9
GFC320/S3400	47/50 T. . .	51/-

WILLIAMS C.1032 RINGS FOR ABOVE

1/2 in. x 3/32 in. Chromium Plated

GFC324/E808	Inner, 46, 47 T. . .	13/-
GFC325/E911	Outer, 49, 50 T. . .	14/11



WILLIAMS C1232 DOUBLE SET

1/2 in. x 3/32 in. No Flange

Non gear case clearance 1 1/2 in. C.L.
6 3/4 in. Fluted Cranks. Chromium Plated

GFC326/S5300	46/49 T. . .	79/6
GFC327/S5310	47/50 T. . .	80/9

WILLIAMS C.1232 RINGS FOR DOUBLE RACER SETS

1/2 in. x 3/32 in. Chromium Plated

GFC328/E808	Inner 46, 47 T. . .	13/-
GFC329/E1104	Outer 49, 50 T. . .	17/-



WILLIAMS C34D BOLTED DOUBLE SET

1/2 in. x 1/8 in. or 3/32 in. No Flange

Non gear case clearance 1 1/2 in. C.L. with
Square cranks. Chromium Plated. Any
possible combination of the following.

44, 46, 47, 48 T

GFC321/S2600		39/-
--------------	---------	------

Extra for 49 or 50 T.

GFC322/E10		1/3
------------	---------	-----



WILLIAMS C45D BOLTED DOUBLE SET

1/2 in. x 1/8 in. or 3/32 in.

This set will allow the ring to be removed
over the largest pedal and toe clip. Non
gear case clearance 1 1/2 in. C.L. with square
cranks. Chromium plated.

GFC330/S2600	46/49 T. . .	39/-
GFC331/S2610	47/50 T. . .	40/3

WILLIAMS C. 45 DOUBLE CONVERSION UNIT

Wheel and set of three special sleeve fixing
bolts and spacers

For conversion of C45 set to double

44, 46, 47, 48, 49, 50 T. 1/8 in. or 3/32 in.

GFC332/S1000		15/-
--------------	---------	------



CHAIN WHEEL SCREWS

G.F.C. Chromium Plated

GFC333/G900		1 1/2 d.
-------------	---------	----------

Genuine Williams. Chromium Plated

GFC334/G1502		2 d.
--------------	---------	------

Continental Pattern

GFC335/D300		4 1/2 d.
-------------	---------	----------

Chater Lea

GFC336/D400	1/4 in. Long ..	6 d.
GFC336a/D400	5/16 in. Long ..	6 d.



LEFT HAND CRANKS

HALF ROUND. CHROMIUM PLATED

GFC337/E308	4 1/2 in. . .	5/6
GFC338/E310	5 1/2 in. . .	5/9
GFC339/E310	6 1/2 in. . .	5/9
GFC340/E310	7 in. . .	5/9

OVAL

GFC341/E310	6 1/2 in. . .	5/9
GFC342/E310	7 in. . .	5/9

SQUARE

GFC343/E410	5 1/2 in. . .	7/3
GFC344/E410	6 1/2 in. . .	7/3
GFC345/E410	7 in. . .	7/3

CARRIER, BLACK

GFC346/E411	6 1/2 in. . .	7/5
GFC347/E411	7 in. . .	7/5

FOR CRANK PEDAL TAPS SEE
UNDER TAPS AND DIES

**CRANKS IN PAIRS**

B. 5-pin. Chromium Plated.
 $\frac{5}{8}$ in & 7 in. gear case clearance and non-gear case clearance.

each

Square

GFC348/E601 Right hand .. **9/1**
 GFC349/E410 Left hand .. **7/3**

Half Round.

GFC350/E504 Right hand .. **8/-**
 GFC351/E310 Left hand .. **5/9**

**G.F.C. CRANK COTTER PINS**

GFC363/D204 Standard 3/8 in. **3½d.**
 GFC364/D300 Standard 3/8 in. **4½d.**
 (No Flats)
 GFC365/D300 Oversize 13/32 in. **4½d.**
 GFC366/D300 Oversize 25/64 in. **4½d.**
 GFC368/D400 Gen. Williams .. **6d.**

Continental Fitting. 9 m.m. C. P.
 GFC367/D400 .. **6d.**

Gen. Chater Lea. C.P.
 GFC369/D1000 .. **1/3**

5/16 in. Junior
 GFC369a/D300 .. **4½d.**

COTTER PIN NUTS

Chromium Plated

GFC370/D8 .. **1d.**

FARRINGTON OILSKIN CAPES

Button front - high Storm collar - wide skirt
 Gold or Black

GFC374/E1404 39 in. .. **21/6**
 GFC375/E1500 42 in. .. **22/6**
 GFC376/E1603 45 in. .. **24/6**

With full Zipp and Strap. Front.
 Gold. 45 in.
 GFC376a/E2100 .. **31/6**

FARRINGTON 303 SUPER PLATICISED CAPES

Will not stick, peel or crack. All seams welded and stitched for strength. Button front. High storm collar. Gold.

42 in. x 120 in. Skirt
 GFC377/E1802 .. **27/-**

**CRANKS IN PAIRS**

C. 3-arm. Chromium Plated.
 $6\frac{1}{2}$ in Non gear case clearance

each

Square

GFC352/E611 Right hand .. **10/5**
 GFC353/E410 Left hand .. **7/3**

Half Round

GFC354/E600 Right hand .. **9/-**
 GFC355/E310 Left hand .. **5/9**

Lightweight Racer

GFC356/E1007 Right hand .. **15/11**
 GFC357/E704 Left hand .. **11/-**

**CRANKS IN PAIRS**

C1200 3-arm. $6\frac{3}{4}$ in. Super Lightweight
 Fluted

each

GFC358/E2710 Right hand .. **41/9**
 GFC359/E1111 Left hand .. **17/11**

C 1232. 3-arm. $6\frac{3}{4}$ in. Super Lightweight
 Fluted

GFC360/E2710 Right hand **41/9**
 GFC361/E1111 Left hand .. **17/11**

CYCLISTS CLOTHING**FARRINGTON OILSKIN SETS**

In gold or black, comprising cape, Leggings and sou'wester. Cape, button front - high collar. Leggings, with gussets, leather foot straps, press studs.

42 in. with 120 in. Skirt

GFC371/S3000 .. **45/6**

45 in. with 130 in. Skirt

GFC372/S3100 .. **46/6**

FARRINGTON OILSKIN LEGGINGS

With gussets, press stud fastening. Two positional fixing leg strap. Leather foot straps. In gold or black

pair

GFC378/P1011 28 in. .. **17/3**
 GFC379/P1104 30 in. .. **17/3**
 GFC380/P1202 32 in. .. **17/3**

**FARRINGTON OILSKIN SPATTEES**

pair

GFC381/P700 Black .. **13/8**
 GFC382/P700 Gold .. **13/8**

**FARRINGTON SOU'WESTERS**

In sizes small, medium or large

GFC383/E309 Gold .. **5/3**
 GFC384/E309 Black .. **5/3**

G.F.C. OVER MACS

Plastic with sleeves, press stud front fastening.

each
GFC386/E706 Black 11/3



"STORM CHEETAH"
CYCLE CAPES

In heavy embossed plastic satin finish.
In gold or black. Welded.

each
(gold or black)
GFC389a/E1103 39 in. 16/11
GFC390/E1200 42 in. 18/-
GFC391/E1300 45 in. 19/6

45 in. oversize, extra large shoulders with
145 in. skirt.

each
GFC392/E1400 21/-

"MAXPLA"
CYCLE CAPES

Heavy all welded Plastic. Gold or Black.

each
GFC387/E 39 in. x 42 in. ..
GFC388/E 42 in x 45 in. .. 20/2
GFC389/E 45 in. x 48 in. .. 23/-



THE "HANDICAPE"

With sleeves. Ideal for cyclists in traffic, or
on any occasion where free arm movement
is required, i.e. fishing, sailing, etc.

45 in. extra strong sheeting

each
GFC393/E1706 Black 26/3
GFC394/E1706 Gold 26/3



Single Ties 36
DATA/O.
UN/O/O Double Tex 2-4-0



COMPETITION CAPES

Plastic. Folds up and fits into small plastic
pouch, fastened by press stud and measur-
ing only 5 in. x 4½ in. Gold

each
GFC385/E700 10/6



"STORM CHEETAH"
RACING CAPE

Specially cut for maximum protection,
elasticised waist, natural colour, satin
finish.

each
GFC395/E1500 22/6



"STORM CHEETAH"
LEGGINGS

(To match capes)

In gold or black.
Size 32 in. only.

per pair
GFC396/P711 12/-



"STORM CHEETAH" SPATTEES

Knee length with specially strengthened
elastic back straps and press stud fasteners,
Re-inforced toe caps.

Black or Gold.

pair
GFC397/P604 10/11
(inc. P.T.)

"STORM CHEETAH"

SOU'WESTERS

Plastic Black or Gold

each
GFC397a/E300 4/6

WAREHOUSE COATS

Best quality Khaki drill, process shrunk,
Chest sizes - 38, 40, 42, 44 in.

each
GFC398/E2800 42/-

ALL STORM CHEETAH CAPES
INCLUDES A QUICK REPAIR
OUTFIT FREE



FITNESSE CYCLING SHOES

In sizes 3 - 11, including ½ sizes.

Black, piped in white with ½ in. heel
Re-inforced at toe and heel and fitted with
pedal patch.

pair
GFC399/P2203 28/11

CELLULOSE AND ENAMEL


ROBBIALAC LACQUER
 Synthetic Finish

In black, cream, steel grey, green, holly green, ivory, eau-de-nil, signal red, maroon, blue, dark blue, jade, shell pink, primrose, powder blue, brown, golden brown, turquoise, white, silver.

		per tin
GFE1/D1300	$\frac{1}{8}$ pint	1/7 $\frac{1}{2}$
GFE2/D2200	$\frac{1}{4}$ pint	2/9
GFE3/D3800	$\frac{1}{2}$ pint	4/9

ROBBIALAC BRUSHING CELLULOSE

In white, black, aluminium, pale cream, lemon, light orange, signal red, crimson, sea green, brilliant green, middle green, deep green, stone, light brown, dark brown, light maroon, maroon, turquoise, azure blue, oxford blue, dark blue, light grey, dark grey.

		per tin
GFE4/D2600	$\frac{1}{4}$ pint	3/3
GFE5/D4200	$\frac{1}{2}$ pint	5/3

ROBBIALAC PRIMER

		per tin
GFE8/D2200	$\frac{1}{4}$ pint	2/9
GFE9/D3600	$\frac{1}{2}$ pint	4/6

ROBBIALAC THINNERS

		per tin
GFE10/D2600	$\frac{1}{2}$ pint	3/3

ROBBIALAC UNDERCOAT

		per tin
GFE11/D2200	$\frac{1}{4}$ pint	2/9
GFE12/D3600	$\frac{1}{2}$ pint	4/6

RUBBING COMPOUND

		per tin
GFE13/D2800	1 lb. tins	3/6


BRUSHING BELCO CELLULOSE

Dries in one hour. Dust free surface within fifteen minutes. Available in Black, White, Clear, Aluminium, Ivory, Cream, Dark Brown, Light Green, Jade Green, Lawn Green, Westminster Green, B.S.A. Bantam Green, Solway Blue, Ming Blue, Winchester Blue, Smoke Blue, Dark Blue, Mandarin Red, Carnation Red, Maroon, Dorchester Grey, Light Grey, Clarendon Grey, Honey Beige.

		per tin
GFE6/D2304	$\frac{1}{4}$ pint	2/11
GFE7/D4000	$\frac{1}{2}$ pint	5/-

BELCO PRIMER

		per tin
GFE14/D2000	$\frac{1}{4}$ pint	2/6
GFE15/D3400	$\frac{1}{2}$ pint	4/3

BELCO THINNERS

		per tin
GFE16/E200	$\frac{1}{2}$ pint	3/-

UNDERCOAT

For all colours Brushing Belco

		per tin
GFE17/E108	$\frac{1}{4}$ pint	2/6
GFE18/E210	$\frac{1}{2}$ pint	4/3

BELCO RUBBING COMPOUND

For Smoothing and Burnishing

		per tin
GFE19a/D1800	$\frac{1}{2}$ lb. tins	2/3
GFE19/D2608	1 lb. tins	3/4

BELCO CELLULOSE STRIPPER

		per tin
GFE20/D2304	$\frac{1}{2}$ pint	2/11

PUTTY STOPPER

For Filling Indentations

		per tin
GFE21/E208	1 lb. tins	4/-

JENOLITE PAINT STRIPPER

Does not attack wood or metal. Non-caustic. Non corrosive.

		per bottle
GFE22/D1408	3 oz. bottles	1/10
GFE23/D3000	8 oz. bottles	3/9


STARLINE CHINESE LACQUER

Dries within a few hours with a brilliant lasting finish. Will not chip, flake, crack or peel. Stocked in the following colours:

		per tin
GFE24/E101	$\frac{1}{2}$ ounce	1/7 $\frac{1}{2}$
GFE25/E110	$\frac{1}{4}$ pint	2/9
GFE26/E302	$\frac{1}{2}$ pint	4/9

Gold and Silver

		per tin
GFE27/E102	$\frac{1}{2}$ ounce	1/9
GFE28/E200	$\frac{1}{4}$ pint	3/-

Cream, new cream, palm green, pale green, pastel green, permanent green, bright green, jade, lantern green, chinese green, oriental green, yellow, grey, cloudy grey, dragon red, wine, deep maroon, rose pink, coral pink, mandarin blue, celestial blue, pagoda blue, kingfisher blue, smokey blue, turquoise, oxford blue, peach, hide brown, stone, clear.

		per tin
GFE29/E101	$\frac{1}{2}$ ounce	1/7 $\frac{1}{2}$
GFE30/E110	$\frac{1}{4}$ pint	2/9


ROMAC CYLINDER BLACK

Dull or Glossy Finish. Heatproof

		per tin
GFE31/E200	$\frac{1}{4}$ pint	3/-
GFE32/E304	$\frac{1}{2}$ pint	5/-

JENOLITE CHEMICAL SEALER

Grey or Red

produces the finest rust proofing properties and makes a good base for paint.

		per bottle
GFE33/E210	$\frac{1}{2}$ pint	4/3
GFE34/E500	1 pint	7/6
GFE35/E904	1 quart	14/-

EYE SHIELDS AND GOGGLES



**HUMBROL BRAND
TURPENTINE SUBSTITUTE**


GFE36/D608 in 8 oz. bottles per bottle
.. .. . 10d.



"FEATHERWEIGHT" PLIABLE P.V.C. GOGGLE No. 366

Lightweight, washable and easy to clean. Exchangeable acetate lenses. Adjustable elastic head band. Specially suitable for riders of motorised cycles.

GFE40/P300 pair
.. .. . 4/6



**ALUMINIUM No. 356
NON-RUST VENTILATED FRAME**

Sponge rubber eyecups. Curved non-inflamable lenses. Replacement lenses snap easily into frame.

GFE43/P400 pair
.. .. . 5/11

SIMILAR TO No. 356

but with "Gradex" Anti-dazzle Lenses.

GFE44/P404 pair
.. .. . 6/6



VISTA GOGGLES

Perfect fit. Unaffected by extreme temperatures. Fully ventilated. Easily cleaned. Weight 3½ ozs. Windows non-inflamable and replaceable (secured by press studs). Attractively boxed. Adjustable elastic head band. Clear, transparent or black.

GFE38/P608 pair
.. .. . 9/11

VISTA JUNIOR GOGGLES

Lightweight model. Ideal for ladies or riders of motorised cycles. Non-inflamable, exchangeable windows. Attractively boxed. Clear, transparent or black.

GFE39/P500 pair
.. .. . 7/6

"VISTA" RAIN GOGGLES


Specially shaped aperture lens gives clear vision in rain and snow. Will fit over spectacles. Clear, Transparent or Black.

GFE46/P804 pair
.. .. . 12/6

"VISTA" JUNIOR RAIN GOGGLES

A lighter and smaller edition of the above with all the advantages. Clear, Transparent or Black.

GFE46a/P608 pair
.. .. . 10/-



LARGE SAFETY EYE SHIELDS

Size 7½ in. x 4 in.

Non-inflamable, Bound with soft chenille and fitted with adjustable elastic head band. Can be worn over spectacles.

GFE41/P200 pair
GFE42/P108 As above but 7 in. x 3½ in. 3/-
.. .. . 2/6

**DE LUXE WIDE VISION GOGGLE**

With curved laminated triplex glasses. Well ventilated. Heavily plated frame. Mounted on soft rubber mask. Extra wide adjustable Elastic head band. No. 327.

GFE45/P1404 pair
21/6

**PANORAMA 218 MULTI-PURPOSE GOGGLES**

Fits over spectacles. Extra wide vision. Replaceable windows in clear or amber.

GFE51/P611 pair
9/11


REPLACEMENT EYE PIECES FOR PANORAMA "218" GOGGLES

GFE52/E103	Clear		each
			1/9
GFE53/E103	Amber		each
			1/9

ANTI-DAZZLE STRIPS FOR PANORAMA GOGGLES

Fits over top half of window.

GFE54/E106	Amber		each
			2/3
GFE55/E106	Green		each
			2/3

**LIGHTWEIGHT GOGGLES FOR CYCLISTS****BINDA PATTERN**

GFE47/P303	Rubber Edge	No. 1310		pair
				4/11
GFE48/P408	Rubber edge	No. 1311 With anti-dazzle device		7/-
GFE49/P308	Sponge rubber edge	No. 1320		5/6
GFE50/P500	Sponge rubber edge	No. 1321 With anti-dazzle device		7/6

**PANORAMETTE GOGGLES IN P.V.C.**

Tough, flexible, lightweight and cannot be attacked by chemicals or oils. "Crystal clear frame and windows"

GFE56/P700 pair
10/6

"PANORAMA" BUBBLE GOGGLE

Moulded in one piece from "Perspex" Acrylic Sheet. Scientifically ventilated. Crystal clear or Green or Amber anti-glare tints.

GFE56/P606 each
9/6

FRAMES**PHILLIPS "PHILCO" ROADSTER FRAMES**

Built with true temper steel tubing "D" to "RD" section fork blades "D" section seat and chain stays. Expander head fittings with lamp bracket. Detachable ball race seating (top and bottom). Chromium crown cover. Supplied complete with 24-G deep domed section guards. Chainwheel and cranks, and straight seat pillars. Finished black enamel with double gold lining on Bonderised Rust-Proof surface with usual parts chromium plated.

**Gents**

18 in. for 24 in. wheels.

GFF1/E7302 each
97/7

20, 22, 24, 26 in. for 26 in. wheels

GFF3/E7508 100/10

Ladies


18 in. for 24 in. wheels.

GFF2/E7603 each
101/8

20, 22, 24 in. for 26 in. wheels

GFF4/E7809 105/-

EXTRA/E607	Colour Enamel.	Gents and Ladies		each
EXTRA/E801	Pastel Shades		8/9	
EXTRA/E1011	Flamboyant		10/9	
			14/7	




PHILLIPS "PHILRACE" SPORTS FRAMES

Built with true temper steel tubing and feature cut lugs. Entirely brazed up. Straight tapered chain stays. Straight round seat stays. Quick release fork ends. Expander head fittings with lamp bracket. Complete with 25G special ribbed racing pattern guards. Straight seat pillar and chain wheel and cranks. Plated crown cover. Finished black enamel with single gold lining on "Bonderised" rust proofed surface, with usual parts chromium plated.

Sizes: 20, 21, 22, 23, 24 x 26 in. wheels.

									each
GFF5/E8103	Gents	..	..	..	..	..	..	..	108/4
GFF6/E8404	Ladies	..	..	..	..	..	..	..	112/5
EXTRA/E607	Enamelled in colour	..	..	..	..	..	..	..	8/10
EXTRA/E801	Finished in Pastel Shades	..	..	..	..	..	..	..	10/9
EXTRA/E1011	Flamboyant	..	..	..	..	..	..	..	14/7



PHILLIPS "SUPER CLUB" SPORTS FRAMES

Built with Reynolds "531" tubing, upright angles. Solid front and rear fork ends. Straight round tapered seat and chain stays. Cut away and fishtail lugs. Brazed on pump pegs. Fork "D" to "RD". Section with chromium crown cover. Complete with straight seat pillar. White celluloid or light alloy guards and non-gear case clearance chain wheel set. 10½ in. ground line. 41½ in. wheel base. Finished "Bonderised" rust proof surface in colour enamel or pastel shades.

Sizes 20, 21, 22 or 23 in. for 26 in. or 27 in. wheel.

Gents		each	Ladies		each
GFF7/E11305	Colour Enamel	151/3	GFF9/E11511	Colour Enamel	154/7
GFF8/E11411	Pastel shades	153/2	GFF10/E11705	Pastel Shades	156/6
GFF8a/E11709	Flamboyant	157/-	GFF10a/E12003	Flamboyant	160/4



PHILLIPS KIDDIES FRAMES

Built with true temper steel tubing 3/4 in. x 7/8 in. x 7/8 in. Complete with expander head fittings, chain set, mudguards and forward pattern (L) seat pillar. Finished in black enamel, gold lined, "Bonderised" rust proof finish. Usual bright parts chromium plated

15 in. for 16 in. wheels, 16 in. for 18 in. wheels, 18 in. for 20 in. wheels.

									each
GFF11/E6202	Boys	..	..	..	..	..	..	..	82/11
GFF12/E6500	Girls	..	..	..	..	..	..	..	86/8
EXTRA/E603	Colour Enamelled	..	..	..	..	..	..	..	8/4
EXTRA/E706	Pastel shades	..	..	..	..	..	..	..	10/-
EXTRA/E1004	Flamboyant	..	..	..	..	..	..	..	13/9



PHILLIP'S CARRIER FRAMES

With 2½ in Guards, Williams' Chain Wheel, Seat Pillar, and bolted on Carrier (Name Plate, Bars and Brakes not included in price)

		each
GFF13/E12206		163/4

BASKETS

Best heavy wicker. To suit standard carrier Frames.

		each
GFF15/E1600		22/- plus P.T.

LOW GRAVITY FRAME

For 20 in. Front wheel, with bolted on basket holder.


		each
GFF14/E14706		196/8

Ditto. for low gravity frames. Extra deep.

		each
GFF16/E2503		35/- plus P.T.

STEEL FRAME TUBING

Solid Drawn Seamless Steel Frame Tubes




REYNOLD "531" OR A. & P. "KROMO"

24 in. Long - Double Butted

		each
GFF17/E503	1 in. O.D. x 21/24G Top	7/11
GFF18/E503	1 1/8 in. O.D. x 20/23G Down	7/11
GFF19/E503	1 1/8 in. O.D. x 21/24G Seat	7/11
GFF20/E11 1/2	1 1/2 in. O.D. x 22G 5 in. Head	1/5
GFF21/E104	1 1/2 in. O.D. x 22G 5 in. x 7 1/2 in. Head ..	2/-
GFF22/E108	1 3/4 in. O.D. x 22G 7 1/2 in. x 9 in. Head ..	2/6

IN SETS OF FOUR TUBES

		set
GFF23/S1608	With 5 in. Head	25/2
GFF24/S1701	With 5 in. to 7 1/2 in. Head	25/9
GFF25/S1705	With 7 1/2 in. to 9 in. Head	26/3



WELDLESS STEEL CHAIN STAYS


REYNOLDS "531" or A. & P. "KROMO"

3/4 in. or 7/8 in. x 22G. Round, Fluted and Indented for wheel clearance. Tapered to .375 in. or .5 in. 16 1/2 in. lengths.

GFF26/P703	Round to Oval to Round	pair 10/10
GFF27/P703	Round to "D" to Round	10/10

EXTRA DOMED AND SLOTTED

EXTRA/P8 3/4		1/1
--------------	-------	-----



RAPID "V" TAPER CHAIN STAYS

REYNOLDS "531" Details as above

GFF28/P710		pair 11/9
------------	-------	-----------

EXTRA DOMED AND SLOTTED

EXTRA/P8 3/4		1/1
--------------	-------	-----

FORK BLADES

REYNOLDS "531"
A. & P. "KROMO"

Tip sizes .350 in to .450 in. Taper gauge
Front fork blades with open ends. In
Sections 7/8 in. round - "D" to round or
oval to round.

GFF31/P804	17/20G	pair 12/6
GFF32/P804	18/21G	12/6

BUTTED STEERING TUBES

Reynolds "531" or A. & P. "Kromo"
16/13G 1 in. x 7/8 in.

		each
GFF33/E210	8 in.	4/3
GFF34/E301	9 in.	4/7
GFF35/E303	10 in.	4/10
GFF36/E305	11 in.	5/2
GFF37/E308	12 in.	5/6
GFF38/E310	13 in.	5/9
GFF39/E400	14 in.	6/-

WELDLESS STEEL SEAT STAYS

REYNOLDS "531" OR A. & P. "KROMO"

Straight round section tapered to 3.712 in. or 3.75 in. outside

		pair
GFF29/P703	1/2 in. O.D. x 22G.	10/10
GFF30/P703	.617 O.D. x 22G.	10/10

EXTRA: DOMED AND SLOTTED

EXTRA/P8 3/4		1/1
--------------	-------	-----

Extras on Butted Steering Tubes turned
1 in. long to 31/32 in. Screwed 3/4 in. 30
threads per inch (for Standard expander
heads)

EXTRA/E3 3/4 5 1/2 d.

Turned 31/32 in. screwed 30 threads per
inch (for standard head clips)

EXTRA/E8 3/4 1/1

Screwed only 1 1/4 in. long x 24 threads per
inch.

EXTRA/E3 4 1/2 d.

BRIDGE TUBING

REYNOLDS "531"

or A. & P. "KROMO"

		each
1/2 O.D. x 20 G. x 24 in. Long		
GFF40/F106		2/3
7/16 O.D. x 20 G. x 24 in. Long		
GFF41/F106		2/3

FORKS



G.F.C. STANDARD SPORTS FORK

With pressed end for 26 in. wheel. Black enamelled with chromium plated cover 1 in. x 24 T.

	pair
GFF49/P1002 Black	15/3
GFF50/P808 Rough	13/-

PHILLIP'S

"PHILRACE" SPORTS FORKS

Chromium plated crown cover and crown race fitted. 1 in. x 24 T. for Expander head fitting. Drilled for cable brakes. For 26 in. or 27 in. wheels. Black. Fitted mudguard eyes.

	pair
GFF50/P1010	16/3

G.F.C. SPORT FORK

With brazed-in solid ends. 1 in x 24 T. 10½ in. butted column screwed 4½ in. for 26 in. or 27 in. wheels. Oval cutaway crown, with brazed-on lamp bracket, boss and set pin. Chromium crown cover

	pair
GFF51/P1704 Silver	26/-
GFF52/P1600 Black	24/-
GFF53/P1200 Rough	18/-
GFF54/P2304 All C.P.	35/-

PHILLIP'S "CREDALUX" FORKS

With chrome plated crown covers and crown race. Solid machined fork ends with mudguard eye screwed 1 in. x 24 T. for expander fittings. Supplied suitable for 26 in. or 27 in. wheels. Black enamelled.

	pair
GFF55/P1202	18/3



PHILLIP'S PHILCO

Butted columns with crown race fitted. screwed 2 in - 3 in. down, 1 in. x 24 T. For Expander head fittings. Black enamelled.

	pair
GFF43/P906 for 24 in. wheels	14/3
GFF44/P906 for 26 in. wheels	14/3
GFF46/P906 for 28 in. wheels	14/3

As above but with C.P. Crown Cover

	each
EXTRA/100	1/6

G.F.C. STANDARD ROADSTER FRONT FORKS

Black Enamelled, 1 in. x 24 T.

	pair
GFF46/P809 for 24 in. wheels	12/-
GFF47/P809 for 26 in. wheels	12/-
GFF48/P809 for 28 in. wheels	12/-

As above with C.P. Crown Cover

	pair
EXTRA/P103	1/10




FORK CROWN COVERS

Chromium Plated Finish

	each
GFF60/E102½ Standard	1/9½

	pair
GFF61/E104	2/-

	pair
GFF62/E104	2/-



NERVEX PROFESSIONAL FRAME LUG SETS

Comprising Top and Bottom Head Lugs
Seat Lugs and Bottom Bracket Shell

72° x 72°

To suit British Frame Tubing.

GFF42/ES1406	—
/DS1303	—



G.F.C. JUVENILE FORKS

7/8 in. Diameter. Plain gauge columns 24 T.
Black enamelled.

	pair
GFF56/P809 for 14 in. wheels	13/2
GFF57/P809 for 16 in. wheels	13/2
GFF58/P809 for 18 in. wheels	13/2
GFF59/P809 for 20 in. wheels	13/2

PHILLIP'S FRONT GIRDER FORK ATTACHMENTS

Chromium Plated. Available in standard sizes. Please state length of fork column and size of wheels.

pair
GFF63/P508 8/6


WEBB SPRING FORKS

For Motor Assisted Bicycles. For 26 in. wheels with 2 in. tyres and all normal frame sizes. 8 in. or 10 in. column screwed 3 in. down. 1 in. x 24 or 26 T.P.I. For hub or caliper brakes. Special model available for Raleigh bicycles. Silver or Black enamelled.

each
GFF59a/E5404 75/-

With cable operated pull-up brakes. Complete with cable and levers.

GFF59b/E6108 85/-



WEBB



PHILLIPS

"PREFERENCE" (F)

18 T x 1/8 in. Roller Bearing Freewheels especially suitable for Motorised Cycles.

each
GFF72a/E402 6/3

MODEL DE LUXE

With two full rows of balls.


Orange Cartons 1/2 in x 1/8 in.

			each
GFF76/E408	16 T		7/-
GFF77/E408	17 T		7/-
GFF78/E407	18 T		6/11
GFF79/E408	19 T		7/-
GFF80/E408	20 T		7/-
GFF81/E411	22 T		7/5
GFF82/E506	24 T		8/3
GFF83/E510	26 T		8/9

1/2 in. x 3/16 in.

			each
GFF84/E410	16 T		7/3
GFF85/E410	17 T		7/3
GFF86/E408	18 T		7/-
GFF87/E410	19 T		7/3
GFF88/E410	20 T		7/3
GFF89/E500	22 T		7/6
GFF90/E507	24 T		8/5
GFF91/E511	26 T		8/11

FREEWHEELS



BW

"THE PERFECT BEARING" FREEWHEEL

1/2 in. x 1/8 in.

			each
GFF64/E408	16 T		7/-
GFF65/E408	17 T		7/-
GFF66/E404	18 T		6/6
GFF67/E406	19 T		6/9
GFF68/E406	20 T		6/9
GFF69/E410	22 T		7/3

1/2 in. x 3/16 in.

			each
GFF70/E406	18 T		6/9
GFF71/E407	20 T		6/11
GFF72/E410	22 T		7/3



VILLIERS "MODEL DE LUXE" FREEWHEEL

With Separators 1/2 in. x 1/8 in. each

GFF92/E404	18 T		6/6
GFF93/E406	19 T		6/9
GFF94/E406	20 T		6/9
GFF95/E410	22 T		7/3

1/2 in. x 3/16 in.

GFF96/E406	18 T		6/9
GFF97/E407	19 T		6/11
GFF98/E407	20 T		6/11
GFF99/E410	22 T		7/3

With full balls. 1/2 in x 1/8 in.

GFF100/E408	16 T		7/-
GFF101/E408	17 T		7/-
GFF102/E407	18 T		6/11
GFF103/E408	19 T		7/-
GFF104/E408	20 T		7/-
GFF105/E500	22 T		7/6

1/2 in x 3/16 in.

GFF106/E410	16 T		7/3
GFF107/E410	17 T		7/3
GFF108/E408	18 T		7/-
GFF109/E410	19 T		7/3
GFF110/E410	20 T		7/3
GFF111/E500	22 T		7/6



T.D.C. STEEL FREEWHEELS

Fitted with balls and separators. Running parts hardened. Green cartons. 1/2 in. x 1/8 in.

GFF73/E404	18 T		6/6
GFF74/E406	20 T		6/9
GFF75/E409	22 T		7/1



FREEWHEELS FOR JUNIOR CYCLES AND TRICYCLES

14 T x 1/2 in. x 1/8 in.

GFFI12/E208	B.W.		each 4/-
GFFI13/E210	Villiers		4/3
	Villiers with Tricycle Adapter		
GFFI14/E306			5/3
	T.D.C. Plain Bearing		
GFFI15/E208			4/-
	T.D.C. Ball Bearing		
GFFI16/E400			6/-

ADAPTORS FOR TRICYCLE FREEWHEELS

GFFI17/E8	Villiers		each 1/-
-----------	----------	-------	----------

PREFERENCE TRIPLE FREEWHEELS

All ball. 1/2 in x 1/8 in.

GFFI24/E702	16-18-20 T		each 10/9
GFFI25/E908	14-16-18 T		14/6
GFFI26/E908	15-17-19 T		14/6

PREFERENCE FOUR SPEED FREEWHEELS

All Ball. 1/2 in. x 1/8 in. or 3/32 in.

GFFI27/E1100	14-16-18-20 T		each 16/6
GFFI28/E1100	15-17-19-21 T		16/6

PREFERENCE FIVE SPEED FREEWHEELS

All Ball. 1/2 in x 3/32 in.


GFFI29/E1404	14-16-18-20-22 T		each 21/6
GFFI30/E1404	15-17-19-21-23 T		21/6



T.D.C. TRIPLE FREEWHEELS

With two full rows of balls
1/2 in. x 1/8 in. Boss type

GFFI21/E1006	14-17-20 T		each 16/-
GFFI22/E1006	14-16-18 T		16/-
GFFI23/E1006	14-17-19 T		16/-



CYCLO BENELUX TRIPLE FREEWHEELS

1/2 in. x 1/8 in. With square form teeth.
Steel centre & lock ring. Machined to fine limits - 3 pawls action (pawls reversible)
Freewheel body with two full rows of balls.
With cogs as follows—

First: 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 28 T.

Second: 15, 16, 17. Top: 13, 14, 15, 16 T

Supplied in any possible combination of the above cogs.

GFFI31/E1304			each 20/-
--------------	-------	-------	-----------

PAWLS AND SPRINGS FOR FREEWHEELS

REPLACEMENTS AVAILABLE FOR
VILLIERS, T.D.C. CYCLO AND
MOST BRITISH FREEWHEELS


Prices and details on request.



T.D.C. TRIPLE FREEWHEELS

With two full rows of balls. 1/2 in. x 1/8 in.

GFFI20/E806	16 - 18 - 20 T	Flush Back		each 13/-
-------------	----------------	------------	-------	-----------



CYCLO BENELUX FOUR SPEED FREEWHEELS

Square form teeth 1/2 in x 1/8 in. or 3/32 in. with cogs as follows:—

First and second: 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 28 T.

Third: 16, 17, 18, 19 T.

Top: 13, 14, 15, 16 T.

Supplied in any possible combination of the above cogs.

GFFI32/E1504	1/2 in. x 1/8 in.		each 23/-
GFFI33/E1600	1/2 in x 3/32 in.		24/-

CYCLO BENELUX FIVE SPEED FREEWHEELS


1/2 in. x 3/32 in. With square form teeth.
With cogs as follows:

First or second: 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 28 T.

Third or Fourth: 16, 17, 18, 19 T.
Top: 13, 14, 15, 16 T.

Supplied in any possible combination of the above.


GFFI34/E1800			each 27/-
--------------	-------	-------	-----------

**BODIES FOR MULTIPLE FREEWHEELS**

Benelux for Square Form Teeth Cogs

GFF134/E704	3 Speed 1/8 in.	..	..	..	each	11/-
GFF135/E704	4 Speed 1/8 in.	..	..	..	..	11/-
GFF136/E800	4 Speed 3/32 in.	..	..	..	..	12/-
GFF137/E800	5 Speed 3/32 in.	..	..	..	..	12/-

"CYCLO"
FREE WHEEL REMOVING TOOL
 PATENT NO 428031 REGD DESIGN NO 798793



**CYCLO HARDENED AND TEMPERED
 FREEWHEEL REMOVERS**

GFF150/E108	For Cyclo F/w's	..	..	..	each	2/6
GFF151/E108	For Benelux Boss F/w's	..	..	..	..	2/6
GFF152/E108	For Standard F/w's	..	..	..	..	2/6

SPROCKETS FOR BENELUX FREEWHEELS

Square Form Teeth 1/2 in. x 1/8 in. or 3/32 in.

Top Gear 3, 4 or 5 speed 1/8 in., 3/32 in.
 13, 14, 15 or 16 T.

First or Second Gear
 17, 18, 19, 20 T.

	each		1/8 in. 3 or 4 speed		
GFF138/E200	..	..	..	..	3/-
			3/32 in. 4 or 5 speed		
GFF145/E200	..	..	..	..	3/-
			21, 22, 23, 24, 25, 26 or 28 T.		
			1/8 in. 3 or 4 speed		
GFF140/E200	15, 16, 17 T.	..	..	..	3/-
			3/32 in. 4 or 5 speed		
GFF147/E200	..	..	..	..	3/-


Third Gear Four Speed, 1/8 in., 3/32 in.
 16, 17, 18, 19 T.

GFF141/E200 3/-

Third or Four Gear Five Speed 3/32 in.
 GFF143/E200 16, 17, 18, 19 T... 3/-

PREFERENCE REPLACEMENT COGS

	1/2 in. x 1/8 in. or 3/32 in.	
	14, 15, 17, 19, 20, 21, 22, 23, 24 T.	
	each	
GFF148/E104	..	2/-

**VILLIERS FREEWHEEL REMOVERS**

GFF149/E109	..	..	..	..	each	2/9
-------------	----	----	----	----	------	-----

**FREEWHEEL REMOVERS**


"T.D.C." Free wheel Removers for
 standard free wheels. each

GFF153/E504	..	..	..	..	8/-
GFF155/E504	Boss Type	..	..	..	8/-

**SHOCKSTOP No. 52**

4 in Long for 7/8 in. Bars

GFH1/DPI304	Black	..	..	pair	1/8
GFH2/DPI504	Colours	..	..	..	1/11

**SHOCKSTOP No. 55**

Sports Grips 6 1/2 in.


GFH7/P204	..	..	..	..	pair	3/6
GFH7/P206	Colours	..	..	..	..	3/9

Shockstop Grips are available in Beige,
 Silver Grey, Red, Blue and Green

HANDLEBAR GRIPS**SHOCKSTOP No. 54**

4 5/8 in. for 7/8 in. Bars each

GFH3/DPI304	Black	..	..	1/8
GFH4/DPI504	Colours	..	..	1/11

**SHOCKSTOP No. 80 JUVENILE**

	3 in. for 3/4 in. Bars	each	
GFH9/DP800	Black	..	1/-
GFH10/DP904	Colours	..	1/2

**SHOCKSTOP No. 51**

4 3/4 in. for 7/8 in. Bars pair

GFH5/DPI408	Black	..	..	1/10
GFH6/DPI608	Colours	..	..	2/1

SHOCKSTOP No. 69**PNEUMATIC GRIPS**

4 1/2 in. Long

GFH11/P110	Black	..	..	pair	2/9
GFH12/P200	Colours	..	..	..	3/-



**SHOCKSTOP No. 53** $7\frac{3}{8}$ in.

Sleeve Grips

GFH13/DPI608 Black and col. pair $\frac{2}{1}$ **SHOCKSTOP No. 24**Super Sponge Eccentric $4\frac{5}{8}$ in. long.
Black, Beige, Red, GreyGFH17/P304 .. pair $\frac{5}{-}$ **G.F.C. SENIOR RUBBER GRIPS** $7\frac{7}{8}$ in.

4 in. Ribbed Pattern Black

GFH20/DP704 .. pair $\frac{11}{d}$

As above

but in colours Red, Green, Blue, White,
Yellow, Beige.GFH21/DP808 .. pair $\frac{1}{1}$ **"W" BRAND SENIOR SPONGE GRIPS** $7\frac{7}{8}$ in. One pair per Carton
Black, Beige, Grey or WhiteGFH28/DP2608 .. pair $\frac{3}{4}$  $7 \times \frac{7}{8}$ MOULDED CYCLE GRIP**G.F.C. OPEN ENDED SLEEVES**Ribbed. $7\frac{7}{8}$ in. x 7 in. White, Red, Beige,
Blue, Green.GFH31/DPI000 .. pair $\frac{1}{3}$ **SHOCKSTOP No. 57** $6\frac{1}{4}$ in.

Sleeve Grips

GFH14/DPI208 Blk and Colours pair $\frac{1}{7}$ **SHOCKSTOP No. 59** 4 in.GFH15/DPI000 Blk. and Colours pair $\frac{1}{3}$ **SHOCKSTOP No. 23**Super Sponge $6\frac{1}{2}$ in. long
Black, Beige, Red, GreyGFH18/P306 .. pair $\frac{5}{3}$ **G.F.C. JUNIOR RUBBER GRIPS** $\frac{3}{4}$ in.

3 in. Ribbed Pattern. Black.

GFH22/DP604 .. pair $\frac{9\frac{1}{2}}{d}$

As above

but in colours Red, Green, Blue, White,
Yellow, Beige.GFH23/DP738 .. pair $\frac{11\frac{1}{2}}{d}$ **G.F.C. SENIOR SLEEVES** $7\frac{7}{8}$ in. 6 in. long. Black, Red, Green, Blue, White,
Yellow, BeigeGFH29/DPI104 .. pair $\frac{1}{5}$ 15 x $\frac{7}{8}$ MOULDED CYCLE GRIP**G.F.C. RUBBER HANDLEBAR SLEEVING**for $7\frac{7}{8}$ in. or $15\frac{1}{16}$ in. Bars. 15 in. long.
Diamond Pattern. White, Red, Beige, Blue
and Green

GFH34/DP .. pair

**STOCKSTOP No. 25**Super Sponge Grips
 $4\frac{7}{8}$ in. long. Black, Beige, Red, GreyGFH16/P300 .. pair $\frac{4}{6}$ **SHOCKSTOP No. 26**Super Sponge Eccentric 5 in. long.
Black, Beige, Red, GreyGFH19/P308 .. pair $\frac{5}{6}$ **"W" BRAND SENIOR FINGER GRIPS** $7\frac{7}{8}$ in.

One Pair per Carton

GFH24/DPI104	Black ..	pair $\frac{1}{5}$
GFH25/DPI408	Grey ..	$\frac{1}{10}$
GFH26/DPI408	Beige ..	$\frac{1}{10}$
GFH27/DPI600	White ..	$\frac{2}{-}$

**"W" BRAND SLEEVEETTE GRIPS**4 in. x $7\frac{7}{8}$ in. Dia. One pair per CartonGFH30/DP800 .. pair $\frac{1}{-}$



G.F.C. RUBBER HANDLEBAR GRIPS
Ribbed Pattern. 7/8 in x 5 in. Grey


GFH32/P100 pair
1/6

G.F.C. ECCENTRIC RUBBER HANDLEBAR GRIPS

7/8 in. x 4 1/4 in. Beige pair
GFH33/P106 2/3

DOVER "EXONITE" COVERED HANDLEBAR GRIPS

"Fluted" Pattern. 3/8 in. Black pair
GFH36/DPI008 1/4



DUNLOP HANDLE BAR END STOPS

DUNLOP HANDLEBAR END STOPS

Complete with Metal Expanders.

GFH42/DPI400 Black pair
GFH43/DPI400 Red 1/9
GFH44/DPI400 Cream 1/9
Cards of 2 pairs each Colour
GFH45/C700 1/9



SHOCKSTOP BRAKE HOOD GRIP

SHOCKSTOP BRAKE HOOD GRIPS

Translucent Rubber

GFH47a/P106 pair
2/3



SELF ADHESIVE CLOTH

3/4 in. wide in Blue, Black, Green, Red, White, Yellow

4 yard Rolls doz. rolls
GFH37/D704 Plain 11d.

5 yard Rolls
GFH37/DI206 Herring Bone 1/7

SELF ADHESIVE PLASTIC ELECTRICAL TAPE

4 yard Rolls by 3/4 in. wide. Black Yellow, Blue, White, Red, Green

doz. rolls
GFH39/DI008 1/4



SHOCKSTOP HANDLEBAR END CAPS

Autographed Ken Russel Exterior Fitting. Black, Red, Blue, Green, Silver, Grey and Beige


GFH46/DPI000 pair
1/3



"SHOCKSTOP" HANDLEBAR PLUGS
Regd. Design Patented
BLACK, BEIGE, CRIMSON, BLUE, GREEN

Black, Red, Blue, Silver, Grey, Beige and Green

GFH47/DP800 pair
1/-



COLOURED HANDLEBAR TAPES

NON ADHESIVE PLASTIC TAPE

3 yard x 3/4 in. wide rolls.

In colours:— Transparent; Yellow, Light and Dark Blue, Red, Green, Orange, etc. doz. rolls

GFH40/DI000 1/3

Opaque Blue, Gold, Red, Green, Blue-Green, White, Black.

GFH40a/DI000 1/3

NON ADHESIVE PLASTIC TAPE

With Embossed Design.

3 yard x 3/4 in. wide rolls in Translucent Colours
Red, Orange, Green, Light Blue, Dark Blue and Clear, etc. doz. rolls

GFH41/DI000 1/3

STEEL HANDLEBAR BENDS



ALLROUNDER BENDS

21 in. Steel Chromium Plated

						each
GFH50/E509	Phillips	19½ in.	..	..	..	8/8
GFH50a/E511	Phillips	22 in.	..	..	..	8/11
GFH51/E310	G.F.C.	21 in.	..	..	..	—



RALEIGH PATTERN NORTH ROAD OR LIGHT TOURIST BEND

Steel. Chromium Plated

						each
GFH54/E511	Phillips	..	..	..	..	8/11
GFH55/E404	G.F.C.	..	..	..	..	—

ALLROUNDER FLAT ANELAY BENDS


Steel Chromium Plated.

						pair
GFH52/E511	Phillips	..	..	..	..	8/11
GFH53/E400	G.F.C.	..	..	..	..	—

LIGHT TOURIST FLAT BEND

20 in. wide. Chromium Plated

						each
GFH56/E511	Phillips	..	..	..	..	8/11



PHILLIPS STEEL HANDLEBAR BENDS

Chromium Plated. 7/8 in.

						each
GFH57/E611	Marsh Level Grip	16½ in.	..	..	..	10/5
GFH58/E611	Lauterwasser	16½ in.	..	..	..	10/5
GFH59/E606	Canadian	20 in.	..	..	..	9/9
GFH60/E607	South African	20 in.	..	..	..	9/10
GFH61/E710	Speedtrack	22½ in.	..	..	..	11/9
GFH62/E702	Binda	18 in.	..	..	..	10/9

						each
GFH63/E611	Continental	18 in.	..	..	..	10/5
GFH64/E611	Major Taylor	16½ in.	..	..	..	10/5
GFH65/E611	Italian	16 in.	..	..	..	10/5
GFH66/E611	Bailey	18 in.	..	..	..	10/5
GFH67/E607	Maes	15½ in.	..	..	..	9/11
GFH68/E702	Pellissier	16 in.	..	..	..	10/9




HANDLEBARS WITH FIXED STEM AND EXPANDER BOLT

Chromium Plated

						each
GFH69/E809	N.R. Raised	..	..	..	..	13/1
GFH70/E905	N.R. Dropped	..	..	..	..	14/1
GFH71/E902	Comfort	..	..	..	..	13/9


FERRULES FOR HANDLEBAR BENDS

						pair
GFH72/DP304	7/8 in. (Two Piece)	..	..	..	..	5d.
GFH73/D304	15/16 in. (One Piece)	..	..	..	..	each 5d.



BEST QUALITY ALUMINIUM ALLOY BENDS

GFH74/E809 G.F.C. Maes each **13/1**



G.B. LIGHT ALLOY HANDLEBAR BENDS

Made from High Tensile Hiduminium Tube.
Fitted engraved re-inforcing Ferrule, 15/16 in.
Racing or Touring Shapes.

Capo Berta, Gouillet, Maitland, Road Champion
Track Champion, Maes, R.H. Maes, Touring,
Pelissier

GFH75/E1100 each **16/6**

GFH76/E800 All rounder - Comfort **12/-**

"PIVO" HANDLEBAR BENDS

Polished Finish - Aluminium Alloy 15/16 in.

GFH77/E1004	Maes	14½ in.	..	..	..	..	..	..	each 16/-
GFH78/E1004		16 in.	..	..	..	..	..	..	16/-
GFH79/E1004	South of France	15 in.	..	..	..	..	..	..	16/-
GFH80/E1004	Tour De France	15 in.	..	..	..	..	..	..	16/-
GFH81/E1004	Madison	15 in.	..	..	..	..	..	..	16/-

G.B. HANDLEBAR CLAMP BOLT AND NUTS

For all Stems. Chromium

GFH125/D800 each **1/-**

G.B. EXPANDER BOLTS AND NUTS

Complete with cones and washers.

GFH123/E102 for alloy stems each **1/9**
GFH124/E102 For Steel Stems **1/9**

G.B. "KROMO" STEEL HANDLEBAR BENDS

In the same shapes as the alloy.

Dropped Shapes.

GFH76a/E1200 each **18/-**

Flat Bends.

GFH768/E904 **14/-**


HANDLEBAR STEMS



HANDLEBAR STEMS

G.F.C. Handlebar Stems complete with
expander bolt. 7 in. for 7/8 in. bars. 1 in.
close-up pattern. Chromium Plated.

GFH85/E506 each **8/3**



PHILLIPS HANDLEBAR STEMS

Complete with expander bolt 7½ in deep
for 7/8 in. bars. Chromium plated.




GFH88/E510 1½ in. forw'd exten. each **8/9**
GFH89/E701 2 in. forw'd exten. **10/7**



MAJOR TAYLOR HANDLEBAR STEMS

Adjustable. Chromium plated with ex-
pander bolt.

GFH91/E2201 Phillips Pattern each **33/2**
GFH91a/E2008 Presto Pattern **31/-**



PRESTO HANDLEBAR EXTENSIONS

In Solo 7/8 in diameter (with expander bolt) or Tandem 1 in. diameter (without expander bolt) Patterns. Chromium plated.

STANDARD

	each
GFH92/EI208 1½ in. and 2 in. ex.	19/-
GFH93/EI300 2½ in. and 3 in. ex.	19/6
GFH94/EI304 3½ in. and 4 in. ex.	20/-
GFH95/EI308 4½ in. and 5 in. ex.	20/6
GFH96/EI400 5½ in. and 6 in. ex.	21/-


Also the above

PRESTO STEMS

available as follows

Solo Head Clip Pattern

	each
LESS/8	1/-
Tandem with Expander Bolt	
PLUS/200	3/-



PRESTO

TANDEM SEAT PILLAR AND STEM

with adjustable clips

Chromium Plated

	each
No. 2. 1 1/32 in. dia. stem	
GFH107/E2108	32/6
No. 3. 1 3/64 in. dia. stem	
GFH108/E2108	32/6
No. 4. 1 1/16 in. dia. stem	
GFH109/E2108	32/6

DROPHEAD


	each
GFH97/EI304 1½ in. and 2 in. ex.	20/-
GFH98/EI308 2½ in. and 3 in. ex.	20/6
GFH99/EI400 3½ in. and 4 in. ex.	21/-
GFH100/EI404 4½ in. and 5 in. ex.	21/6
GFH101/EI408 5½ in. and 6 in. ex.	22/-



G.B. KROMO STEEL STEMS

Hand made from lapped chrome Molybdenum Steel tubes. Finished in best Chrome plate. With expander bolt.

	each
2 3/8 in., 3 in., 3 5/8 in. extensions	
GFH110/EI608	25/-
4 in., 4½ in., 4½ in. extensions	
GFH111/EI708	26/6
Toni Merkins pattern	
3½ in., 3¾ in., 4½ in. extensions	
GFH112/EI804	27/6
Underslung Pattern	
3½ in., 4½ in., 5 in. extensions	
GFH113/EI804	27/6
5 in. extensions	
GFH113a/EI900	28/6




EXPANDER BOLTS AND NUTS

Complete Chromium Plated.

	each
For Kiddies Stems	
GFH117/DI000	1/3
Standard	
GFH118/DI200 6 in.	1/6
GFH119/DI200 7 in.	1/6
GFH120/DI300 8 in.	1/8
GFH121/DI300 9 in.	1/8
GFH122/DI304 10 in.	1/8

TOUR DE FRANCE

	each
GFH102/EI504 2 ex.	23/-
GFH103/EI508 2½ in. and 3 in. ex.	23/6
GFH104/EI600 3½ in. and 4 in. ex.	24/-
GFH105/EI604 4½ in. and 5 in. ex.	24/6
GFH106/EI608 5½ in. and 6 in. ex.	25/-



G.B. LIGHT ALLOY HANDLEBAR STEMS

One piece solid Hiduminium forgings. Highly polished with expander bolt.

	each
1½ in. Girder Section	
GFH114/EI008	16/-
2¾ in. Oval Non-Twist Section	
GFH115/EI200	18/-
3½ in. Oval Non-Twist Section	
GFH116/EI302	19/9

**BALL HEAD CLIPS**for $\frac{1}{8}$ in. Balls.

Complete with bolt and nut. C.P. finish.

		each
GFH126/E210	31/32nd in. diam.	3/8
GFH127/E210	1 in. diam.	3/8

Continental Cup & Cone type for 5/32nd in. Balls.

GFH128/E210	1 in. diam.	3/8
-------------	-------------	-----

**CARRIER BALL HEAD CLIPS**For 3/16 in. Diameter Balls
Complete. Black

		each
GFH129/E306		5/3

**CROWN BALL RACES**Chromium Plated
For 1/8 in. Balls

		each
GFH156/D310	1 in. Standard ..	5 $\frac{1}{2}$ d.
GFH157/D310	7/8 in. Miniature	5 $\frac{1}{2}$ d.

Carrier Pattern Black

For 3/16 in. Balls

		each
GFH158/D404	1 in. .. .	5 $\frac{1}{2}$ d.

Continental Pattern


Chromium Plated
For 5/32 in. Balls

		each
GFH159/D503	1 in. .. .	7 $\frac{1}{2}$ d.

Alatet

Chromium Plated


		each
GFH160/D901	1 in. .. .	1/2

**HEADLOCK NUTS**

Peg Hole Pattern. C.P.

		each
GFH130/D609	31/32in. x 30 T.	9d.
GFH131/D609	1in. x 24 T. ..	9d.
GFH132/D609	1in. x 26 T. ..	9d.
GFH133/D600	7/8in. x 30T ..	8d.

miniature



Hexagon Pattern

		each
GFH134/D600	31/32in. x 30 T.	8d.
GFH135/D600	1in. x 24 T. ..	8d.
GFH136/D600	1in. x 26 T. ..	8d.



Hexagon Domed Pattern

		each
GFH137/D700	31/32in. x 30 T.	9 $\frac{1}{2}$ d.
GFH138/D700	1in. x 24 T. ..	9 $\frac{1}{2}$ d.
GFH139/D700	1in. x 26T ..	9 $\frac{1}{2}$ d.
GFH140/D609	7/8in. x 24 T. ..	9 $\frac{1}{2}$ d.
	miniature	
GFH141/D609	7/8in. x 30 T. ..	9 $\frac{1}{2}$ d.
	miniature	

Alatet

Chromium Plated

		each
GFH144/D1006	1in. x 24 T. ..	1/4 $\frac{1}{2}$
GFH145/D1006	1in. x 26 T. ..	1/4 $\frac{1}{2}$

**HEAD WASHERS**
(Distance Pieces)

		each
	Chromium Plated	
GFH162/D209	1 in. .. .	4d.
	Chromium Plated with tongue. (continental)	
GFH163/D206	1 in. .. .	3 $\frac{1}{2}$ d.
	Black "D" Pattern	
GFH164/D202	1 in. .. .	3d.
	Alatet	
GFH164a/D703	1 in. .. .	11d.

**FRAME BALL RACES**

Natural Finish for 1/8 in. Balls

		each
	1 in. Top or Bottom	
GFH146/D211		4d.
	7/8 in. Top or Bottom. Miniature	
GFH147/D211		4d.

Carrier Pattern Black

For 3/16 in. Balls
1 in. Top or Bottom

		each
GFH148/D404		5 $\frac{1}{2}$ d.



Continental Pattern

Chromium Plated for 5/32 in. Balls

		each
	1 in. for 20 G Top	
GFH149/D609		9 $\frac{1}{2}$ d.
	1 in. for 22 G Top	
GFH150/D609		9 $\frac{1}{2}$ d.
	1 in. for 20 G Bottom	
GFH151/D902		1/-
	1 in. for 22 G Bottom	
GFH152/D902		1/-

Alatet

Chromium Plated

		each
	1 in. for 20 G Top	
GFH153/D1206		1/7
	1 in. for 22 G Top	
GFH154/D1206		1/7
	1 in. for 20 G Bottom	
GFH155/D1606		2/1
	1 in. for 22 G Bottom	
GFH155a/D1606		2/1

**HEAD SCREWED RACES**

Shoulder Pattern C.P.
for 1/8 in. Balls

GFHI65/D700	31/32 in. x 30 T.	each
GFHI66/D700	1 in. x 24 T.	9 1/2 d.
GFHI67/D700	1 in. x 26 T.	9 1/2 d.
GFHI68/D603	7/8 in. x 24 T. min.	8 1/2 d.
GFHI69/D603	7/8 in. x 30 T.	8 1/2 d.

Carrier Pattern. Black
for 3/16 in. Balls

GFHI70/D806	1 in. x 24 T.	each
		11 1/2

Continental Pattern. C.P.
for 5/32 in. Balls

GFHI71/D1100	1 in. x 24 T.	each
GFHI72/D1100	1 in. x 26 T.	1/3
		1/3

Alatet. C.P.

GFHI74/D1603	1 in. x 24 T.	each
GFHI75/D1603	1 in. x 26 T.	2/1
		2/1

BRADBURY HEAD TUBE DIES

Complete Die and Holder

GFHI87/E5106	31/32 in x 30 T.	each
GFHI88/E5106	1 in. x 24 T.	—
GFHI89/E5106	1 in. x 26 T.	—

SPARE DIES FOR ABOVE

GFHI90/E3102	31/32 in x 30 T.	—
GFHI91/E3102	1 in. x 24 T.	—
GFHI92/E3102	1 in. x 26 T.	—

HEAD SETS COMPLETE**ALATET CONTINENTAL TYPE
HEAD SETS**

with Lock Nut. Chromium Plated

GFHI76/S506	1 in. x 24 T. 20 G.	set
		8/3
GFHI77/S506	1 in. x 24 T. 22 G.	8/3
GFHI78/S506	1 in. x 26 T. 20 G.	8/3
GFHI79/S506	1 in. x 26 T. 22 G.	8/3



Each Set attractively boxed

**"MICROLOCK" TYPE
HEAD FITTINGS**

with Lock Nut. Chromium Plated.
Individually Boxed

GFHI80/S700	1 in. x 24 T. 20 G.	set
		10/6
GFHI81/S700	1 in. x 26 T. 22 G.	10/6

COMPRISING
LOCK NUT, SCREWED RACE,
DISTANCE WASHER, FRAME RACES
AND CROWN RACE
CHROMIUM PLATED

**HORNS****G.F.C. PIP-PIP HORNS**

A British Made Horn with a strong note.
Universal clip, overall length 7 1/2 in. Nickel Plated finish.

GFHI93/E200	each
	3/-

As above, in colours, Black, Blue, Red, Green, Silver and Cream.
Packed in cartons containing two of each colour.

GFHI94/E200	each
	3/-

BRAMPTON CONTINENTAL

with Head Lock Nut for 5/32 in. Balls

GFHI82/S304 1/2	1 in x 24 T. 20 G.	set
		4/6
GFHI83/S304 1/2	1 in. x 24 T. 22 G.	4/6
GFHI84/S304 1/2	1 in. x 26 T. 20 G.	4/6
GFHI85/S304 1/2	1 in. x 26 T. 22 G.	4/6

**HEAD OR SEAT BOLTS**

1 1/8 in., 1 1/4 in., 1 3/8 in., 1 1/2 in x 5/16 in. 26 T.
Chromium Finish

GFHI86/D208	each
	4d.

**G.F.C. PIP-PIP HORNS**

Universal screw clip. Length 8 in. with 2 in. Trumpet
Chromium Plated.

GFHI95/E206	each
	3/9

As above, 6 per box, 1 each, Red, Blue, Black, Green,
Cream and Silver Finish


GFHI96/E206	each
	3/9



CYCLE OR MOTOR CYCLE POST HORN

Clip with liner to fit 7/8 in. and 1 in. bars.
Size 1 1/2 in. x 2 3/8 in. Trumpet

GFH197/E404	Black enamelled	each
		6/6
GFH198/E404	Silver enamelled	each
		6/6
GFH199/E500	Chromium plated	each
		7/6



STADIUM BULB HORNS


with strong two-piece adjustable bracket.
For 7/8 in. or 1 in. bars. 11 in. x 2 1/2 in. dia.
Trumpet. Black Cylindrical Bulb. Each
horn packed in an attractive carton.
No. 110

GFH200/E404	Black	each
		6/6
GFH201/E404	Silver	each
		6/6
GFH202/E500	Chromium plated	each
		7/6

STADIUM POST HORN

with two-piece swivel clip. Dual note,
giving pleasant but effective warning.
Size 1 1/2 in. x 2 7/16 in. trumpet. Each horn
packed in attractive carton.
No. 111

GFH203/E508	Chromium Plated	each
		8/6



BUGLE HORN "10"

Particularly suitable for scooter or motor
assisted bicycles. For 7/8 in. or 1 in. bars.
10 in x 2 3/8 in. trumpet. Chromium plated.

GFH204/E1108	each
	17/6

BUGLE HORN "8"

As above but size 8 in. x 2 1/4 in. trumpet.
Chromium Plated


GFH205/E1100	each
	16/6



HORN PUSHES

Chromium Plated with Black Button
7/8 in., 1 in. bar


GFH212/E208	each
	3/6
GFH213/E208	each
	3/6



CLEAR HOOTERS

High frequency electric horns. 6 volt.
Black with C.P. grille. Less push button
and wiring. For machines up to 250 c.c.


GFH208 E1310 1/2	each
	18/6



HIGH FREQUENCY DRY BATTERY HORN

Specially designed for lightweight motor
cycles and auto cycles and is suitable for
motor assisted cycles. 6v. Complete with
battery container (1 1/8 in. dia. clips) which
takes four U.2 batteries. Total weight
as supplied less batteries. 24 ozs.
Black, Bantam Green and Maroon.

GFH209/E2102	each
GFH210/E2102	28/3
GFH211/E2102	



HORN REEDS

1/4 in. dia. x 1 in. long	each
GFH206 D405	7d.
3/8 in. dia. x 1 1/4 in. long	
GFH207 D504	8d.

COMBINED DIPPER SWITCH AND HORN PUSH

in polished aluminium casing, for 7/8 in.
or 1 in. handlebars.


GFH214/E508	each
	7/6



VIDOR HORNET HOOTER

to take U.2 Battery. Silver enamelled
finish. Complete less battery.

GFH215/E408	each
	6/11 1/2



G.F.C. BATTERY MODEL ELECTRIC HORN


Handlebar fitting to take U.2 battery. With 7/8 in. clip. Particularly suitable for motorised cycles. This horn is of smart modern design, well finished in silver enamel with Chromium plated front and incorporates the push button in the body of the horn. Less battery.

GFH216/E1100 each
16/6


"CADET" HORN

Battery operated. For cycles and motorised cycles. Silver finished with Chromium plated front. To take standard unit cell. Complete with cable and push button. Waterproof. Specially designed to give clear and effective warning note.

GFH217/E1100 each
16/6




HUBS



B.W. IDEAL SOLID CAST HUBS

Medium diameter barrel. Drilled 32/40 H. 1½ C.L., G.C.C. Chrome plated. Single sided. Screwed for F.W.


GFH218/P807	Pairs		pair
GFH219/E308	Front		12/10
GFH220/E411	Rear		5/6
			7/4



PHILLIPS "CELTONIA" LARGE BARREL HUBS

Spring band lubricators. 3/8 in. spindles front and rear, with ¼ in. balls. 1½ in. C.L. G.C.C. screwed for gear 32/40 H.


GFH221/P801		pair
		12/2
GFH222/E307	Front only	each
		5/5
GFH223/E406	Rear only	each
		6/9



B.H.C. "MAXIM" HUBS

Tubular large barrel Pattern. 1½ in C.L., G.C.C. screwed for standard freewheel or cog and lock ring.

GFH224/P806		pair
		12/4
GFH225/E306	Front only	each
		5/1
GFH226/E500	Rear only	each
		7/3



BAYLISS WILEY DOUBLE SIDED ROAD RACING HUBS


Fitted with locking cones and special spindles for racing fork ends. 32/40 H. 1½ in. C.L. C.P.

GFH227/E505	Front No. 9	..	each
			8/1

GFH228/E700	Rear No. 10	..	10/6
-------------	-------------	----	------

Screwed for cog lockring and derailleur with long spindle


GFH229/E702½	Rear No. 11	10/10
--------------	-------------	-------



BAYLISS WILEY ALL-STEEL DERAILLEUR REAR HUBS

Chromium plated. No. 300 to suit gear cluster 9/16 in. to 5/8 in. when measured back face to centre. 40 H. Single sided.


GFH230/E600		each
		9/-



BAYLISS WILEY ALL-STEEL DERAILLEUR REAR HUBS

Chromium plated. No. 310. To suit gear cluster 7/16 in. to ½ in. measured back face to centre. Screwed for cog and lock ring other side. 40 H.

GFH231/E600		each
		9/-



**B.W. CARRIER HUBS**

3/8 in. spindle, front or rear. 1/4 in. balls. Cast shell. 32/40 drilled for 13G. Black. Rear screwed for cog and lock nut or freewheel.

GFH240/P1006	..	..	..	pair
				15/9
GFH241/E500	Front only	..		each
				7/6
GFH242/E506	Rear only	..		each
				8/3

Front as above in Chromium Plated finish. Specially suitable for tandem work.

GFH243/E500	..	..	..	each
				7/6

**B.W. JUNIOR HUBS**


All steel. C.P. Drilled 20 H.

GFH244/P609	..	..	..	pair
				10/1
GFH245/E300	Front only	..		each
				4/6
GFH246/E309	Rear only	..		each
				5/7

PHILLIPS JUNIOR HUBS

5/16 in. spindle front and rear. Drilled 20/20 H. or 16/16 H. 15/16 in. C.L., Non-gear case clearance. C.P.

GFH247/P606	..	..	..	pair
				9/9
GFH248/E210	Front only	..		each
				4/3
GFH249/E308	Rear only	..		each
				5/6





DEFIANCE
DOUBLE-SIDED CAST SHELL
ROAD RACING HUBS

9/16 in. dia. barrel. 1 1/2 in. C.L. Screwed for cog and lock ring each end. 32/40 H. Chromium Plated

GFH235/P1003	..	..	..	pair
				14/9
GFH236/E403	Front only	..		each
				6/1
GFH237/E511	Rear only	..		each
				8/8

As above but screwed one side for Derailleur gear, the other side cog and lock ring.

GFH238/P1007	..	..	..	pair
				15/4
GFH239/E604	Rear only	..		each
				9/3



B.W. LARGE FLANGE
"CONTINENTAL" RACING HUBS

Tapering flanges machined from Hiduminium provide a common spoke length for front or rear. Fitted 1/4 in. balls. Hollowed spindles and with washers and lock nuts. Rear screwed both sides for cog and lock ring (No. 20) or for cog and lock ring one side and freewheel the other, with 3/8 in. longer spindle for Derailleur (No. 21).

No. 19 front with rear screwed
Cog and lock ring No. 20 or F/W No. 21.



GFH250/P4003	..	..	..	pair
				60/4
	Front only. No. 19	..		each
GFH251/E1807	..	..	..	27/10
	Rear only. No. 20 or 21.	..		each
GFH252/E2108	..	..	..	32/6



PHILLIPS
CREDALUX SPORTS HUBS

Steel. C.P. finish. 32/40 H. Fitted cone lock nuts. 1 1/2 in. C.L. Non-gear case clearance. Screwed both sides for cog and lock ring or freewheel.

GFH232/P906	..	..	..	pair
				14/3
GFH233/E402	Front only	..		each
				6/3
GFH234/E510	Rear only	..		each
				8/9



BRITISH HUB "AIRLITE"
AND "AIRLITE CONTINENTAL"
HUBS

Steel centre and cups, duralumin flanges. Hollowed spindles, with carbon ground steel cones, washers and lock nuts. Lubrication direct to bearing. Available with rear hub D.S. double cog 1 1/2 C.L. - G.I. Standard Derailleur gear or G.12 standard Derailleur gear and fixed cog.

Small Flange - Airlite

GFH253/P3209	..	..	..	pair
				45/10
GFH254/E1209	Front only	..		each
				17/10
GFH255/E2800	Rear only	..		each
				28/-

As above but with Q.R. Fitment


GFH256/P4603	..	..	..	pair
				65/3
GFH257/E1906	Front only	..		each
				27/6
GFH258/E2609	Rear only	..		each
				37/9

Large Flange - Airlite Continental

GFH259/P5209	..	..	..	pair
				74/-
GFH260/E2109	Front only	..		each
				30/6
GFH261/E3100	Rear only	..		each
				43/6

As above but with Q.R. Fitment

GFH262/P6509	..	..	..	pair
				92/3
GFH263/E2803	Front only	..		each
				39/9
GFH264/E3706	Rear only	..		each
				52/6



PHILLIPS "RESILION" LARGE FLANGE HUBS

Steel - Chromium Plated. each

FRONT

GFH252a/E604 9/6

REAR

Standard F/W and Fixed

GFH252b/E808 13/-

3-Speed and Fixed


GFH252c/E902 13/9

4-Speed and Fixed

GFH252d/E902 13/9

Double Fixed


GFH252e/E902 13/9



PERRY COASTER HUB

Complete with sprocket. 40 H. Drilled for 14/15G or 13G. spokes. C.P.

each
GFH266/E1806 27/6



B.W. FREEWHEEL HUB

New Model with Large Flanges and large diameter driver. Patent four-bearing design. Will accommodate four cogs by skimming low gear sprocket.

each
GFH265/E2800 42/-



PHILLIPS CRABBE HUB BRAKES

With $\frac{3}{8}$ spindles front and rear. 32/40 H. Suitable 13 and 14 G spokes. Black and Chrome finish.

each

Front No. 246 Rod operated

GFH279/E1905 29/1

Front No. 246 F Rod operated with balanced flange

GFH280/E2011 31/4

Front No. 248 Rod operated

GFH281/E1905 29/1

Front No. 246 F Cable operated with balanced flange

GFH282/E2011 31/4

Rear No. 247. Rod operated

GFH283/E1905 29/1

Rear No. 247. F. Rod operated with balanced flanges

GFH284/E2011 31/4

Rear No. 249. Cable operated with lever Less gear case clearance

GFH285/E1905 29/1

Rear No. 249F. Cable operated with balanced flange

GFH286/E2011 31/4

Rear No. 249 G. Cable operated with lever. Gear case clearance


GFH286a/E1905 29/1

Rear No. 249 F. Cable operated with balanced flange

GFH286/E2011 31/4

Rear No. 249 MF. Cable operated with lever and balanced flange. Suitable for direct drive motor attachment.

GFH286a/E2500 37/6



B.S.A. 3-SPEED HUB

Complete with top tube control. C.P. finish. 40 H.


each
GFH287/E2906 40/9

BRAMPTON 3-SPEED HUB

Complete with top tube control C.P. finish. 40 H.

each
GFH288/E2906 40/9

SUPER SOLO
CYKLBRAKE
REG:DESIGNS



B.H.C. SUPER SOLO "CYKLBRAKE" HUBS

$3\frac{3}{4}$ in. brake drums with $\frac{3}{8}$ in. wide steel shoes. C.P. finish. Cable operated. Complete with lever

pair
GFH270/P5003 70/5

each
GFH271/E2405 Front only .. 34/2

GFH272/E2511 Rear only .. 30/4

SUPER TANDEM

4 in. brake drums and $1\frac{3}{16}$ in. wide steel shoes. Cable-cum-rod operated.

pair
GFH273/P7311 103/6

each
GFH274/E3506 Front only .. 49/8

GFH275/E3805 Rear only .. 53/10

SUPER SPECIAL TANDEM MODEL

with $4\frac{3}{4}$ in. brake drums and $7/8$ in. wide steel shoes.

pair
GFH276/P8104 113/10

GFH277/E3305 Front only .. 55/10

GFH278/E4211 Rear only .. 60/-



B.H.C. SOLITE HUBS

Of featherweight construction with hollowed spindles. Fitted ground high quality steel cones, washers and cone lock nuts. C.P. Rear hub models screwed. D.S. double cog. $1\frac{1}{2}$ in. C.L. - G.I. Standard Derailleur gear or G 12 cog and lock ring and Derailleur gear.

pair
GFH267/P1804 25/9

each
GFH268/E800 Front .. . 11/3


GFH269/E1004 Rear .. . 14/6

Wide
Medium




and Close
Ratios

Hub Gears, Hub Brakes and Dynohubs




AW Three-Speed Hub wide ratio with Top Tube or Handlebar "Flick" Trigger Control. 33 1/3% increase, 25% decrease from normal. Suitable for all types of bicycles.

each
GFH289/E3203 44/6



AM Three-Speed Hub medium ratio with Handlebar "Flick" Trigger Control. 15.55% increase, 13.46% decrease from normal. Suitable for Sports and Racing Bicycles.

each
GFH290/E3606 50/3



FW Four-Speed Hub wide ratio with Handlebar "Flick" Trigger Control. 26.6% increase, 21% and 33 1/3% decrease from normal. Suitable for all types of bicycles.


each
GFH295/E3500 48/3

FM Four-Speed Hub medium ratio with Handlebar "Flick" Trigger Control. 12.5% increase, 14.3% and 33.3% decrease from normal. Suitable for all Sports Cycles.

each
GFH296/E4003 55/6


T.C.W. Three-Speed wide ratio (A.W.) Combined with Coaster Brake complete with "Flick" Trigger Control.

each
GFH291/E4903 67/9



ABC Three-Speed Hub wide ratio with Top Tube or Handlebar "Flick" Trigger Control. Incorporates hand operated internal expanding brake. Suitable for all types of bicycles.

each
GFH292/E4500 62/-



STURMEY-ARCHER DYNOHUBS

G.H.6. Front Dynohub. Chromium plated. 32 H. 6 volt. complete with head and tail lamp.

With Roadster, in black or silver finish, or Sports type headlamps in chromium plated finish.

each
GFH298/E3909 54/9


As above but incorporating dry battery unit to provide light when stationary. Battery container clips on seat tube.

each
GFH299/E4602 63/6




BFC Front Hub with hand operated internal expanding brake. Suitable for all types of bicycles.

each
GFH293/E2100 29/-



BRC Rear Single-Speed Hub with hand operated internal expanding brake. Suitable for all types of bicycles.

each
GFH294/E2109 30/-



AG. REAR DYNOHUB


Combined with AW. wide ratio, three-speed gear. 40 H. 6 volt with head or tail lamp.

With Roadster in black or silver, or Sports type headlamp in chromium plated finish.


each
GFH300/E6506 90/4

As above but incorporating unit to provide light when stationary. Battery container clips on seat tube.

each
GFH301/E7111 99/1




The Patent Sturmey-Archer Handlebar "Flick" Trigger Control provides an instantaneous change of gear by a flick of the finger. No extra charge.



"SIMPLEX"
TOUR DE FRANCE
DERAILLEUR GEARS

Systems complete with lever and cable for 3, 4 or 5-speed. (Less Freewheels).

3-speed for 1/8 in. chain	each
GFH304/E1804	27/6
4-speed for 1/8 in. chain	
GFH305/E1804	27/6
4-speed for 3/32 in. chain	
GFH306/E1804	27/6
5-speed for 3-32 in. chain	
GFH307/E1804	27/6




BENELUX
DERAILLEUR GEARS

3, 4 or 5-speed systems with cables and levers (Less freewheels).

3-speed for 1/8 in. chain	each
GFH313/E2000	30/-
4-speed for 1/8 in. chain	
GFH314/E2000	30/-
4-speed for 3/32 in. chain	
GFH315/E2000	30/-
5-speed for 3/32 in. chain	
GFH316/E2000	30/-

ALL STURMEY-ARCHER

Variable gear hubs are fitted with quickly detachable splined sprockets which enable gear range to be altered easily and quickly.




SIMPLEX
"JUY 51" DERAILLEUR GEARS

With fully automatic chain tensioning and "Get you Home" gear selector

Systems complete with lever and cable for 4 or 5-speed. (Less Freewheels).


4-speed for 1/8 in. chain	each
GFH308/E3000	45/-
4-speed for 3/32 in. chain	
GFH309/E3000	45/-
5-speed for 3/32 in. chain	
GFH310/E3000	45/-



BENELUX "SPORT"
DERAILLEUR GEARS

4 or 5-speed systems with cables and levers, in super chromium finish (Less freewheels)

4-speed for 1/8 in. chain	each
GFH317/E3108	47/6
4-speed for 3/32 in. chain	
GFH318/E3108	47/6
5-speed for 3/32 in. chain	
GFH319/E3108	47/6




FG. REAR DYNOHUB

As above but combined with F.W. Wide ratio. Four-speed gear Hub.

GFH302/E7007	each 97/4
-----------------------------	------------------

As above but incorporating dry battery unit.


GFH303/E7700	each 106/1
-----------------------------	-------------------



SIMPLEX
"JUY 543" GEAR SELECTOR

The same mechanism is equally suitable for 3, 4 or 5-speed freewheels. 1/2 in. x 3/32 in. It is only necessary to set the indicator on the tension arm. Simple fitting. Selfaligning. All springs operate in oil bath.

GFH312/E5300	each 79/6
-----------------------------	------------------



BENELUX SUPER TOURIST
DERAILLEUR GEARS

3, 4 or 5-speed Systems with cables and levers, (less freewheels). Has a 13-28tooth range selection.

3-speed for 1/8 in. chain	each
GFH321/E2000	30/-
4-speed for 1/8 in. chain	
GFH322/E2000	30/-
4-speed for 3/32 in. chain	
GFH323/E2000	30/-
5-speed for 3/32 in. chain	
GFH324/E2000	30/-




SIMPLEX FRONT CHANGERS

1/8 in. or 3/32 in.

"Competition" Model with direct lever control

GFH325/E1508 each
23/6



BENELUX FRONT CHAIN SHIFTERS

Cable control model with frame control lever


GFH329/E1804 for 1/8 in. chain .. each 27/6
GFH330/E1804 for 3/32 in. chain .. 27/6

As above for handlebar control

GFH331/E1900 28/6

As above, but with Twin Lever.


GFH331a/E2408 37/-



SIMPLEX "JUY-56" MODEL FRONT CHANGERS

with independent cable control for 1/8 in. or 3/32 in. Chain Changing capacity of 22 teeth. Will operate Tripleing if required.

GFH326/E each



SIMPLEX "GET YOU HOME" GEAR SELECTOR


GFH332/C1000 20 per card .. each 9d.

THREE SPEED GEAR CHAIN

in 2 in. length. Best quality

GFH332a/D500 length 7 1/2 d.

BENELUX FRONT CHAIN SHIFTERS




Direct hand control model

GFH327/E1608 for 1/8 in. chain .. each 25/-
GFH328/E1608 for 3/32 in. chain .. 25/-

BENELUX "TWIN" LEVERS

With cable and fitted improved dampers.

GFH328a/E1100 each 16/6



SIMPLEX PATENTED WHEEL STOPS

GFH333/C1200 12 per card .. each 1/6

SPARE PARTS FOR HUBS AND DERAILLEUR GEARS

We carry in stock a fully comprehensive range of replacement parts for Sturmey-Archer Gear Brake and Dynohub Gear Hubs, for B.S.A. Gear Hubs and for "Cyclo" "Benelux" and "Simplex" Derailleur Gears. We shall be pleased to send you detailed lists on request.

TRANSMISSIONS FOR HUBS AND DERAILLEUR GEARS



STURMEY ARCHER TOP TUBE CONTROL WIRES

GFH334/D1104	Genuine X81Z	32 in., 34 in. or 36 in. ..	each 1/5
GFH335/D1304		54 in. or 58 in. ..	1/8
GFH336/D1704		79 in. ..	2/6
GFH337/D700	G.F.C. Pattern	32 in., 33 in., 36 in. ..	10 1/2 d.



B.S.A. T.T. CONTROL WIRES

GFH338/E100	Genuine 14-2332	33 in., 35 1/2 in., 41 1/2 in. ..	each 1/6
GFH339/D900	G.F.C. Pattern	32 in., 33 in., 36 in. ..	1/1 1/2 d.

STURMEY ARCHER TRIGGER CABLES

Complete. Black or Silver casing. 54 in. or 58 in. (other lengths available as per S.A. spares list - copy on request).



GFH340/D1904	Genuine K735z. for earlier trigger controls	each 2/5
GFH342/D1300	G.F.C. Pattern for earlier trigger controls	1/7 1/2




GFH341/D2000	Genuine K739z for present trigger controls	each 2/6
GFH343/D1300	G.F.C. pattern for present trigger controls	1/7 1/2

**B.S.A. SNAP CONTROL CABLE**

Complete. Silver or Black casing. 54 in. or 58 in. (other lengths available as per B.S.A. list - copy on request).

GFH344/E110	Genuine 14-4588	Old Pattern ..	..	each
GFH345/E110		New Pattern ..	..	2/9
GFH346/D1300	G.F.C. Pattern	Old Pattern ..	..	doz.
GFH347/D1300		New Pattern ..	..	1/7½

**OUTER CASING**

Waterproof Covered

Size "O" 50 foot coils for Derailleur Gear Cables.

GFH349a/Co500	Silver	foot
		2d.

SIMPLEX DERAILLEUR CABLES COMPLETE

GFH350/D2000	Genuine	each
GFH351/D1100	G.F.C.	2/6
		1/4½

Inner Wires for Above

GFH352/D800	Genuine	1/-
GFH353/D400	G.F.C.	6d.

**CYCLO CONTROL LEVER DAMPERS**

Will fit any single or double wire lever. Readily fitted. Enables rider to adjust or lock-up the control at will. Super Chrome Finish

GFH360/E204		each
		3/6

Benelux Type with enamelled badge

GFH361/E102		each
		1/9

**CABLE CLIPS**

For Dynohub or Derailleur Gear cables

5/8in spring stay clip C.P. Single groove


GFH362/D104		each
GFH363/D104	Double groove ..	2d.

HERCULES SYNCRO SWITCH TRIGGER CONTROL CABLES

Complete. Silver Casing

G.F.C. New Pattern

GFH348/D1300	54 in. - 58 in.	each
		1/7½

**INNER WIRE**

In 50 foot coils. Size "O" for Derailleur and Hub Gears

GFH249b/Co304	Plain non-fray	foot
GFH349c/Co400	Plastic covered	2d.

BENELUX FRAME CONTROL CABLES FOR DERAILLEUR GEARS

Complete. Silver Casing

GFH354/E200	Genuine	each
GFH355/D800	Inner Wires for Above	3/-
		1/-

BENELUX HANDLEBAR CONTROL CABLES

Complete. Silver Casing

GFH356/E204	Genuine	each
GFH357/E100	Inner Wires for above	3/6
		1/6

CYCLO STANDARD DERAILLEUR TRANSMISSION


Genuine

GFH358/E210	Solo - Silver or Black	each
GFH359/E404	Tandem - Silver or Black	4/3
		6/6

Sturmey-Archer Single groove "Spring-on" cable clips
Steel. C.P.

GFH364/D104	½ in.	each
GFH365/D104	5/8 in.	2d.

HUB COGS AND LOCK RINGS

**B.W. HUB COGS**


For freewheel unit hubs each
GFH366/E104 14-21 T. .. **2/-**

**HUB COG LOCK RINGS**

For standard size sprocket each
GFH370/D304 .. **5d.**
 Special for 12 T. cogs.
GFH371/D307 .. **5½d.**

**HUB SPINDLES
 SUITABLE FOR
 RALEIGH ROADSTER**

Best quality. Complete with large cones and nuts
 Plated Finish each
 Front 5/16 in. x 5 in. long
GFH378/D1400 .. **1/9**
 Front 5/16 in. x 6 in. long
GFH379/D1600 .. **2/-**
 Front 5/16 in. x 6½ in. long
GFH380/D1608 .. **2/1**
 Rear 3/8 in. x 6½ in. long
GFH381/D1800 .. **2/3**


**PHILLIPS SPORTS PATTERN
 HUB SPINDLES**

With 11/16 in. cones and outside nuts (Lock-nuts and washers to rear spindles) each
 5/16 in. front. H114X. 12 per card
GFH386/C1003 .. **1/4**
 3/8 in. rear H111X. 12 per card
GFH387/C1402 .. **1/10**
 H131X. 3/8 in. rear with packing piece for Derailleur gear 12 per card
GFH388/C1503 .. **1/11**

**VILLIERS HUB COGS**

off set or central type 1/2 in. x 1/8 in. each
GFH367/E101½ 12 T. to 16 T. .. **1/7**
GFH368/E103 17 T. to 20 T. .. **1/9**

**B.W. OFFSET PATTERN**

Sizes 14 - 22 teeth. 1/2 in x 3/32 in.
GFH369/E108 .. **each 2/6**

HUB SPINDLES AND CONES


**G.F.C. STANDARD PATTERN HUB SPINDLES
 COMPLETE WITH CONES AND NUTS**



	Nickel Plated	each
GFH374/D1000 Front 5/16 in. x 5 in. long	1/3	
GFH375/D1200 Rear 3/8 in. x 6 in. long	1/6	
GFH376/D1304 Rear 3/8 in. x 6½ in. long	1/8	
GFH377/D1104 Front 3/8 in. x 5 in. long	1/5	

**PHILLIPS HUB SPINDLES**

Complete with 11/16 in. cones and outside nuts
 3/8 in. front for hubs Nos. 34 and 37c. each
 H 101 X
GFH382/C1101 12 per card .. **1/5**
 3/8 in. rear for hubs Nos. 39, 147, 168 and 37c. H 106 X
GFH383/C1101 12 per card .. **1/5**

**BAYLISS WILEY
 ROADSTER SPINDLES**

Complete with cones and nuts each
GFH384/E105 5/16 in. Front **2/1½**
GFH385/E107 3/8 in. Rear **2/4½**



HUB SPINDLES FOR PHILLIPS CRABBE HUB BRAKES

For Types 246 and 248

GFH395/D1811 each
2/4

For Type 247

GFH396/D1811 2/4

For Types 249 and 294G

GFH397/D1811 2/4

"CYCLO" CONES

GFH402/D704 Long cones .. each
11d.



STANDARD HUB CONES

Best quality hardened. In shouldered or plain pattern. Fixed or adjusting.

G.F.C. Pattern

GFH406/D204 Front 5/16 in. each
3 1/2 d.
GFH407/D208 Rear 3/8 in. 4 d.

BAYLISS WILEY HUB CONES


Fixed and adjusting

Standard Pattern

GFH408/D311 Front 5/16 in. each
5 1/2 d.
GFH409/D406 Rear 3/8 in. 6 1/2 d.

Continental Cones

GFH410/D604 Front 5/16 in. 9 d.
GFH411/D705 Rear 3/8 in. 10 1/2 d.



BAYLISS WILEY RACING SPINDLES

Complete with cones, lock nuts, washers and outside nuts.

Standard Racing

GFH390/E107 5/16 in. Front .. each
2/4 1/2
GFH391/E109 3/8 in. Rear .. 2/7 1/2


Continental

GFH392/E109 5/16 in. Front .. each
2/7 1/2

GFH393/E201 3/8 in. Rear .. 3/1 1/2

Continental for Derailleur Gear

GFH394/E205 3/8 in. Rear .. 3/7 1/2



HUB SPINDLES

"CYCLO" REF. 60

Complete spindles. Standard size.
3/8 in. x 26 threads. 6 1/2 in. with cones and
Track nuts

GFH398/E204 each
3/6

No. 61


Spindle with cones only as illustrated

GFH399/D1808 each
2/4
GFH400/D704 Spindles only .. 11 d.

No. 62 P

Spindles with threaded packing pieces
only for Raleigh cycles, 7 in. 5/16 in. x 26
thread.

GFH401/D1808 each
2/4



PHILLIPS HUB SPINDLES FOR JUNIOR HUBS

With cones and nuts 5/16 in. Front or Rear

GFH403/D904 each
1/2



G.F.C. HUB NUTS

Front 5/16 in. x 26 T.

GFH412/D8 Nickel 1 d.

GFH413/D10 Chrome .. 1 1/2 d.

Rear 3/8 in. x 26 T.

GFH414/D9 Nickel 1 1/2 d.

GFH415/D100 Chrome .. 2 d.



HUB CONES FOR PHILLIPS CRABBE HUB BRAKES

GFH404/D301 Fixed each
5 d.
GFH405/D301 Adjusting .. 5 d.



**"GRIPFAST"
HARDENED SERRATED
CONE LOCK NUTS**

Rust Proof Cadmium finish. 24 Front 5/16 in.
24 rear 3/8 in.

each

GFH417/C800 Per Display Card .. 3d.

As above. Front and Rear

GFH418/D200 3d.

HUB CONE LOCK NUTS

each

Front 5/16 in. x 26 B.G.C. Standard

GFH415/D10 1 1/2d.

Rear 3/8 in. x 26 B.G.C. Standard

GFH416/D10 1 1/2d.

HUB SPACING WASHERS

For Packing

each

GFH423/D200 3d.



PHILLIPS

Chrome Plated
12 per Card

each

GFT423a/C1207 1/16 in. .. . 1/7

GFT424a/C1207 3/8 in. .. . 1/7



**"GRIPFAST"
HARDENED SERRATED WASHERS**

Rust Proof Cadmium Finish

each

24 front 3/16 in. 24 rear 3/8 in.
GFH419/C608 Per Display Card 2 1/2d.

G.F.C. as above. Front or Rear. boxed in
grosses

GFH420/D108 2 1/2d.



GRIPFAST WING NUTS

Chromium Plated

5/16 in. Front, 3/8 in. Rear. 6 each per Card

each

GFH425/C604 9 1/2d.

G.F.C.

each

GFH426/D604 Loose 5/16 in. 9 1/2d.

GFH427/D604 Loose 3/8 in. 9 1/2d.



**HURET ALUMINIUM
WING NUT**

In Sets of Four

per set

Standard Bronzed

GFH439/S208 4/-

Standard Chromed

GFH440/S300 4/6



G.B. WING NUTS

Solid Forged Hiduminium


each

GFH436/E106 Front 5/16 in. .. 2/3

GFH437/E106 Rear 3/8 in. .. 2/3

Rear for S.A. Hub

GFH438/E110 3/8 in. .. 2/9



HUB SPINDLE WASHERS

Cadmium Finish

doz.

GFH421/G508 5/16 in. Lipped 8 1/2d.

GFH422/G508 3/8 in. Double "D" 8 1/2d.



GRIPFAST BUTTERFLY MODEL

Chromium Plated

5/16 in. Front, 3/8 in. Rear. 6 each per Card

each

GFH428/C608 10d.

GFH429/D608 Loose 5/16 in. 10d.

GFH430/D608 Loose 3/8 in. 10d.



**GRIPFAST
LEVER MODEL WING NUTS**

5/16 in. and 3/8 in. 6 each per Card

each

GFH431/C700 10 1/2d.

GFH432/D700 5/16 in. Front 10 1/2d.

GFH433/D700 3/8 in. Rear 10 1/2d.

As above with Derailleur Gear clearance
on Rear

each

GFH434/C700 10 1/2d.

Derailleur Gear Clearance Rear 3/8 in.

each

GFH435/D700 10 1/2d.

**CYCLO ROSA TRACK NUT**

Chromium Plated Finish. Sets of Four

GFH443/S102		set
		1/9

**GRIPFAST
STANDARD TRACK NUTS**Chromium Plated. 12 Front, 12 Rear
per Card

GFH444/C604		each
		5d.

	Loose	
GFH445/D302	5/16in. Front	5d.
GFH446/D302	3/8 in. Rear	5d.

**GRIPFAST
DOMED TRACK NUTS**

Chromium

each

GFH449/D608	5/16in. Front	10d.
GFH450/D608	3/8in. Rear	10d.

**GRIPFAST
SUPERB RACING MODEL**

Track Nuts. 5/16in Front

each

GFH447/D404		6½d.
-------------	---------	------

Chromium. 3/8 in. Rear


GFH448/D404		6½d.
-------------	---------	------

**HUB CLEANERS**Standard type. Front and rear. Carded 12
pairs per card.

GFH451/C308		pair
		5½d.

For Hub Gears. Rear. Carded 12 per card

GFH452/C404		pair
		6½d.

DYNAMO LIGHTING SETS**MILLER No. 536T SET**

A first class dynamo set which can be depended on to give a strong beam and maximum light at all speeds. Dynamo and head lamp of brass. Headlamp (2¾ in dia. x 5½ in.) fitted two 6v. .05 amp. bulbs with provision for stand-by battery. Lightweight 6v. 3.24 watt capacity dynamo with combined dynamo and tail lamp bracket. In black or silver enamelled finish with chromium plated headlamp rim and dynamo.

GFL1/E2500		each
		37/6

MILLER No. 537T SET

As No. 536T Set above but finished throughout in finest chromium plate.

GFL2/E2804		each
		42/6

MILLER No. 535T SET


An outstanding "Miller" Model finished in Chromium Plated. The Ultra-lightweight "Sports Torpedo" Headlamp weighs only 8 ozs. and is 3 in. in diameter by 4 in. The 6 volt 3.24 watt capacity Dynamo combined on rear stay fitting bracket with Tail Lamp completes this excellent set.


GFL3/E2108		each
		32/6

MILLER No. 539T SET

First class quality throughout. A highly efficient set. Made of Brass, finished in Chromium Plate throughout. Headlamp weighing 10 ozs. Measures 3¾ in. dia. by 3½ in. Complete with Dynamo (6 volt, 3.24 watt) mounted on rear stay fitting bracket combined with Tail Lamp.

GFL4/E2304		each
		35/-



**MILLER SET No. 6 TM**

For use on all motorised bicycles with lighting coils incorporated. No. 6 type Headlamp with 6 volt 1 amp. S.C.C. gas filled main bulb and 6 volt 0.3 amp. M.E.S. vacuum pilot bulb. Provision for stand-by Battery. Tail Lamp has panel for illumination of number plate. In Black or Silver Enamel Finish.

GFL5/EI608

Complete

each
25/-**MILLER DYNAMO SET
REPLACEMENT PARTS****DYNAMO No. 53 SPARES**


Part No.	Description	each
GFL6/D800	51-1 Pulley with Nut ..	1/-
GFL7/D100	52-3 Shimwashers	1½d.
GFL8/EI06	53R-5 Top Bracket, complete with Bearing	2/3
GFL9/E404	53R-6 Rotor	6/6
GFL10/E204	53R-7 Pivoting Spindle, Shield and Body ..	3/6
GFL11/D208	52-8 Release Lever	4d.
GFL12/D208	52-9 Spring Cover and Rivet ..	4d.
GFL13/D200	52-10 Pivoting Spring	3d.
GFL14/D400	52-11 Pivot Bracket	6d.
GFL15/D200	52-12 Dynamo Fixing Screw ..	3d.
GFL16/D400	52-13 Bracket Fixing Screws (2) ..	6d.
GFL17/EI06	52-14 Fixing Clip complete ..	2/3
GFL18/D100	52-15 Earthing Screw	1½d.
GFL19/E200	53R-19 Stator	3/-
GFL20/D400	53R-22 Terminal complete ..	6d.




TAIL LAMP No. 598 SPARES

Part No.	Description	each
GFL21/EI06	52-24 Shell, complete with Glass, Clip & Screw ..	2/9
GFL21a/EI02	Shell complete with Glass	1/9
GFL22/E6	604 Bulb (6 volt .04 amp.) plus P.T. ..	8d.
GFL23/D800	52-25 Bulb Holder	1/-
GFL23a/D800	52-26 Body Clip and Screw ..	1/-

MILLER DYNAMO BRACKET LINERS

Part No.	Description	pair
GFL23/P4	For Pencil Type Seat Stays ..	6d.






MILLER Nos. 6 and 7 CYCLE HEAD LAMPS

	Part No.	Description	each
GFL24/E300	6/1	No 6 Body with Spring Clip ..	4/6
GFL25/E604	6/1.B.	No. 7 Body with Spring Clip ..	9/6
GFL26/D208	8/8	Spring Release Catch, complete ..	4d.
GFL27/E110	8/2	Front Rim only	2/9
GFL28/DS208	8/3	Reflector Retaining Wires (set of 3) ..	4d.
GFL29/D800	6/4	Front Lens	1/-
GFL30/E104	6/5	Reflector	2/-
GFL31/D304	8/6	Main Bulb Holder (Screw type) ..	5d.
GFL32/D600	8/6.B.	Main Bulb Holder (Bayonet type) ..	9d.
GFL33/D200	6/15	Pilot Bulb Holder	3d.
GFL34/D1008	605	Main Bulb (6 volt .5. amp. Bayonet type) plus P.T. ..	1/4
GFL35/D504	650	Pilot or Main Bulb (6v. .5a. Screw type) plus P.T. ..	8d.
GFL36/D400	8/7	Terminal Screw complete ..	6d.
GFL37/D504	6/13	Switch Lever	8d.
GFL38/E106	6/14	Switch complete	2/3
GFL39/E608	6/16	Front Rim and Lens, Reflector and Bulbs	10/-

MILLER Nos. 8 and 9 CYCLE HEAD LAMPS

	Part No.	Description	each
GFL40/E200	8/1	No. 8 Body (plain) with Spring Clip ..	3/-
GFL41/E406	8/1.B.	No. 9 Body (plain) with Spring Clip ..	6/9
GFL42/D208	8/8	Spring Release Catch complete ..	4d.
GFL43/E110	8/2	Front Rim only	2/9
GFL44/D208	8/3	Reflector Retaining Wires (set of 3) ..	4d.
GFL45/D800	8/4	Glass (plain) 6d. (Moulded) ..	1/-
GFL46/E104	8/5	Reflector	2/-
GFL47/D600	8/6.B.	Main Bulb Holder (Bayonet type) ..	9d.
GFL48/D1008	605	Main Bulb (6v. .5a. Bayonet type) ..	1/4
		plus P.T.	
GFL49/D400	8/7	Terminal Screw complete	6d.
GFL50/E510	8/16	Front Rim Glass, Reflector and Bulb ..	8/9


LUCAS LIGHTING SETS AND COMPONENTS



KING "MINOR" SETS

2½ in. diameter Lightweight Streamlined Model headlamp with single bulb. With central conical formation which projects an intense spot beam with ample local illumination. Complete with Twin Cable with Dynamo and Tail Lamp on combined rear stay fitting bracket.


	each
GFL51/E2108 Silver lustre finish	32/6
GFL52/E2304 C.P. throughout	35/-



KING "SPORTS" SET

Similar to "Minor" but with Streamlined Torpedo Shaped Headlamp.

	each
GFL53/E2304 Silver Lustre Finish	35/-
GFL54/E2500 C.P. Finish	37/6



KING "MAJOR" SET

The Premier Set of the King Range. 4 in. diameter Headlamp with provision for standby Battery. Optically designed lens with bulb shield and silver plated reflector. Two position sliding switch incorporated in the motif. Supplied complete with twin cable with Dynamo and Tail Lamp on combined rear stay fitting bracket.

	each
GFL55/E2604 Silver Lustre finish	39/6
GFL56/E3000 C.P. throughout	45/-

LUCAS PATHFINDER DYNAMO LIGHTING SETS

Hooded Headlamp with Stand-by Battery Provision. Push--Push Switch, pre-focus Bulbs, No. 36a Dynamo.

		each	
GFL60a/E2604	Silver	39/6	
GFL60b/E3000	C.P.	45/-	

LUCAS No. 683 SETS



With standard Headlamp. Single Bulb. Supplied with C.D. 33a Dynamo and King Rear Lamp.

		each	
GFL59/E2108	Silver	32/6	
GFL60/E2304	Chrome	35/-	

LUCAS DYNAMO SET REPLACEMENT PARTS

SPARE PARTS FOR CD33A DYNAMO

	Description	Part No.	each
GFL61/D800	Pulley Assembly (with Lock Nut and Collett)	650777	1/-
GFL62/D400	Body Through Bolt	650778	6d.
GFL63/E304	Bracket Assembly Complete	650783A	5/-
GFL64/D400	Bracket Loose Clip	650816	6d.
GFL65/D400	Bracket Screws	655435	6d.
GFL66/D400	Bracket Operating Spring	650738	6d.
GFL67/D200	Terminal Nut	169467	3d.
GFL68/D400	Bracket Adjusting Screw	126484	6d.
GFL69/E200	End Cap	650750	3/-



HC1 HEADLAMP


KING MAJOR SET

HC4/5 HEADLAMPS

KING SPORTS & MINOR SETS

SPARE PARTS FOR HEADLAMPS



Model	Description	Part No.	each
GFL70/E304	HC1 and HC3 Light Unit Complete	655446	5/-
GFL71/E300	HC2 Light Unit Complete	655445	4/6
GFL72/E204	HC4 and HC5 Light Unit Complete	655491	3/6
GFL73/E104	HC1 and HC3 Main Bulbholder Assembly	655584	2/-
GFL74/D400	HC2, HC4 and HC5 Bulbholder	655583	6d.
GFL75/D400	HC1 and HC3 Pilot Bulbholder	608342	6d.
GFL76/D400	All Models Locking Washer	655582	6d.
GFL77/E104	" " Bracket Assembly	601208	2/-
GFL78/D400	" " Bracket Screws	655435	6d.
GFL79/D200	" " Bracket Nuts	177017	3d.
GFL79/D200	" " Ferrules (Cable)	188152	1d.



LUCAS LIGHTING SETS FOR POWER ASSISTED CYCLES

For use with engines which incorporate a lighting coil in the flywheel generator. Headlamp supplied with specially matched bulbs, twin cables with connecting nipples and terminals. Complete with VT 31 tail lamp which has window for number plate illumination.

		each	
No. 33I. Black with C.P. Rim.			
GFL57/E1704		26/-	
No. 33I. Silver with C.P. Rim.			
GFL57a/E1704		26/-	
No. 43I. Silver lustre with C.P. Rim.			
GFL58/E1704		26/-	




CT88 TAIL LAMP

ALL SETS


SPARE PARTS FOR CT88 TAIL LAMP

	Description	Part No.	each
GFL81/D600	Red Moulded Lens with Shield	655523	9d.
GFL82/D400	Taper Terminal Nut	655526	6d.
GFL83/D8	Bulb Locking Washer	608722	1d.

**STARLITE No. 1245**

Super Lightweight Victory Dynamo Lighting Set. A really efficient 6 volt 2 watt dynamo which generates an excellent light. Universal bracket with earthing screw. Silver enamel finish.

GFL86/E1506 each
23/3

**STARLITE No. 1234**

Dynamo lighting set. Single bulb type headlamp with plastic front and silver plated reflector. Fluted top. 6v. 3.24 watt dynamo mounted on stay fitting bracket and incorporating tail lamp.

Black or Silver Enamelled
GFL88/E2010 set 31/3
Chromium Plated
GFL89/E2206 33/9

STARLITE No. 1248

Similar to No. 1245 set but incorporating small torpedo shape head lamp.

GFL87/E1706 set 26/3

LUCIFER SWISS-MADE DYNAMO SETS (as Illustrated) (F)
No. 807F "SPORT"

Lucifer baby headlamp fitted to dynamo which is front fork fitting. Supplied complete with mudguard fitting reflector rear light. Chromium Plated.

GFL90/E3608 set 55/-

LUCIFER No. 820A LIGHTING SET (F)

with "Aero" Headlamp of striking streamlined shape with top external decoration. Complete with No. 800 dynamo and mudguard fitting reflector rear lamp.

GFL91/E3608 Chromium Plated set 55/-

LUCIFER No. 816A DYNAMO SET (F)

with "Long Beam" Headlamp No. 800 dynamo and mudguard fitting reflector rear lamp.

GFL92/E3608 Chromium Plated set 55/-

LUCIFER No. 809A DYNAMO SET (F)



With combined battery/dynamo headlamp. The main bulb is fed by the dynamo but the pilot bulb (3.5 volt) can be fed by the battery or the dynamo. Complete with 800 dynamo and mudguard fitting reflector rear lamp.


GFL93/E4108 set 62/6

LUCIFER No. 814A DYNAMO SET (F)
(As Illustrated)

with streamlined designed "Aero-B1" headlamp. Two bulb start switch on body. Complete with No. 800 dynamo and mudguard fitting reflector tail lamp.

GFL94/E3908 Chromium Plated set 59/6



**MILLER No. 9 NON-STAND-BY TYPE HEAD LAMP**


GFL95/E904	Chromium Plated	each
		14/-

**MILLER No. 5 "SPORT"
NON-STAND-BY TYPE HEAD LAMP**

GFL96/E904	Chromium Plated	each
		14/-

MILLER STAND-BY BATTERY TYPE HEAD LAMP

GFL97/E1100	Black or Silver No. 6	each
		16/6
GFL98/E1404	Chromium Plated No. 7	
		21/6

**ENWELL TWIN SET HEADLAMPS (F)**


as above but mounted on bracket for head fitting.

GFL109/E1400	Chromium Plated	each
		20/11

LUCAS MINIATURE SPOT LAMP


For front mudguard fitting. Grey streamlined plastic body with screw transparent lens.

GFL108a/E208		each
		4/-

**LUCIFER SWISS MADE DYNAMO HEAD LAMPS (F)**

In Chromium Plated Finish.

		each
GFL110/E1106	Sports	17/3
GFL111/E1106	Aero	17/3
GFL112/E1106	Long Beam	17/3
GFL113/E1404	Aero B.I	21/6
GFL114/E1604	Battery Type	24/6

**LUCAS "KING" RANGE DYNAMO HEADLAMPS**

GFL99/E708	"Minor" Silver	each
		11/6
GFL100/E904	"Minor" Chromium Plated	
		14/-
GFL101/E904	"Sports" Silver	14/-
GFL102/E1100	"Sports" Chromium Plated	16/6
GFL103/E1500	"Major" Silver	22/6
GFL104/E 1804	"Major" Chromium Plated	27/6

**ENWELL CONTINENTAL DYNAMO HEAD LAMPS (F)**


with Moulded Front Lens

GFL105/E503	Silver Enamelled	each
		7/11

MOULDED AMBER FOG LENSES FOR ENWELL LAMPS


6 per Display Card.

GFL108/C1000		each
		2/6

**DYNAMO ONLY**


		each
GFL115/E1304	Lucas C.D. 33A.	20/-
GFL115a/E1200	Lucas C.D. 36a	18/-
GFL116/E1100	Miller No. 53	16/6
GFL117/E2108	Lucifer No. 800	32/6
GFL117a/E2108	Lucifer No. 800F with fixed lamp bracket	32/6

CYCLE DYNAMO REAR LAMPS




LUCAS "KING"

GFL118/E208

each
4/-

MILLER No. 598

GFL119/E300

each
4/6

G.F.C. REAR LAMP

Cream plastic body with "Approved" size Red Dome. Stay Clip Fitting, less bulb.

GFL120/E108

each
2/6SPARTO "RED FIRE"
DYNAMO TAIL LAMPWith All Red Plastic Body.
Stay Clip Fitting.

GFL121/E104

each
2/-LUCIFER SWISS MADE (F)
"REFLECTA"

Mudguard fitting tail lamp and reflector combined. Carded six per attractive showcard. With Bulb.


GFL122/E210

each
4/3

With Cable and Stay Bracket.

GFL122a/E303

5/6

STARLITE No. 1268
DYNAMO TAIL LAMP

with Black or Silver body and 1½ in. Red Dome. Stay clip fitting with earthing screw.

GFL126/E108


each
2/6

STARLITE No. 1285

As above but with single screw mudguard fitting.

GFL126a/E

each

STARLITE No. 1262
REAR LIGHT

3 in. all red moulded plastic lens. Cadmium plated. Two piece stay clip with earthing screw.


GFL124/E204

each
3/6STARLIGHT No. 1273
DYNAMO TAIL LAMP

(Illustrated)


with 2½ in. Moulded Dome Red Safety Lens. Silver or Black enamelled case. Two piece bracket with earthing screw.

GFL125/E206

each
3/9LUCAS VT 31
MOTORISED TAIL LAMP

with rubber inserted bulb holder. 3-screw Number Plate fixing. Silver-Grey finish with cut-out for illumination of number plate.


GFL130/E304

each
5/-

G.F.C. DYNAMO REAR LAMPS

With plated body, 1½ in. red lens and adjustable stay clip. Fitted with grub screw. Less bulb.


GFL123/D2000

each
2/6SPARTO "RED PEARL"
COMBINED REAR REFLECTOR AND
TAIL LAMP

Rubber backed for fixing to Mudguard.

GFL127/E304


each
5/-



BRITAX DYNAMO TAIL LAMP

1½ in. Red curved plastic lens, silver-grey moulded plastic body with white rubber retaining ring. Carded 12 per Display Card.

GFL128/E108 each
2/6



MILLER TAIL LAMPS FOR MOTORISED CYCLES

Number Plate fixing with cut-out for illumination of number plate.

GFL131/E308 each
5/6



DOMES OR CONVERTORS FOR TAIL LAMPS (1½ in. Diameter)

Lucas with C.P. Shield to prevent red showing toward front.

GFL132/D600 each
9d.

MILLER REPLACEMENT CONVERTORS

To take place of undersize bodies.

GFL133/E102 each
1/9

G.F.C. CONVERTORS 1½ in.

Suitable for old pattern Britax Starlite rear lamps, etc. Cream body with red lens.

12 per Card.

GFL134/C608 each
10d.

S.A. FOR DYNOHUB REAR LAMPS

Screw-in type dome with plated shield.
1½ in. red lens.

12 per Display Card


GFL135/C1000 For O.P. (Metal) each
1/3
135a/C408 For New Type 7d.

REPLACEMENT RED PLASTIC MOULDED LENS

For Sparto "Red Pearl" Dynamo rear lamp.

GFL136/E200 each
3/-

LUCAS MODEL 525 MOTOR CYCLE STOP TAIL LAMP



LUCAS MOTOR CYCLE STOP AND TAIL LAMPS

Complete with switch and cable. Plastic all red lens with number plate illumination.

No. 525

GFL137/E2206 each
30/-



SPARTO "RED BERYL" REAR LAMP


For Motor Cycles. Moulded red diakon dome with clear aperture for motor cycles. With 6v. 18/6w. offset pin bulb.

GFL139/E1108 each
17/6

SPARTO RED OPAL

Similar to above, but suitable for motorised cycles. Less bulb.

GFL139a/E406 each
6/9



SPARTO "RED DIAMOND" STOP AND TAIL LAMP


Incorporating reflector, diakon moulded reflector dome. Chromium plated mounting rim. Rubber backing pad with bulb. Double filament. 6v or 12v. 18/6w. offset pin.

GFL140/E1004 each
15/6

SPARTO "RED GARNET" STOP TAIL AND NUMBER PLATE ILLUMINATION LAMP

Red diakon dome. Firm and easy fitting. Less Bulb


GFL138/E604 each
9/6



**SPARTO "SILVER ROSE"
SIDE CAR LAMP**

Clear white lens to the front and bright red diakon moulded lens to rear. Chrome plated cover. Rubber backing pad. 6v 6w. screw bulb.


each
GFLI41/E804 12/6



**"SPARTO"
MOTOR CYCLE STOP SWITCHES**

Operated on the Brake Rod. Flush Fitting with readily accessible terminals.

each
GFLI42/E300 4/6



DIPPER SWITCH

A robust switch with plastic moulded base and cover. Spring loaded.


each
GFLI43/E108 "G.F.C." Black .. 2/6
GFLI44/E200 "Sparto" Ivory .. 3/-



THREE-WAY SWITCH

Plastic moulded switch. phosphor bronze contacts. Specially recommended for trafficator signals, combined parking and headlamp wiring, etc.

each
GFLI45/E108 2/6



**COMBINED HORN PUSH
AND DIPPER SWITCH**


Plastic moulded body with all steel cover "Sparto"

each
GFLI46/E400 Black enamelled 6/-
GFLI47/E500 Chromium plated 7/6

FRONT LAMPS

(To take No. 800 Twin Cell Type Battery)

ALL PRICES EXCLUSIVE OF BATTERY



EVER READY No. 2306

2½ in. front. Metal construction with indicator switch at rear of top. In black, silver, blue or green enamelled.

each
GFLI48/E210 4/3



EVER READY No. 2536

As 2306 but with octagonal plastic lens. Black or silver enamelled.


each
GFLI50/E300 4/6



EVER READY No. 2307

As 2536 with octagonal front lens but with front fork fitting bracket. Silver or black enamelled finish.


each
GFLI51/E302 4/9



SILVER HAWK STREAMLINED FRONT LAMP

With domed shape Perplex lens. Lamp Bracket., Handlebar or Mudguard Fitting.

GFL152/E304 each
4/11



HAWK FRONT LAMP

3 in. reflector with C.P. front silver finish.

GFL153/E403 each
6/5




HAWK 3-C CONVERTIBLE FRONT, REAR OR FOG LAMP

(2.5v. bulb).

Red, white or amber colours at turn of a knob. Silver finish.


GFL154/E500 each
7/6



G.E.C. FRONT LAMPS

Steel with slide type on/off switch. Finish black, silver or maroon.


GFL155/E206 each
3/9



PIFCO CYCLE LAMP (F)

in grey stove enamel. Screw-off front with polished reflector. Red plastic on/off switch.

GFL156/E204 each
3/6



Bluemels
LITALITE REAR LAMP

BLUEMELS

LITALITE FRONT LAMP

Twin-cell type in plastic. Black, silver, grey blue, or green. Lens end bulb.
4 per Display Unit.

GFL157/E500 each
7/6


REAR LAMPS (Battery Type)



EVER READY No. 2339

Extruded aluminium stove enamelled case to take U.2 cell. In black, silver, blue or green finish. 1½ in. red domed lens.


GFL158/E110 each
2/9



G.E.C. U.2 TYPE CELL, REAR LAMP

Steel case enamelled black, silver or maroon. 1½ in. domed red lens. Rear stay fitting.

GFL159/E108 each
2/6



EVER READY No. 2308

TWIN CELL TYPE REAR LAMP

With sliding switch. octagonal moulded red lens. Black or silver finish. Integral rear stay bracket with rubber grip.


GFL160/E302 each
4/9



**STARLITE
TWIN CELL TYPE No. 1274**

Screw down switch. Rear stay bracket. Large red plastic convex dome. Black or silver enamelled.


GFL161/E302 each
4/9



PIFCO REAR LAMP (F)

For U.2 type battery. In silver, grey enamel. 1½ in. red plastic, domed, ribbed lens. Adjustable stay bracket.

GFL162/D1504 each
1/11



**BLUEMEL'S No. 5
LITALITE REAR LAMP**

To take U.2 cell. Black or silver grey Plastic case with red domed screw on front (1⅝ in.)

GFL163/E306 each
5/3

**STARLITE No. 1280
REAR LAMPS**

1½ in. red dome to take U.2 cell. Upright, square construction with screw down switch.


GFL163a/E208 Silver each
4/-



**BLUEMEL'S No. 3 LITALITE
CYCLE REAR LAMP**

To take twin cell battery. Black Plastic case. "Prismatic" Red reflector lens.

GFL164/E504 each
8/-



BIBI-ANTI-SLIPRING

DYNAMO RUBBER PULLEY RINGS (F)

BIBIA. Black Rubber.
Boxes of 50 Rings.

GFL165/B600 each
D200 3d.

BIBIA Black Rubber Cap Type.
Boxes of 50 Caps.

GFL166/B1006 4½d.
D300




**BRAY ACETYLENE BURNERS
DETO TYPE 315**

Outside screw for cycle lamps. 7-litres.

GFL167/D204 each
4d.

BATTERY LAMP COMBINATION SETS



**FRONT AND REAR. TO TAKE
TWIN CELL BATTERY IN FRONT
LAMP**

(Price less Battery).

STARLITE No. 1211


In black or silver finish. Front lamp fitted rear light contact and Terminal attachment screw. Switch on front lamp.

GFL171/E510 each
8/9

STARLITE No. 1221

In black or silver finish. Similar to No. 1211 but with 3 in. C.P. rim to front lamp.

GFL172/E702 each
10/9




HAWK No. 873 c.s.

Silver finish. 3 in. diameter front lamp with sliding switch to take No. 800 type battery. Single cable to stay fitting Rear lamp. Individually boxed.

GFL173/E700 each
10/6

TORCH CASES



E.R. FOCUSSING TORCHES

Brass chromium plated body. With helical focussing reflector housing spring loaded, protected bulb-holder. Ball and slide type switch with permanent and flashing contact. each

2564 with 2½ in. head to take 2 U.2 cells.	
GFL174/E602	9/3
2864 with 3 in. head to take 2 U.2 cells.	
GFL175/E608	10/-
3564 with 2½ in. head to take 3 U.2 cells.	
GFL176/E608	10/-
3864 with 3 in. head to take 3 U.2 cells.	
GFL177/E700	10/6



E.R. PENLIGHT

Brass case, chromium plate with combined press type switch and pen clip. each

To take 2 U.12 or 1915 cells.

GFL184/E108	2/6
----------------------------	------------

E.R. SPOTLIGHT
FIXED FOCUS TORCHES

Extruded aluminium case with plastic moulded reflector housing, ball and slide type switch with permanent and flashing contact. Finished electro bright, black and electro bright or colour anodised. each

2358 Large, to take 2 U.2 cells.	
GFL178/E304	5/-
1258 Baby, to take 2 U.11 or 1839 cells	
GFL179/E208	4/-
0158 Bijou to take 2 U.8 or No. 8 cells.	
GFL180/E200	3/-



E.R. RUBBER TORCHES

Metal Tube enclosed in heavy rubber moulded case. Bottom cap loading with plastic lens. Ring hanger and heavy duty on/off switch. each

Spotlight 2 cell large (2-U.2.)	
GFL181/E602	9/3
Spotlight 3 cell large (3-U.2.)	
GFL182/E800	12/-



E.R. SLIM PENLIGHT

Solid drawn brass case finished polished and chromium plated or polished and gilt lacquered. With combined sliding type switch and fountain pen top. each

GFL185/E208	4/-
----------------------------	------------



E.R. OPALITE

Aluminium case, anodised in colour with oval plastic top and inserted plastic lens. Screw plunger type switch with hanger ring. To take one U.2 cell. each

GFL186/E100	1/6
----------------------------	------------



E.R. HANDLIGHT

Extruded aluminium case, finish stove enamelled maroon with plastic moulded lens and tumbler type switch.

To take 2 U.12 cells.

GFL187/D1904	2/5
-----------------------------	------------

Gaslighter

EVER READY

Complete with burner and battery. Brass battery housing and stem chromium plated. each

GFL203/E510	12/6
plus 4/- E.D.	inc. E.D.



SPARE BURNER FOR ABOVE


Chromium Plated.

GFL205/E100 Ever Ready 1.5 v.	1/6
GFL206/E5 Vitality 1.5 v. ..	7½d.
GFL207/E6 Vitality 2.5 v. ..	9d.



E.R. GASLIGHTER BATTERIES

GFL204/E110 No. U.14 1.5v. ..	2/6
--------------------------------------	------------

**E.R. POCKET LAMP**

Steel stove enamelled case with top and bottom cap plated. Moulded lens giving spot beam. Sliding type switch.

To take 2 U.10 cells.

GFL188/E202 each
3/3

**PIFCO ROTALITES (F)
SWIVEL HEAD**

Revolves in any direction. 400 feet beam. Permanent and flashing contact switch with safety clip. Brass chromium plated case.

For two large unit cells.

GFL198/E504 each
9/5

For baby unit cells.

GFL199/D4608 each
6/9

**LIGHTWEIGHT (F)
ALUMINIUM TORCHES**

With torpedo shape ribbed body. Finished in chromic colours. Milled plastic lens. Slide action switch

Bijou to take
No. 8 Cell.

GFL195/E100 each
1/9

Baby to take
2 Baby Unit Cells.

GFL196/D1704 each
2/6

Large with double action switch to take
2 U.2 Cells.

GFL197/D2704 each
3/11

**RING FOCUS TORCHES (F)**

Brass, Chromium plated finished case with fluted design. Polished and plated reflectors. Permanent and flashing contact switch.

			each inc. P.T.
GFL189/D3208	200 feet spot focus	Baby cell	4/9
GFL190/D4704	300 feet spot focus	Two cell	6/10
GFL191/D6008	400 feet spot focus	Two cell	8/10
GFL192/E402	500 feet spot focus	Three cell	7/3 1/2
GFL193/E708	700 feet spot focus	Three cell	10/10 1/2
GFL194/E711	1500 feet spot focus	Five cell	13/9 1/2

**RAY-O-VAC TORCH CASES**

Chrome Plated Finish with three position switch and signal button. Prefocussed bulbs. SPORTSMAN (With Ring Hanger).

	Retail
GFL200/E306 S21F (2.U.11)	5/3
GFL200a/E508 S22F (3. U.2)	8/6
GFL200b/E606 S.32F. (3.U.2.)	9/9

WOODSMAN (3 in. Head)

GFL200c/E702 Z.33R. (3.U.2) 10/9

STANDARD

GFL200d/E506 X.22R. (2.U.2) 8/3

GFL200e/E504 Z.22R. (2.U.2) 7/11

LANTERN AND HANDLAMPS**E.R. LANTERN**

All metal body in silver finish, with chromium fittings. Gate type switch. 4 1/2 in. diameter reflector. Choice of two lights, one for spot beam, the other a general diffused light. To take R 996 battery.

GFL201/E2200 each
33/-

**E.R. SQUARE HAND LAMP**

Heavy gauge steel body, silver enamelled. Die cast Handle incorporates the switch and is enamelled blue. Unbreakable plastic lens. 4 1/2 in. silver plated reflector. Weight less battery, 1 lb, 4 ozs.

To take R 996 battery.

GFL202/E1608 each
25/-

LIGHTING BATTERIES



TWIN CELL FOR CYCLE LAMPS

Ever Ready No. 800.	each
GFL208/D1107	1/4
Ray-O-Vac No. 9 L.P. Leak Proof	
GFL209/D1601	1/11

FLAT STANDARD BATTERIES FOR
DYNAMO HEADLAMPS, TORCHES
ETC.

Ever Ready No. 1289	each
GFL212/D808	1/-
Ray-O-Vac 15 L.P. Leakproof.	
GFL213/D1207	1/6



STANDARD

Ever Ready U. 10.	each
GFL216/D304	4½d.
Ray-O-Vac 4 L.P. Leakproof.	
GFL217/D507	8d.

LARGE UNIT CELL
FOR CYCLE TAIL LAMPS
TORCHES, ETC.

Ever Ready No. U. 2.	each
GFL210/D501	7d.
Ray-O-Vac No. 2 L.P. Leak Proof.	
GFL211/D603½	9d.



BIJOU

Ever Ready No. 8	each
GFL213a/D501	7d.
Ray-O-Vac No. 8 L.P.	
GFL213b/D707	11d.



BIJOU

Ever Ready U. 8.	each
GFL214/D207	3½d.
Ray-O-Vac 10 L.P. Leakproof.	
GFL215/D411	7d.



BABY

Ever Ready U. 11.	each
GFL218/D307	5d.
Ray-O-Vac. 1 L.P.	
GFL219/D411	7d.



PENLIGHT AND TOYS

Ever Ready U. 12.	each
GFL220/D207	3½d.
Ray-O-Vac. 7 L.P.	
GFL221/D402½	6d.



SLIM PENLIGHT

Ever Ready U. 16.	each
GFL222/D304	4½d.



PENLIGHT

Ever Ready 1915.	each
GFL223/D501	7d.
Ray-O-Vac. No. 14 L.P.	
GFL223a/D805	1/-

**BABY**

Ever Ready 1839	each
GFL224/D703	10d.
Ray-O-Vac. 5 L.P.	
GFL224a/D909 $\frac{1}{2}$	1 1/2

**EVER READY No. 126**


Box 4 $\frac{1}{2}$ volt. 2 screw terminal	each
GFL225/E200	2/9

**EVER READY No. 996
Lantern.**

GFL226/E209	each
	3/9

BULBS

FOR CYCLE LAMPS, FLASHLIGHTS, Etc.

**EVER READY**

Packed 50 per Display Carton

each

GFL227/D208	1.25v. .25 amp. 11mm	M.E.S. Round ..	4d.
GFL228/D208	2.5v. .22 amp. 11mm.	M.E.S. Flat	4d.
GFL229/D208	2.5v. .3 amp. 11mm.	M.E.S. Round Spot	4d.
GFL230/D208	3.5v. .3 amp. 11mm.	M.E.S. Round Spot	4d.
GFL231/D408	5.5v. .3 amp. 15mm.	M.E.S. Round Spot	7d.
GFL231a/D408	2.2v. .25 amp. lens end	M.E.S.	7d.

EMPIRE

100 per Box.


GFL242/B1101	1.5v. .2 amp. 11mm.	Clear spot M.E.S.	2d.
GFL243/B1101	2.5v. .3 amp. 11mm.	Clear Spot M.E.S.	2d.
GFL244/B1101	3.5v. .3 amp. 11mm.	Clear Spot M.E.S.	2d.
GFL245/B2010	1.5v. .22 amp. 9mm.	Lens-end M.E.S. ..	4d.
GFL246/B2010	2.5v. .3 amp. 9mm.	Lens-end M.E.S. ..	4d.
GFL247/D400	2.4v. .5 amp. Pre-focused 12mm.		6d.
GFL248/D400	3.6v. .5 amp. Pre-focused 12mm.		6d.

OSRAM

each

GFL232/D208	1.5v. .2 amp. 11mm.	M.E.S. Round ..	4d.
GFL233/D208	2.5v. .2 amp. 11mm.	M.E.S. Round ..	4d.
GFL234/D208	2.5v. .3 amp. 11mm.	M.E.S. Round ..	4d.
GFL235/D208	3.5v. .15 amp. 11mm.	M.E.S. Round ..	4d.
GFL236/D208	3.5v. .3 amp. 11mm.	M.E.S. Round ..	4d.
GFL237/D208	4.0v. .3 amp. 11mm.	M.E.S. Round ..	4d.
GFL238/D208	4.5v. .3 amp. 15mm.	M.E.S. Round ..	4d.
GFL239/D504	5.0v. .15 amp. 15mm.	M.E.S. Round ..	8d.
GFL240/D408	2.2v. .25 amp. 9.5mm.	(max) M.E.S. lens end	7d.
GFL241/D800	2.5v. .3 amp. 11mm.	(max) Pre-focused	1/-

BULBS FOR CYCLE DYNAMO SETS



EVER READY

HEAD

6v. .2 amp. 15mm Round M.E.S.	each
GFL249/D504	8d.
6v. .3 amp. 15mm Round M.E.S.	
GFL250/D504	8d.
6v. .5 amp. 15mm Round M.E.S.	
GFL251/D504	8d.

TAIL

6v. .04 amp. 11mm Round M.E.S.	
GFL252/D504	8d.
6v. .1 amp. 11mm Round M.E.S.	
GFL253/D504	8d.

VITALITY

For Starlite Nos. 1245 and 1248 sets.

HEAD

Vacuum 6v. .3 amp. 1.8w. Tuba Balloon.	each
Ref 934.	
GFL272/D704	1 1d.

TAIL

6v. 0.1 amp. 11/12mm G194.	
GFL273/D600	9d.

VITALITY

For Lucas "King" Major Minor Sports Dynamo Sets.

HEAD

Gas Filled Tuba Balloon Ref. 941	each
GFL274/D800	1/-

TAIL

6v. 0.4 amp. 11/12mm Ref. G 195.	
GFL275/D600	9d.



The Osram logo, consisting of the word 'Osram' in a stylized font with a horizontal line through the middle of the 'O'.

OSRAM

HEAD

6v. .3 amp. 15mm Round M.E.S.	each
Clear or Granulated.	
GFL255/D504	8d.
6v. .5 amp. 15mm Round M.E.S.	
Clear or Granulated.	
GFL256/D504	8d.
6v. .3 amp. 18mm Round S.C.C.	
GFL257/D1008	1/4
6v. .5 amp. 18mm Round S.C.C.	
GFL258/D1008	1/4

TAIL

6v. .04 amp. 11mm Round M.E.S.	
GFL259/D504	8d.
6v. .1 amp. 11mm Round M.E.S.	
GFL260/D504	8d.



VITALITY TAIL LAMP BULBS

Made to stand vibration. M.E.S. clear ball.

Ref: 194. 6v. .04 amp. .24w. 15 mm.	each
GFL272a/D600	9d.
Ref: G194. 6v. .04 amp. .24w. 11/12mm.	
GFL273a/D600	9d.
Ref: 198. 6v. .06 amp. .36w. 11/12mm.	
GFL276/D600	9d.
Ref: G195. 6v. 1 amp. .6w. 11/12 mm.	
GFL277/D600	9d.

For cycle Dynamo fitted to motorised cycle

Ref: 209. 6v. .15 amp. .9w. 15mm.	each
GFL278/D600	9d.
Ref. G209. 6v. .15 amp. .9w. 11/12mm.	
GFL279/D600	9d.



VITALITY

With clear hand moulded balloons.
For most makes of dynamos.

HEAD

Ref: 164. 4 v. .3 amp. 1.2w. 15mm ball M.E.S.	each
GFL261/D600	9d.
Ref: 174. 6v. .25amp. 1.5w. 15mm ball M.E.S.	
GFL261a/D600	9d.
Ref: 176. 6v. .3 amp. 1.8w. 15mm ball M.E.S.	
GFL262/D600	9d.
Ref: 178. 6v. .45 amp. 2.7 w. 15mm ball M.E.S.	
GFL263/D600	9d.
Ref: 180. 6v. .5 amp. 3.0w. 15mm ball M.E.S.	
GFL264/D600	9d.
Ref: 244. 6v. .55 amp. 3.3w. 15mm ball M.E.S.	
GFL265/D600	9d.
Ref: 962. 6v. .3 amp. 1.8w. 18mm ball S.C.C.	
GFL266/D1008	1/4
Ref: 2. 6v. .5 amp. 3.0w. 18mm ball S.C.C.	
GFL267/D1008	1/4
Ref: 8. 6v. 1.0 amp. 6.0w. 18mm ball S.C.C.	
GFL268/D1008	1/4

For Sturmey Archer Dynohubs only.

Ref: 1206. 6v. .2 amp. 1.2w. 15mm ball M.E.S.	
GFL269/D600	9d.
Ref: 1207. 6v. .25amp. 1.5w. 15mm ball M.E.S.	
GFL270/D600	9d.
Ref: 1208. 6v. .3 amp. 1.8w. 15mm ball M.E.S.	
GFL271/D600	9d.
Ref: 234. 8v. .15 amp. 1.2w. 18mm ball	
Shouldered, M.E.S.	
GFL271a/D1008	1/4
Ref: 952. 12v. .23 amp. 2.76w. 18mm ball	
Shouldered, M.E.S.	
GFL271b/D1008	1/4
Ref: 207. 1.5v. .15 amp. .225w. 11/12mm.	
ball. M.E.S.	
GFL271c/D600	9d.
Ref: 202. 2.5v. .25 amp. .625w. 11/12mm.	
ball. M.E.S.	
GFL271d/D600	9d.
Ref: G191. 3.5v. .15 amp. .525w. 11/12mm.	
ball M.E.S.	
GFL271e/D600	9d.

Also available with Prismatic balloons.

VITALITY BULBS

Specially designed for use with motorised cycles.

For Cyclemaster.

HEAD each

Ref. 944. 6v. 8w. 18mm. Tuba balloon S.C.C.
GFL280/D1400 **1/9**
 Ref. 945. 6v. 8w. 15mm. Tuba balloon M.E.S.
GFL281/D1000 **1/3**

TAIL each

Ref. 421. 6v. 1.2w. 15mm. clear ball M.E.S.
GFL282/D600 **9d.**
 (For engine Nos. 77,771 to 107,828).

Ref. 425. 6v. 1.5w. 15mm. clear ball M.E.S.
GFL283/D600 **9d.**

For Power Pak, B.S.A. Winged Wheel, Teagle and others.

HEAD each

Ref. 9. 6v. 6w. 18mm. prismatic S.C.C.
GFL284/D1008 **1/4**
 Ref. 55. 6v. 6w. 15mm. prismatic M.E.S.
GFL285/D600 **9d.**

TAIL each

Ref. 445. 6v. 3w. 15mm. ball M.E.S.
GFL286/D600 **9d.**
 Ref. G445. 6v. 3w. 11/12mm. ball M.E.S.
GFL286/D600 **9d.**



Motor Cycle and Autocycle Bulbs - Vitality

PILOT, TAIL OR DASH.

each

Ref. 14. 6v. .5 amp. 3w. 18mm. S.C.C.
GFL282/D1008 **1/4**

Ref. 446. 6v. .5 amp. 3w. 15mm.
 M.B.C.

GFL283/D608 **10d.**

Ref. 345. 4v. .3 amp. 1.2w. 15mm.
 M.E.S.

GFL284/D600 **9d.**

LIGHT MOTOR CYCLE HEAD

each

Ref. 9. 6v. 1.0 amp. 6w. 18mm.
 S.C.C.

GFL285/D1008 **1/4**

Ref. 901. 6v. 2.0 amp. 12w. 18mm.
 Tuba S.C.C.

GFL286/D2000 **2/6**

VITALITY BULBS IN ASSORTED PACKS

50 Assorted bulbs in Display Carton.

each
 No. 51 for Sturmey-Archer Dynohubs

GFL280/E2500 **37/6**

No. 61 for Motorised Cycles.

GFL281/E3000 **45/-**

excluding P.T.

SPEEDOMETER

each

Ref. G269. 6v. .17 amp. 1w. 11/12mm.
 M.B.C.

GFL287/D608 **10d.**

Ref. G270. 6v. .3 amp. 1.8w.
 11/12mm. M.B.C.

GFL288/D608 **10d.**

IGNITION WARNING

each


Ref. Q195. 6v. .1 amp. 0.6w.
 11/12mm. M.E.S.

GFL289/D600 **9d.**

Ref. 446. 6v. .5 amp. 3.0w. 15mm.
 M.B.C.

GFL290/E608 **10d.**

ALITE (BRITISH MADE) CAR BULBS



HEADLIGHT

Single filament, gas filled, clear.

6v. 18w. with S.C.C. or S.B.C. caps.

GFL291/E106 **3/-**

6 or 12v. 24w. with S.C.C. or S.B.C. caps.

GFL292/E103 **2/6**

6v. 36w. with S.C.C. or S.B.C. caps.

GFL293/E104½ **2/9**

12v. 36w. with S.C.C. or S.B.C. caps.

GFL294/E103 **2/6**

SIDE OR TAIL

18mm. S.C.C. or S.B.C. caps.

each

6v. 3w. or 12v. 6w.

GFL302/E8 **1/4**

GFL303/E9½ 6v. 6w. **1/6**



TWIN FILAMENT GAS FILLED

HEAD. 38mm. S.B.C. caps.

each

6v. 18/18

GFL302a/E203 **4/6**

6v. 24/24. 6 or 12v. 36/36 and 12v. 36/24.

12v. 24/24.

GFL303a/E109 **3/6**

TWIN FILAMENT

Stop and Tail. 25mm.

6v. 18/3w. 3/0.5 amp.

6v. 21/6w. 3.5/0.5 amp.

12v. 18/3w. 1.5/0.25 amp.

12v. 24/6w. 2/0.5 amp.

each

GFL295/E109 with S.B.C. caps **3/6**

With S.B.C. caps. offset pins.

GFL296/E110½ **3/9**



INDICATOR LAMPS

11mm. Round or Squat.

6 or 12volt. 3 watt.

each

GFL304/E7½ with M.E.S. caps **1/3**

GFL305/E9 with M.C.C. caps **1/6**

FLASHER BULBS


With S.C.C. or S.B.C. caps

6 or 12v. 15 watt.

each

GFL306/E109 **3/6**

HOUSEHOLD LAMPS AND FLUORESCENT TUBES



ATLAS GENERAL PURPOSE HOUSEHOLD LAMPS

Single coil lamps made to the highest standards in the industry.

Available in Pearl or clear, with B.C. caps. 100 - 130 volt or 200 - 260 volt.

			each
GFL308/DI400	5 - 8 watt.		1/8
GFL309/DI300	15 watt.		1/6 1/2
GFL310/DI300	25 watt.		1/6 1/2
GFL311/DI106	40 watt.	* ..	1/4 1/2
GFL312/DI106	60 watt.	* ..	1/4 1/2
GFL313/DI505	75 watt.	* ..	1/10
GFL314/DI505	100 watt.	* ..	1/10
GFL315/D2109	150 watt.	* ..	2/7

Extra for 100-130 volt on 40-150 watt.

Extra/DI05 2d.




"SPORTSMEN"
STANDARD HEAD LAMP
BRACKETS 12G

GFL328/D800 Chromium plated each 1/-

"G.F.C." 10G

Chromium Plated
(Illustrated)

GFL329/D600 9d.



ATLAS "DOUBLE-LIFE" FLUORESCENT TUBES

Available in six white's

White - Daylight - Natural - Warm White - De Luxe White - North Light

					each
GFL316/E901	5 feet	80 watt.	1 1/2 in. diameter B.C.		13/-
GFL317/E803	4 feet.	40 watt.	1 1/2 in. diameter BI - pin		11/9
GFL318/E709	2 feet.	40 watt.	1 1/2 in. diameter BI - pin		11/-
GFL319/E709	3 feet	30 watt.	1 in. or 1 1/2 in. diameter BI - pin		11/-
GFL320/E704	2 feet.	20 watt.	1 1/2 in. diameter BI - pin		10/6
GFL321/E610	1 1/2 feet.	15 watt.	1 in or 1 1/2 in. diameter BI - pin		9/9

In Colours Red - Green - Gold and Blue.

					each
GFL332/EI203	5 feet.	80 watt.	1 1/2 in. diameter B.C.		17/6
GFL323/EI111	4 feet.	40 watt.	1 1/2 in. diameter BI - pin		17/-
GFL324/EI103	2 feet.	40 watt.	1 1/2 in. diameter BI - pin		16/-
GFL325/EI106	3 feet.	30 watt.	1 in. or 1 1/2 in. diameter BI - pin		16/6
GFL326/EI006	2 feet.	20 watt.	1 1/2 in. diameter BI - pin		15/-
GFL327/EI006	1 1/2 feet.	15 watt.	1 in. or 1 1/2 in. diameter BI - pin		15/-

Specially Graded Quickstart Tubes.

Extra/D403 Extra each 6d.

Double Life Tubes for Instant Start Circuits

Extra/D805 Extra each 1/-

ATLAS CONTROL GEAR AND FITTINGS TO ORDER. WE SHALL
BE PLEASED TO SEND LIST ON APPLICATION

LAMP BRACKETS



ASHBY
GIRDER PATTERN HEADLAMP
BRACKET

1 1/2 in. Extension. 10G. With turned down size.

GFL330/DI600 Chromium Plated each 2/-
Extra wide with turned down side.
GFL331/D2000 2/6

As above but 3 1/2 in. extension.

8G. Chromium Plated. each 2/10
Ditto. suitable for expander bars.
GFL333/D2208 2/10



"SPORTSMEN"
GIRDER TYPE LAMP BRACKET

4 in. extension with lamp retaining screw.

Chromium Plated.


GFL334/DI800 each 2/3



**MIDLAND FRONT FORK OR
REAR STAY FITTING**

With Universal Clips

	each
GFL335/D1000 Black Enamelled	1/2
Black Enamelled with earthing screw	
GFL336/D1200	1/6
Chromium Plated	
GFL337/D2200	2/9




SPORTS LAMP BRACKET

Spring Band Clip Fitting. One Piece construction. Black Enamelled.

	each
No. 20 Front "D"	
GFL338/D1200	1/6
No. 21 Front Round	
GFL339/D1200	1/6
No. 23 Rear Round	
GFL340/D1200	1/6

AS ABOVE
but all Chromium Plated


No. 20 Front "D"		
GFL341/D2200		2/9
No. 21 Front "Round"		
GFL342/D2200		2/9
No. 23 Rear "Round"		
GFL343/D2200		2/9



TERRY No. 462 BRACKETS

Front or Rear


	each
"D" with Earthing Screw	
GFL344/D1200 Black	1/6



**TERRY
BOLT ON LAMP BRACKETS**

Black

Front "D" or Round No. 1228	
GFL345/D1200	1/6
Rear "D" or Round No. 1218	
GFL346/D1200	1/6




FRONT FORK BRACKETS

Black Enamelled. 2-Screw Fixing for "D" or Round Forks.

GFL347/D608	each 10d.
-------------	-----------

Ditto. Chromium Plated

GFL347a/D1200	1/6
---------------	-----



BOSS FITTING LAMP BRACKETS

Sports No. 26. Chromium Plated. Complete with 5/16 inch Bolts 105.

GFL351/D1400	each 1/9
--------------	----------


G.F.C. Steel. Chromium Plated	
GFL352/D600 Less Bolts	9d.

G.F.C. Alloy. Highly Polished	
GFL353/D608 Less Bolts	10d.

**BOLTS FOR SECURING BOSS
FITTING LAMP BRACKETS**

Chromium Plated. 5/16 inch. Complete with Spring Washer.

GFL354/D104	each 2d.
-------------	----------



**EXPANDER OR
LUG FITTING LAMP BRACKETS**

Chromium Plated


GFL349/D600 G.F.C.	each 9d.
--------------------	----------

Sports Raleigh Pattern Extended

GFL350/D1008	1/4
--------------	-----

Sports A.D.J. Adjustable Pattern

GFL350a/D2200	2/9
---------------	-----



REAR FORK BRACKETS

Black Enamelled. 2-Screw Fixing for "D" or Round Stays.

GFL348/D608	each 10d.
-------------	-----------

Ditto. Chromium Plated

GFL348a/D1200	1/6
---------------	-----



**TERRY No. 1095A
BASKET BRACKET**


Silver or Black Enamelled

GFL355/D1000	each 1/3
--------------	----------

**BASKET LAMP BRACKET
(Illustrated)**

Bolts on with Two Screws. Black Enamelled

GFL356/D800 No. 27	1/-
--------------------	-----



MIDLAND SPINDLE FITTING LAMP BRACKETS

For Front or Rear

GFL357/D608	Black Enamelled	each
GFL358/D1600	Chromium ..	10d.
G.F.C.	Black Enamelled	
GFL359/D504	Front	2/-
GFL360/D504	Rear	8d.
		8d.



L. PLATES

Strongly made in Metal

GFL361/DPI304	pair
	1/8

L. PLATES

Strongly made in Celluloid

GFL362/DPI504	pair
	1/11

LICENCE HOLDERS

"Zem" All Plastic "Stick-on" Licence Holder fitted in a second. Self-adhesive.

GFL362a/E10	each
	1/3




G.F.C. LICENCE HOLDER

Crackle Black Finish with Chrome Screw-on Rim.

GFL363/DI808	each
	2/4

As above in all Chromium Plate

GFL364/D3000	each
	3/9



DESMO MOTOR CYCLE TYPE LICENCE HOLDERS

Single hole fixing
Black Rubber with Silver Bracket.

GFL365/E110	each
	2/6




NUSTICON LICENCE HOLDER

With St. Christopher Badge.
Car Type. Sticks easily and permanently.
Contents securely held

GFL366/E200	each
	3/-

CYCLE LOCKS AND CHAINS



SQUIRES No. 456 CYCLE PADLOCKS

With Chain attached. Black Japanned Finish
with plated panel 1½ inch Lock with two
Keys.

GFL367/E110	each
	2/9




LOCKS AND CHAINS

Adie Acorn Cycle Locks and Chains.
Screwed Pin Type. Chrome Steel Chain
and Key. Duralumin Body. Anodised in
colour. Varied Keys. Packed singly with one
dozen per Display Carton.

GFL368/E206	each
	3/9

Replacement Key for above.

GFL369/E6	9d.
-----------	-----




LUCAS "GEM" LOCKS

With attached Chain and Screwed Pin
Type Key. Chromium Plated.

GFL370/E304	each
	5/-

Replacement Key for above.


GFL371/E6	9d.
-----------	-----



**SQUIRES No. 60
LOCKS AND CHAINS**

Welded Chain with 380lb. Tensile pull breaking point, attached to lock which has Double Locked Shackle with Pilfer Bolts to prevent picking the lock mechanism. Weighs $3\frac{1}{2}$ ozs.

GFL372/E204 each **3/6**



"BOBBY"

CONTINENTAL CYCLE LOCKS

Black Finish with Strong Chain attached. Packed 12 per box with Display Card.

GFL375/D804 each **1/0 $\frac{1}{2}$**



SQUIRES LEVER PADLOCKS

Cadmium Rustproof throughout. Two Levers 4 Wards. 2 Milled Keys. Boxed singly and in Display boxes of 12.

		each
GFL378/D2104	04 - $1\frac{1}{4}$ inch ..	2/8
GFL379/D2600	05 - $1\frac{1}{2}$ inch ..	3/3
GFL380/D3200	09 - $1\frac{3}{4}$ inch ..	4/-

Replacement Keys for above.

GFL381/E8	04.05	1/-
GFL381a/E100	0-9	1/6



**"C.I." TORPEDO SHAPE
COMBINATION LOCK**

Chain attached. Packed in coloured Display

Box of 12 each

GFL373/D400 **6/-**



"CLOVERLEAF"

LONG SHACKLE CYCLE LOCKS

Eliminates the use of chain. Coloured and Plated Finish. With Two Keys. each

GFL376/E108 **2/6**



SQUIRES

WARDER SPRING PADLOCKS

Cadmium Rustproof throughout. Rivetted Steel Case. Self Locking Shackle. 2 Heavy Ribbed Keys. Bottom Key entry. 12 differs per dozen, Boxed singly and Display boxes of 12.

GFL382/D2104	06 - $1\frac{1}{4}$ inch ..	2/8
GFL383/D2600	07 - $1\frac{1}{2}$ inch ..	3/3
GFL384/D3200	08 - $1\frac{3}{4}$ inch ..	4/-

Replacement Keys for above each

GFL385/E8	06 - 07	1/-
GFL385a/E100	08	1/6



BURG CYCLE LOCKS

Square Type with attached Chain.

Complete with Two Keys. each

GFL374/D1504 **1/11**



**SQUIRE No. 523
PADLOCKS ONLY**

$1\frac{1}{2}$ inch Black Lock with 3 inch Plated Shackle. Complete with two Keys. each

GFL377/E108 **2/6**

**SQUIRE No. 50
LONG SHACKLE LOCKS**

(Illustrated)

$1\frac{1}{2}$ in. rust proof lock with $4\frac{1}{2}$ in. bent shackle to lock both forks. Two keys.

GFL377a/E204 each **3/6**



SQUIRES CYLINDER PADLOCKS

Solid Brass Bolt and Pin Tumbler Locking Mechanism. Heavy Gauge Steel Plate Case. Two Keys. Boxed singly and in Display Cartons of 12.


GFL386/E406	01 - $1\frac{1}{4}$ inch. 750 Differs.	each 6/9
-------------	--	-----------------

GFL387/E502	02 - $1\frac{3}{4}$ inch 1,000 Differs	7/9
-------------	--	------------

Replacement Key for the above.

GFL388/E104	Cylinder Key Blanks	2/-
-------------	---------------------------	------------

GFL389/E8		1/-
-----------	-------	------------



**L Co.
COMBINATION PADLOCKS**

Model "S" All Purpose Lock. Solid Pressure Die-cast Body. Nickel-Plated. Hardened Steel Shackle. Brass Plated Rollers. 10,000 different combination numbers.

GFL390/E308	Standard Shackle	each
GFL391/E406	with long shackle	each
		5/6
		6/9




PADLOCK CHAINS

Squires 12 inch Chain. All welded. Breaking load 380 lb. Tensile pull. No. 30c

GFL395/D608	each
	10d.

**G.F.C. ALL WELDED
LOCK CHAIN**


GFL396/D800	12 inch long	each
GFL397/D1600	24 inch long	each
		1/-
		2/-



FRAME LOCKS

Trelock "City" Frame Locks (Continental) Clips on Seat Stay. Steel Rod. Locks between Spokes. Turn of Key releases the locking mechanism into open position. Supplied with 2 Keys. Individually boxed.


GFL392/E208	each
	4/-



SINGLE DYNAMO CABLES

Black or Silver. Plastic Covered. Complete with Terminal Clips and Insulated Ends.

GFL407/D500	52 inch Long	each
		7½d.



TWIN DYNAMO CABLES

Black or Silver. Plastic Covered. Complete with Terminal Clips and Insulated Ends.

GFL412/D1000	52 inch long	each
		1/3

**SQUIRES No. 440
"OLD ENGLISH PADLOCKS"**

Forged Steel Shackles and Keys. Four Brass Levers. Brass Keyhole Cover with "Easy-Lift Slide. All steel parts electro galvanized.

No. 440 2 in. - 50 mm

GFL392a/E304	each
	5/-


RED BOY CABLE LOCKS

Strong Rubber Covered Wire with Strong Spring Lock.

GFL393/E302	each
	4/9

GFL394/E306	each
	5/3

DYNAMO CABLE



CYCLE DYNAMO CABLE

50 feet coils on strong cardboard drum

GFL408/C308	Single Flex Clear Plastic Covered	foot
GFL409/C308	Single Flex Silver-Grey Covered	1½d.
GFL410/C608	Twin Flex Clear Plastic Covered	1½d.
GFL411/C608	Twin Flex Silver-Grey Covered	2½d.



CABLE TERMINAL CLIPS

Packed in Gross Boxes

GFL413/D8	Eyelet Pattern	each
GFL414/D8	Hook Pattern	each
		1d.
		1d.

LAMP GLASSES

FOR TORCHES,
BATTERY LAMPS, Etc.

PLAIN FLAT


GFL398/DI03 $\frac{1}{2}$	2 inch		each 2d.
GFL399/DI03 $\frac{1}{2}$	2 $\frac{1}{4}$ inch		2d.
GFL400/DI03 $\frac{1}{2}$	2 $\frac{1}{2}$ inch		2d.
GFL401/DI08	2 $\frac{3}{4}$ inch		2 $\frac{1}{2}$ d.
GFL402/DI08	2 $\frac{7}{8}$ inch		2 $\frac{1}{2}$ d.
GFL403/DI08	3 inch		2 $\frac{1}{2}$ d.

RED FLAT PLASTIC

GFL404/D300	2 $\frac{1}{4}$ inch		each 4 $\frac{1}{2}$ d.
-------------	----------------------	-------	----------------------------


RED FLAT CELLULOID DISCS

GFL405/DI00	2 $\frac{1}{4}$ inch		2d.
-------------	----------------------	-------	-----



**STADIUM
WINDSCREEN MIRROR**
(with Clip Fitting)

2 in. Convex Mirror Ball Jointed. Fits to side or top of screen by means of C.P. Clip.
each
GFL405a/E202 3/3



BRITAX No. 273 ROUND MIRROR

4 inch Diameter. Black enamelled back with plated rim. 9 inch Arm. Fully adjustable. Individually boxed.


GFM6/E402		each 6/3
-----------	-------	-------------

G.F.C. BALL JOINT MIRRORS

3 inch diameter. Round. Complete with Handlebar Clip. Chromium Plated.

GFM3/E206		each 3/9
-----------	-------	-------------


Cycle and Motor Cycle Mirrors



G.F.C. CYCLE MIRRORS

Highly polished alloy frame 2 $\frac{7}{8}$ inch x 1 $\frac{3}{8}$ inch with adjustable rod and handlebar clip.

GFM1/EI08		each 2/6
-----------	-------	-------------



STADIOSCOPE OBLONG MIRROR

Chromium Plated Front Rim and black enamelled Housing. Convex wide vision Mirror glass. Fully adjustable to any angle. Silver Enamelled Bracket for $\frac{7}{8}$ or 1 inch Bars. 12 inch Arm. Size 4 $\frac{1}{2}$ in. x 2 $\frac{3}{8}$ in. Individually Boxed.

GFM7/E908	No. 294 B		each 14/6
-----------	-----------	-------	--------------

As above but all Chromium Plated with Silver Enamelled Bracket.

GFM8/EI204	No. 294 C		each 18/6
------------	-----------	-------	--------------

STADIOSCOPE ROUND MIRROR

Convex wide vision Mirror. Chromium Plated Front and Black Enamelled Housing. C.P. $\frac{7}{8}$ in. or 1 in. Bars. Fully adjustable. 12 inch Arm. 4 inch diameter. Individually Boxed.

GFM9/E708	No. 296B		each 11/6
-----------	----------	-------	--------------


As above but all chromium plated with silver bracket.

GFM9a/E902	No. 296C		each 13/9
------------	----------	-------	--------------



CYCLE MIRRORS


With Ball Joint at Handlebar Clip End. Fully adjustable. Size 3 inch diameter Plated Rim with Silver Back.
each
GFM2/EI10 2/9



STADIUM ROUND CYCLE MIRRORS

Best quality Chrome Plated Mirror with Universal Ball Joint. 6 inch Arm. 3 $\frac{1}{2}$ inch diameter Mirror. Individually Boxed.

GFM4/E404	No. 288		each 6/6
-----------	---------	-------	-------------



STADIUM OBLONG CYCLE MIRROR

Highly polished Chromium Plated front rim and Silver Enamelled back. Curved Mirror Glass. Fully adjustable to any angle. 6 $\frac{1}{2}$ inch arm. Size 3 $\frac{1}{2}$ in. x 2 $\frac{1}{8}$ in. Individually Boxed.

GFM5/E500	No. 290		each 7/6
-----------	---------	-------	-------------

**DESMO MOTOR CYCLE MIRROR**



Finished in Silver and Chrome. 8 inch Arm.
For 7/8 inch or 1 inch Clip and 3 1/4 inch
Round Convex Lens.

GFM10/E1002 each
13/6

**TRAFALGAR
MOTOR CYCLE WINDSCREEN
MIRRORS**

Rubber suction type. Metal re-inforced.
2 inch diameter. Fully adjustable ball
Joint.

each
2/2 1/2 L 305. Flat Glass
GFM11/D3106 **3/6**
2/10 L305C . Convex Glass.
GFM11a/D3400 **4/3**

**MUDGUARDS****STEEL JUNIOR PATTERN**

Black enamelled with plate fixing stays.

For 14-16 or 18 inch wheels.
GFM12/DP2500 pair **3/2**

For 20 or 24 inch wheels.
GFM13/DP2604 **3/4**

White enamelled with plate fixing stays.

For 14-16 or 18 inch wheels.
GFM14/DP3404 **4/-**

For 20 or 24 inch wheels.
GFM15/DP3700 **4/8**

**STEEL JUNIOR TRICYCLE PATTERN,**


In sets of three complete with stays.

Black Enamelled.

set
GFM16/DS4104 For 14 inch wheels **5/2**
GFM17/DS4400 For 16 in. wheels **5/6**
GFM18/DS4800 For 18 in. wheels **6/-**

White Enamelled.

set
GFM19/DS5500 For 14 in. wheels **6/11**
GFM20/DS5800 For 16 in. wheels **7/4**
GFM21/DS6200 For 18 in. wheels **7/9**

**STEEL ROADSTER PATTERN**


2 1/4 inch Crescent Section.

Black enamelled with plate fixing stays.

pair
GFM22/DP2904 For 26 in. wheels **3/8**
GFM23/DP2904 For 28 in. wheels **3/8**

As above, but lined double gold or red and gold.

pair
GFM24/DP3400 For 26 in. wheels **4/3**
GFM25/DP3400 For 28 in. wheels **4/3**


**STEEL RALEIGH PATTERN
ROADSTER**

2 7/16 inch Wide.

Incorporating special clip fitment with
plate fixing stays.

Black Enamelled - Double Lined.


pair
GFM26/DP5004 For 26 in. wheels **6/4**

**STEEL "ALL WEATHER" GUARDS**

1 1/8 in. "U" Section. 2 1/4 in. Wide.

Black enamelled with plate fixing stays.

pair
GFM27/DP3708 For 26 in. wheels **4/9**

**CARRIER MUDGUARDS**

3 inch wide. Heavy gauge, with double
nutt "V" stays. Black enamelled.


pair
For 26 inch wheels
GFM28/DP6600 **8/3**

For 26 inch wheels. Front only
GFM29/D3308 each **4/3**

For 20 inch wheels. Front only
GFM30/D3308 **4/3**

For 14 inch wheels. Front only
GFM31/D3308 **4/3**

For 26 inch wheels. Rear only
GFM32/D3308 **4/3**

**STEEL SPORTS GUARDS**

Ribbed-dome Pattern, 1½ inch with Spearpoint front extension. Plate fixing stays for lug fitting. Size 26 inch only.


pair
GFM33/DP2708 Black enamelled **3/6**
GFM34/DP3908 White enamelled **5/-**

As above, Black enamelled double lined.
GFM35/DP3204 **4/-**

STEEL SPORTS GUARDS

With C.P. nose to spearpoint front. 1½ inch Ribbed-domed pattern. Plate fixing stays for lug fitting.

pair
GFM36/DP3004 Black enamelled **3/10**
GFM37/DP4204 white enamelled **5/4**

**STEEL RALEIGH PATTERN SPORTS**

1 15/16 inch wide. Incorporating special clip fitment with plate stays. Fitted C.P. nose. For 26 inch wheels.

pair
GFM38/DP4600 Black enamelled **5/9**
GFM39/DP5804 White enamelled **7/4**
GFM39a/DP5804 Ral. Green **7/4**

FOR NUMBER PLATES

SEE PAGE 93

PHILLIPS STEEL MUDGUARDS**FOR MOTORISED CYCLES**

Silver grey finish. Lined red with Phillips transfer. Deep domed section, nitted stays. Complete with front and rear number plates and fixing nuts and bolts.

pair
GFM40/PI206 **18/9**

**PLATES AND NUTS
FOR MUDGUARDS**

Top and bottom plates with screws.
For Swing Stays.

set
GFM41/DS308 **5d.**

EXTRAS ON BLUEMEL GUARDS

pair
 Fitted No. 52 Reflectors all Guards.
EXTRA/PI02 **1/9**

Fitted No. 51 Reflector on Noweight, Featherweight or Airweight
EXTRA/PI00 **1/6**

With Wing Nuts "T" Bolts and Washers
Extra (set of four)

set
EXTRA/S8 **1/-**

Fork Clips Extra (set of four)
EXTRA/S100 **1/6**

Fitted with Micro Lens on any model.
Rear guard only.
1 Reflective Patch

EXTRA/E8 **1/-**

No. 5205A/206

**MUDGUARD BRIDGES**

Cadmium Plated

each

Narrow Section. Bolt-on Type

GFM45/D400 **6d.**

Narrow Section. Clip-on Type

GFM46/D400 **6d.**

Wide Section. Bolt-on Type

GFM47/D400 **6d.**

Wide Section. Clip-on Type

GFM48/D400 **6d.**

BLUEMELS

For Noweight, Featherweight, Tour-de-France and Continental.

each

M.8 with Spring Clips

GFM49/D406 **7d.**

M 50 with Hook

GFM50/D406 **7d.**

For Club Special with Clips

GFM51/D406 **7d.**

For Lighweight (narrow) with Clips

GFM52/D406 **7d.**

STAY OF FORK CLIPS**BLUEMELS M.15**

each

GFM80/D400 **6d.**

**SWING STAYS
FOR STEEL MUDGUARD**


Enamelled Black or Cadmium Plated.

each

GFM42/D206 Junior, 12- 14 - 16 - 18 - 20 inch. **4d.**

GFM43/D306 Roadster, 24 - 26 - 28 inch. **6d.**

GFM44/D306 Sports, 26 inch. **6d.**




BLUEMEL "FEATHERWEIGHT"

2½ inch plain dome section with mudflap on front. Spearpoint or full extension.

26 in. - 27 in. - 28 in.

pair
GFM53/D900 Black or white .. 13/6
GFM54/P908 Transparent or Col. 14/6



BLUEMEL "NOWEIGHT"

2½ inch ribbed section with full or spearpoint extension. 26in. - 27in. - 28in.

pair
GFM55/P900 Black or white .. 13/6
GFM56/P908 Transparent or Col. 14/6



BLUEMEL "LIGHTWEIGHT"

1¾ inch ribbed domed section with full or spearpoint extension. 26in. or 27in.

pair
GFM57/P900 Black or white .. 13/6
GFM58/P908 Transparent or col. 14/6

New CLUB SPECIAL Guard



BLUEMEL "CLUB SPECIAL"

1⅝ inch deep domed section, with centre rib. Fitted mudflap to front guard.

26 in. or 27 in.

pair
GFM59/P1004 Black or white .. 15/6
Transparent and colours
GFM60/P1100 16/6



BAILEY SUPER MUDGUARDS

Heavy gauge celluloid with front mudflaps. Black or white. Plain or spearpoint extension.

1⅞ inch Ribbed Section

pair
GFM61/P800 12/-


2½ inch wide. Domed or Ribbed Section

GFM62/P804 12/6

As above, but fitted with Reflector.

pair
1⅞ inch Narrow Ribbed Section.
GFM63/P808 13/-

2½ inch wide. Domed or Ribbed Section.
GFM64/P900 13/6



B. AND T. AEROPLANE CELLULOID GUARDS

2 inch ribbed section and loose fittings complete.

pair
GFM65/P508 White 8/6
GFM66/P510 Black 8/9
GFM66a/P604 Colours 9/6

As above, but fitted reflector

EXTRA/P8 1/-

APEX No. 10 CELLULOID GUARDS


1⅞ inch Ribbed Section. Complete with Stay and Fittings.

GFM67/P600 9/-

As above with Reflector.


GFM68/P608 10/-

ALL BLUEMELS CELLULOID GUARDS ARE AVAILABLE IN COLOURS: RED, BLUE AND GREEN

**BLUEMEL "AIRWEIGHT"**

2½ inch Domed Section with rib stainless steel stays. Mudflap to front guard. For 26 - 28 inch Wheels.

GFM69/P804 Polished Alloy .. pair **12/6**


**B & T "WAYFARER"**

2½ inch Section with centre rib. Loose Q.R. fittings. Standard or Spearpoint fitting. Mudflap to front guard. Self Finish Alloy.

GFM72/P508 pair **8/6**

Reflector fitted to above.

EXTRA/P8 **1/-**

**BLUEMEL "CONTINENTAL"**

1½ inch Narrow Section with Rib. Stainless steel stays. Mudflap to front guard.

GFM70/P900 Polished Alloy .. pair **13/6**

**BLUEMEL "TOUR-DE-FRANCE"**

1½ inch Narrow Deep Domed Section. Cadmium plated stays. Mudflap to front guard.

GFM71/P900 Polished Alloy .. pair **13/6**

**MUDGUARD STAYS****"BANTEL" STAYS**

Sets of 8 Steel Stays with 3 sets per Display Card

GFM75/C400 set **2/-**

BLUEMELS STAYS

Set of eight

Cadmium Plated Steel

GFM72/C1000 48 per card .. **2/6**

Aluminium Alloy

GFM73/C1400 48 per card .. **3/6**

Stainless Steel

GFM74/C1800 48 per card .. **4/6**

G.F.C. ALLOY GUARDS

Plain Domed Section. (1½ inch). With Stays. Self finish alloy. Extension 8 stay fitting.

GFM74/P504 pair **8/-**

MUDGUARD FITTINGS**"BANTEL"**

Draw Bolts with Acorn Nuts. Packed in cellophane bags. 12 sets per card.

GFM76/C1008 card **1/4**

BLUEMELS

Draw Bolts with Acorn Nuts. Packed in cellophane bags of four. 24 sets per card.

GFM77/C2800 set **1/9**
/DS1400

**"BANTEL"**

Wing Nuts and Bolt. Packed in cellophane bags. 12 sets per card.

GFM78/C800 set **1/-**

Blueemels Wing Nuts with "T" Bolts and Washer. Packed in cellophane bags of four sets. 24 sets per card.

GFM78a/C2400 set **1/6**
/DI200

**"BANTEL"**

"U" Clip with Acorn Nuts and Bolt. Packed in cellophane bags. 12 sets per card.

GFM79/C1008 each **1/4**



BLUEMELS RACING EXTENSIONS

No. 3. Abbreviated White Celluloid for Racing Cycles.

each
GFM81/D2000 **2/6**

No. 4. As above. Light Alloy with Centre Rib.

each
GFM82/D2000 **2/6**

No. 5. As above. Light Alloy "Continental" (narrow section).

each
GFM83/D2000 **2/6**

No. 7. As above. Light Alloy "Tour-de-France" (narrow section)

each
GFM84/D2000 **2/6**



DUNLOP MF/I

Durable Rubber with Strong Rubber Band for hooking on to mudguard stays.


Size $8\frac{1}{4}$ inch x $8\frac{3}{4}$ inch.

each
GFM89/E204 **3/6**

DUNLOP MF/2

Size $10\frac{1}{2}$ inch x $7\frac{3}{4}$ inch. With two metal fixing bands to clip-on mudguards.

each
GFM90/E204 **3/6**



BLUEMELS CELLULOID REAR EXTENSIONS

White Rear Patch. with Mudflap. Stay Fitting.

each
GFM85/D3200 **4/-**

As above with "Prismatic" Reflector

each
GFM86/D4600 **5/9**

With Micro-Lens Reflective Patches instead of "Prismatic" Reflector.

each
GFM86a/D4000 One Patch .. **5/-**




BLUEMEL INDESTRUCTIBLE MUDFLAPS

Plastic reinforced fabric material. High gloss finish in black, white or a range of colours. Two metal bands for clipping to mudguards.

each
Size 5in. x $7\frac{1}{2}$ in. Square
GFM93/D1400 **1/9**


Size 9in. x 9in. Shaped
GFM94/D2000 **2/6**



BROOKS MUDFLAPS

With double rivetted flexible strip to clip-on guard. High gloss finish. Individually packed in cellophane bag. Size $5\frac{3}{4}$ in. x $7\frac{1}{2}$ in.

each
GFM87/E102 Black **1/9**
GFM88/E102 White **1/9**



MIDLAND "TUFFIDE" MUDSPASHERS

Hard wearing, flexible, untearable, material Water and rot proof. Black

each
Size $7\frac{1}{4}$ in. x $5\frac{3}{4}$ in.
GFM95/E102 **1/9**

Size $9\frac{1}{4}$ in. x $8\frac{1}{2}$ in.
GFM96/E200 **3/-**

G.F.C. RUBBER MUDFLAPS


Fitted with strong metal band with clips designed to clip on stays. Black.

each
GFM91/D1400 $6\frac{3}{4}$ in. x $7\frac{1}{4}$ in. .. **1/9**
GFM92/D1800 $7\frac{1}{2}$ in. x $8\frac{1}{2}$ in. .. **2/3**



BLACK JAPANNED LEATHERETTE MUD SPLASHERS

		each
Shaped. Size 11 in. x 8 in.		
GFM97/E108		2/6
Shaped. Size 13 in. x 9½ in.		
GFM98/E110		2/9
Shaped. Size 20 in. x 9¾ in.		
GFM99/E304		5/-



DRESS GUARDS


Hard wearing plastic material in various colours for 26 inch wheel. Front of rear. Single Pattern

GFM100/E100		each 1/6
--------------------	---------	--------------------

DE LUXE

Similar to GFM100 for rear wheels. Divided double pattern to fit both sides of the chain stay.

GFM101/E206		each 3/9
--------------------	---------	--------------------




MIDLAND FOR MOTORISED WHEELS

Dress Guards designed specifically for fitting to cycles employing cyclemaster of similar Wheels. Hard wearing plastic in various colours.

GFM105/E200		each 3/-
--------------------	---------	--------------------

MASCOTS, FLAGS AND PENNANTS

Handlebar or Mudguard Fittings



CYCLE

Elswick, Hopper, Raleigh, Hercules, B.S.A., Phillips and most other popular makes.

GFM106/D1000		each 1/6 inc. P.T.
---------------------	---------	---------------------------------

SPEEDWAY

Wembley, West Ham, Wimbledon, etc.

GFM107/D1000		pair 1/6 inc. P.T.
---------------------	---------	---------------------------------

MOTOR CYCLE

Matchless, Ariel, Norton, A.J.S. etc.

GFM108/D1406		each 2/1 inc. P.T.
---------------------	---------	---------------------------------

FOOTBALL

Arsenal, Spurs, Charlton, Chelsea and many other football club pennants.

GFM109/D1000		each 1/6 inc. P.T.
---------------------	---------	---------------------------------

ICE HOCKEY

Wembley Lions, Harringay Racers, Earls Court Rangers, etc.

GFM/D1000		each 1/6 inc. P.T.
------------------	---------	---------------------------------

MISCELLANEOUS

Red Devil, Skull and Cross Bones, etc.

GFM111/D1000		each 1/6 inc. P.T.
---------------------	---------	---------------------------------


UNION JACK AND NATIONAL FLAGS

GFM112/D1206		each 1/9 inc. P.T.
---------------------	---------	---------------------------------

SPACE SCOUT MASCOTS

Gleaming Silver Grey Plastic.

GFM113/E8	Mudguard Fitting	each 1/-
GFM114/E8	Handlebar Fitting	1/-



NUMBER PLATES

FOR LIGHT MOTOR CYCLES OR MOTORISED CYCLES. BEST QUALITY
STEEL, DURABLE, HIGH GLOSS ENAMEL

GFM115/DI408	Midland No. 98 Front (Expander Fitting)	each 1/10
GFM116/E200	Midland No. 4821 Rear. With provision for Rear Lamp	3/-

We shall be pleased to accept orders for Hill's made-up
Number Plates—By Return Service

'Phone your Order through us - Gulliver 6661

FOR MOTOR CYCLES

Die Pressed Aluminium Sheet. Black Mirror Finish. Stove Enamelled
With Regulation Size Characters. With Highly Polished Digits.

GFM121/S1703	Two Front One Rear	25/-
	Set	

With Flexwyt Digits.

GFM121a/SI403	Two Front One Rear	21/-
	Set	

FOR MOTORISED CYCLES

Die Pressed Aluminium Plates. Black Mirror Stove enamelled with
Regulation Size Characters. Highly Polished, includes Clips for
Fitting Front Plate on handlebar and Rear Plate is pierced for Lamp.

GFM122/P806		12/9
-------------	---------	-------------


EXTRA/PI00	with clip to fit rear plate to mudguard ..	1/6
------------	--	------------

Steel Plates, Stove Enamelled Black, with Regulation Size "Flexwyt"
Characters. Clips supplied to fit Front Plate to handlebar and Rear
Plate is pierced for Lamp.

GFM123/P906		14/3
-------------	---------	-------------

EXTRA/PI00	With clip to fit Rear Plate to mudguard	1/6
------------	---	------------

SCREWS AND NUTS



APEX

ADJUSTABLE WINDSCREENS

The Screen can be raised or lowered in a
few seconds. Complete with apron screens.
Aprons and clips available separately.

each

MAJOR

18 in. x 16 in. x 3/16 in. thick with strong
aluminium Standards.

GFM124/E4608		70/-
--------------	---------	-------------

POPULAR


15 in. x 16 in. x 1/8 in. thick, with double
steel standards, zinc plated.

GFM125/E3500		52/6
--------------	---------	-------------

MINOR

14 in. x 12 in. x 1/16 in. thick, with single
steel standards, zinc plated.

GFM126/E2304		35/-
--------------	---------	-------------



MUDGUARD BOLTS AND NUTS
(Plated)

ROUND HEAD

3/16 inch x 32 T

GFM127/G403	3/8 inch ..	doz. 6½d.
GFM128/G406	1/2 inch ..	7d.
GFM129/G408	5/8 inch ..	7d.
GFM130/G500	3/4 inch ..	7½d.
GFM131/G502	1 inch ..	8d.
GFM132/G508	1 1/4 inch ..	8½d.
GFM133/G600	1 1/2 inch ..	9d.
GFM134/G704	2 inch ..	11d.

Boxes of 144 assorted from ½ to 1 inch.

GFM135/B504		8/-
-------------	---------	------------

ROUND HEAD

1/8 inch Whitworth

GFM136/G403	1/2 inch ..	doz. 6½d.
GFM137/G406	5/8 inch ..	7d.
GFM138/G408	3/4 inch ..	7d.
GFM139/G410	7/8 inch ..	7½d.
GFM140/G410	1 inch ..	7½d.
GFM141/G500	1 1/8 inch ..	7½d.
GFM142/G503	1 1/4 inch ..	8d.

Boxes of 144 Assorted from 1/2 to 1 1/4 in.

GFM143/B411		7/6
-------------	---------	------------

ROUND HEAD

5/32 inch Whitworth

GFM144/G508	1/2 inch ..	doz. 8½d.
GFM145/G508	5/8 inch ..	8½d.
GFM146/G508	3/4 inch ..	8½d.
GFM147/G603	7/8 inch ..	9½d.
GFM148/G603	1 inch ..	9½d.
GFM149/G608	1 1/8 inch ..	10d.
GFM150/G700	1 1/4 inch ..	10½d.
GFM151/B603		9/6

**G.F.C. MOTOR OIL**

In 5 Gallon Drums .. drum

GFO1/E3000 Medium Grade ..
 GFO2/E3000 Heavy Grade ..

**COMET SOFT GREASE**

1 oz. Tins Cycle Size each
 GFO19/D309 6d.
 1 lb. Packs
 GFO20/D1609 2/3
 7 lb. Tins
 GFO21/E700 10/6

**CHEMICO****GRAPHITED GREASE**

In small tubes. 6 per display card, each
 GFO25a/E100 1/6

OILS AND GREASES



**EXCELENE
RUST PREVENTATIVE**
(Petroleum Jelly)

GFO26/D309 1 oz. Tin .. each 6d.
 GFO27/D1000 4 oz. Tin .. 1/3

**EXCELENE GREASE**

In Small Tubes

GFO24/E100 each 1/6

"THREE - IN - ONE" GREASE

In Long Nozzle Tube

GFO25/D2110 each 3/6

**CASTROL ENGINE AND GEAR OILS**

(N.B. Prices for all Castrol Oils and Greases are strictly nett and cash settlement will be added when booked).

ENGINE CASTROLITE (SAE 20 and 20W)

CASTROL XL SAE 30

CASTROL XXL SAE 40

CASTROL Z SAE 10W

CASTROL GRAND PRIX SAE 50

GFO7/E5206 5 Gallon Drums ..
 GFO8/E1107 1 Gallon Tin .. 13/7
 GFO9/E300 Quarts 3/10
 GFO10/E109 Pints 2/2

CASTROL R

GFO11/E10402 5 Gallon Drum ..
 GFO12/E2105 1 Gallon Tin .. 24/6
 GFO13/E505 Quarts 6/7
 GFO14/E210 1/2 Pints 3/6

GEAR CASTROL "D" SAE 140 HEAVY
CASTROL "ST" SAE 90 LIGHT

GFO15/E5206 5 Gallon Drum ..
 GFO16/E1107 1 Gallon Tin .. 13/7
 GFO17/E300 Quarts 3/10
 GFO18/E109 Pint 2/2

CASTROL 2-STROKE SELF MIXING OIL

For Lightweight Motor Cycles and Motorised Cycles. Can be poured direct into the petrol tank. Anti-corrosive additive protects engine bearing.

GFO3/E5206 5-Gallon Drum
 GFO4/E1107 1 Gallon Tin .. 13/7
 GFO5/E300 Quarts 3/10
 GFO6/E109 Pints 2/2

CASTROL GREASE

Castrolase C.L.

Castrolase Medium

Castrolase Heavy

GFO22/E810 7 lb. Tin each 10/4
 GFO23/E111 1 lb. Packs 2/5

**PHILLIPS AND RALEIGH OIL**

In Tins with Spout

GFO39/D1200	..	..	..	..	each
					1/6

**EVERYMAN'S CYCLE LUBRICATING OIL**

In 7½ oz. Tins with Spout

GFO38/D1200	..	..	..	..	doz.
					18/-

**EXCELENE LUBRICANT**


(Spout Circular Oil Cans) each

GFO37/D608	..	..	..	..	10d.
------------	----	----	----	----	------

**"THREE-IN-ONE" HIGH GRADE OIL**

Prevents Rust, Lubricates, Cleans and Polishes

				each
GFO31/D809	3 oz. Bottles	..		1/-
GFO32/D1706	6 oz. Bottles	..		2/-
GFO33/D2110	8 oz. Bottles	..		2/6
GFO34/D2401	Spout Cans	..		2/9

**CYCLE OIL EXCELENE LUBRICATING OIL**

In 7½ oz. Tins (with spout) each

GFO35/D1008	..	..	..	..	1/4
-------------	----	----	----	----	-----



In 4 oz. Tins (with spout)

GFO36/D800	..	..	..	..	1/-
------------	----	----	----	----	-----

**CHALLENGE PENETRATING OIL**

Small Tins. Best Quality

GFO28/D1600	..	..	..	..	each
					2/-


**CHALLENGE CYCLE OIL**

In Square Spout Tins each

GFO40/D1200	7½ oz.	..	..	each
GFO41/D608	4 oz.	..	..	10d.

CHALLENGE CYCLE OIL AND EXCELENE 7½ oz. TINS CAN BE SUPPLIED WITH DEALER'S NAME AND ADDRESS
IN THREE DOZEN LOTS AT NO EXTRA CHARGE

OIL CANS AND GREASE GUNS



G.F.C. CYCLE OILCANS

Tinned Body with Ferrule and Cap
 GFO42/D800 each
 1/-




WESCO PUMP OILERS

GFO45/E308 Pistol Grip .. each
 5/6
 GFO46/E304 Junior 5/-
 GFO47/E402 45 deg. Spout.. 6/3



"TECALEMIT" CYCLE VISIGUN

Transparent Body
 GFO48/E310 each
 5/3



DOVER CELLULOID OILCANS

Transparent
 GFO49/E100 No. 461 P .. each
 1/6
 GFO29/E8 Stand-up 1/-




PHILLIPS OILCANS

M 160.2 Celluloid
 GFO43/C1201 12 per card .. each
 1/6
 M 160.1 Metal
 GFO44/C900 12 per card .. each
 1/2

TECALEMIT
TECAZERK TYPE NIPPLES

each
 3/16 in. x 32 T Straight
 GFO55/D302 4 1/2 d.
 1/4 in. B.S.F. Straight
 GFO56/D403 6 d.
 1/4 in. B.S.F. 65 deg. Angle
 GFO57/D908 1/2



"TECALEMIT" MOTOR CYCLE GREASE GUNS

Brass Push on Type


GFO51/E501 With 3/8 inch Connector each
 7/3
 GFO52/E600 With 1 3/4 inch Connector 8/6



POLYTHENE OILERS

Flexible Polythene Body giving strong Jet. Transparent oil level always visible. Flat bottom to stand upright. 12 per colourful display card.


GFO50/C608 each
 10d.



LUBRICATORS

Lid Type take Tecalemit or normal Oilcan

GFO53/D106 3/16 in. x 32 T. each
 2 1/2 d.
 GFO54/D106 1/4 in. x 26 T. . . . 2 1/2 d.



OIL HOLE COVERS

Chromium Plated

each
 For 3/8 in. dia. Barrel
 GFO58/G704 1 d.
 For 1/2 in. dia. Barrel
 GFO59/G800 1 d.
 For 5/8 in. dia. Barrel
 GFO60/G808 1 1/2 d.
 For 3/4 in. dia. Barrel
 GFO61/G1000 1 1/2 d.
 For 7/8 in. dia. Barrel
 GFO62/G1200 2 d.
 For 1 in. dia. Barrel
 GFO63/G1600 2 d.

PATCHING AND REPAIR MATERIALS



"REDDIFIX" CYCLE PATCH STRIP


	each
Rolls 9 in. x 3 in. 12 per Card	
GFP1/D1000	1/3
Rolls 36 in. x 3 in.	
GFP2/D3000	3/9

This exploded view shows:

A The foil surface cover. This is removed before applying patch.

B The tapered, feather edged Cure-C-Cure patch.


C The moisture proof backing. This is removed when the patch has been applied.



ROMAC


CURE-C-CURE CYCLE PATCHES

No. 1 size. Round. $\frac{3}{4}$ in. dia.	each
GFP9/E4	$\frac{1}{2}$ d.
No. 2 size. Round. $\frac{7}{8}$ in. dia.	
GFP10/E6	1d.
No. 3 size. Round. 1 in. dia.	
GFP11/E8	1d.
No. 4 size. 1 in. Square	
GFP12/E8	1d.
No. 5 size. Oval. $1\frac{1}{4}$ in. x 1 in.	
GFP13/E100	$1\frac{1}{2}$ d.
No. 6 size. Large Oblong 2 in. x 1 in.	
GFP14/E102	2d.
Strips of 7 patches. 36 per card.	strip
GFP14a/C1500	$7\frac{1}{2}$ d.
Strip of 8 patches. 36 per card.	
GFP14b/C1500	$7\frac{1}{2}$ d.



PHILLIPS CELTONIA "FULL RUBBER" PEDALS

Chromium Plated Finish	pair
No. 65 Gents 4 inch	
GFP15/P409	7/1
No. 66 Ladies $3\frac{1}{2}$ inch	
GFP16/P409	7/1



DUNLOP

"REDDIFIX" CYCLE PATCHES

Packet of seven assorted patches and two shaped valve rubbers. 24 packets per card.

GFP3/D208	packet
/C504	4d.



MEND-A-TEAR

A hot iron and mend-a-tear will invisibly, quickly, and permanently repair torn clothes and fabrics of all descriptions. Each outfit packed in container.

Black - Grey - Fawn

GFP8/D1310	each
	2/-
	inc. P.T.

PEDALS



PHILLIPS "CELTONIA" REFLEX RUBBER PEDALS

with reflecting strip set in the rubber.

No. 125. Gents 4 inch	pair
GFP17/P608	10/-
No. 126. Ladies $3\frac{1}{2}$ inch	
GFP18/P608	10/-




DUNLOP CASING REPAIR

(Fabric)

Cord 36 in. x 3 in.

GFP4/E309	each
	6/-
Canvas 12 in. x 3 in. (12 rolls per Card)	
GFP5/D600	9d.
Canvas 90 in. x 3 in.	
GFP6/E211	4/6



MOTOR CYCLE CANVAS


Single Proofed 90 in. x 12 in.

GFP7/E904	12/6
-------------------	------




PHILLIPS "ALL RUBBER" PEDALS

4 in. wide. No. 152	pair
GFP19/P606	9/9
$3\frac{1}{2}$ in. wide. No. 153	
GFP20/P606	9/9
$4\frac{1}{2}$ in. wide. No. 154	
GFP21/P606	9/9




**PHILLIPS "CREDEX" KIDDIES
RUBBER PEDALS**

3 inch wide. Chrome Finish
GFP22/P404 No. 58 pair
6/6



**PHILLIPS
"APOLLO" LIGHTWEIGHT
RAT TRAP PEDALS**

Chromium Plated Finish
GFP26/P504 No. 83 pair
8/-



**PHILLIPS "CREDALUX"
SOLID CENTRE RAT TRAP
PEDALS**


Chromium Plated
GFP29/P1004 No. 101 pair
15/6



**PHILLITE
RUBBER TREAD PEDALS**


Lightweight rustless frame alloy. Die cast centre. Replaceable moulded rubber treads. Weight 20 ozs. per pair.

GFP32/P711 No. 102 pair
11/11



**PHILLIPS
"PHILCO" RUBBER PEDALS**


4½ inch wide. No. 97 pair
GFP23/P505 8/2
4½ inch wide. No. 98 pair
GFP24/P506 8/3



**PHILLIPS
"ANGLO" RAT TRAP
PEDALS**

Similar to Apollo but with machined cups and light alloy dust caps. Chrome finish


GFP27/P701 No. 55 pair
10/8



**PHILLITE RUSTLESS
LIGHTWEIGHT PEDALS**

Hollow spindle. Hardened steel strips fitted to wearing surfaces. Weight 13½ ozs. per pair. Chrome finish.


GFP30/P908 No. 166 pair
14/6



PHILLITE REFLEX PEDALS

Similar to the No. 102. These pedals have reflectors fitted on side plates.

GFP33/P807 No. 157 pair
12/11



**PHILLIPS "ANGLO"
HEAVY CARRIER PEDALS**

No. 70. 4 inch wide with reinforced spindles for heavy carrier work. pair
GFP25/P711 11/11


**PHILLIPS "ANGLO"
HEAVY BLOCK PEDALS**

No. 81. 4½ inch wide with reinforced spindles for heavy carrier work. pair
GFP25a/P804 12/6



**PHILLIPS "CELTONIA"
RAT TRAP PEDALS**


4 inch wide. Chromium Plated pair
GFP28/P409 No. 61 7/1



**PHILLITE SINGLE QUILL
PEDALS**

A strong light racing pedal. One piece stainless steel "U" type frame and die-cast alloy centre unit. Weight 13¼ ozs. per pair.

GFP31/P1111 No. 333 pair
17/11



**PHILLIPS "CREDALUX"
LIGHTWEIGHT TOURIST
PEDALS**

Two piece pressed steel frame with replaceable rubber treads. Weight 22 oz. per pair.

GFP34/P601 No. 202 pair
9/2




**BRAMPTON B.8 SOLID CENTRE
RACING RAT TRAP PEDALS**

3½ inch wide. C.P. Finish.

pair

GFP35/PI004 15/6




WEBB "QUILL" PEDALS

With solid alloy centre. Steel frame and replaceable cups and cones.

pair

GFP36/PI100 16/6



**CHATER-LEA
1954 SPRINT PEDALS**

Solid centre. Polished stainless steel frames. With fixing for toeclips. Single-sided. Chromium Plated

pair

GFP37/PI804 27/6

Racing Pedals No. 1619

GFP38/PI804 27/6

Racing Pedals No. 1619 with Oil Seals


GFP39/2000 30/-



G.F.C. PEDAL RUBBERS

Moulded Rubber in sets of 4

GFP40/DS1008	Ladies 3½ in.	..	..	set	1/4
GFP41/DS1008	Gents 4 in.	..	..	1/4	
GFP42/DS1008	Carrier 4½ in.	..	..	1/4	
GFP43/DS1008	Juvenile 3 in.	..	..	1/4	



DUNLOP PEDAL RUBBER

Moulded Non-Slip Type
Set of Four


GFP55/S108	3⅝ in.	..	..	set	2/6
GFP56/S108	4⅛ in.	..	..	2/6	



PEDAL SPINDLE LOCK WASHERS

For all Phillips Pedals except Nos. 70 and 81

GFP51/D3	..	..	..	each	1d.
GFP52/D5	..	..	..	For Nos. 70 and 81	1d.



PEDAL SPINDLES

Complete with Cone Nut and Washer. Left or Right Hand

GFP57/D810	Phillips 3½ in.	..	..	each	1/2
GFP58/D810	" 4 in.	..	..	1/2	
GFP59/D805	" 3 in.	..	..	1/1	
GFP60/D905	" 4¼ in. For 97 Pedals	..	..	1/2	
GFP61/D1000	" 4½ in. For 81 and 84 Pedals	..	..	1/3	
GFP61/D1000	" 4½ in. For 98 Pedals	..	..	1/3	
GFP62/D1600	" 4½ in. For 81 and 84 Pedals	..	..	2/-	
GFP63/D810	" 2½ in. For 83 and 55 Pedals	..	..	1/2	
GFP64/D1310	" For 166 Pedals	..	..	1/9	
GFP65/D906	" For 102 and 157 Pedals	..	..	1/3	
GFP66/D1310	" For 101 and 133 Pedals	..	..	1/9	
GFP67/D810	" For 202 Pedals	..	..	1/2	
GFP68/D1310	Brampton For B.8 Pedals	..	..	1/9	



PEDAL BARS WITH NUTS

For Rubber Pedals

GFP44/D205	3 in.	..	..	each	4d.
GFP45/D211	3½ in.	..	..	4½d.	
GFP46/D211	4 in.	..	..	4½d.	
GFP47/D303	4¼ in.	..	..	5d.	
GFP48/D400	4½ in.	..	..	6d.	

PEDAL BAR NUTS

3/16 in. x 3/32 in. Plated

GFP49/G205	..	..	..	each	½d.
/D3	..	..	..		



PEDAL CONES

each

Standard size hardened and Ground

GFP50/D109 3d.



PEDAL SPINDLE LOCK NUTS

For all Phillips Pedals except

Nos. 70 and 81

each

GFP53/D7	..	..	..	1d.	
GFP54/D8	..	..	..	For Pedals Nos. 70 and 81	1d.

**PEDAL DUST CAPS**

Phillips Standard Pattern

For Pedal Nos. 58, 61, 65, 66, 83, 97, 98, 200, 201 and 202
GFP69/D109 each **3d.**

Phillips Racing Pattern

For Pedal Nos. 45, 46, 55, 101, 105, 106 and 166
GFP70/D601 **9d.**

Phillips Rubber Tread and Quill Type

GFP71/D601 For Pedal Nos. 102, 157, and 333 **9d.**


Phillips Carrier Type

GFP72/D300 For Pedals Nos. 70, 81 and 84 **4½d.**

PRAM SUNDRIES**PRAM TYRING**

North Pole or Dunlop. Embedded Spiral Wire Type.

Supplied in 60 ft. Coils

**PRAM "CEE" STRAPS**

Best hide with plated buckles. Carded 12 per display card.

GFP73/C800 each **1/-**

PRAM BRAKES

Strap type with clamp. Holds pram securely

GFP74/E200 each **3/-**

**LIFEGUARD CAR POLISH**

GFP77/E200 14 oz tins each **3/-**

PLAIN GREYApprox. Weight
per 60 ft. Coil

1/2 in. ..	9 lbs.
9/16 in. ..	11 lbs.
5/8 in. ..	13 lbs.
3/4 in. ..	19 lbs.
7/8 in. ..	25 lbs.
1 in. ..	33 lbs.

GFP75/lb. 203

Plain Grey

GFP76/lb. 204

White Ribbed or Basket Pattern

EXTRA/

10% for cut lengths

WHITE RIBBEDApprox. Weight
per 60 ft. Coil

1/2 in. ..	12 lbs.
9/16 in. ..	12 lbs.
5/8 in. ..	17 lbs.
3/4 in. ..	25 lbs.
7/8 in. ..	32 lbs.
1 in. ..	37 lbs.

POLISHES AND CLEANERS**FLAZ-POL CAR POLISH**

GFP79/E208 1 pint each **3/6**

**ROMAC CELERBRITE POLISH**

For glass, chromium and body work

GFP80/E202 14 oz. tins each **3/3**

ROMAC CHROME AND GLASS CLEANER

GFP80a/D104 8 oz. tins each **2/-**

**KARPOL FOR CELLULOSE**

Packed in large blue tins

GFP81/E203		each
		3/-

KARPOL FOR NEW CAR FINISHES

Packed in large red tins

GFP82/E203		each
		3/-

**AUTOBRITE SILICONE PROCESS CAR POLISH**

GFP84/D4309	Large Bottles	each
		5/-

**SIMONIZ WAX CAR POLISH**

GFP87/E503	In 7 oz. tins ..	each
		7/-

**"BRYTERPOL" UNIVERSAL POLISH**

GFP83/D608	In small tins ..	each
		10d.


**"THREE-IN-ONE" SILICONE PROCESS**

Cycle and motor cycle polish. Cleans, polishes, protects.

GFP85/D2110		each
		2/6

**"SHIM" SILICONE AND WAX REMOVER**

GFP86/D2110	Small bottles ..	each
		2/6

**SIMONIZ BODYSHEEN**

GFP91/E503		each
		7/-

**SIMONIZ PASTE CLEANER**

GFP88/E503	In 12 oz. tins ..	each
		7/-

**SIMONIZ CHROME CLEANER**

In 8 ounce Tins

GFP89/E110½		each
		2/6

Special Quantity available on Simoniz Products - Details on request

**SIMONIZ LIQUID KLEENER**

In 20 ounce Tins

GFP92/E503		each
		7/-

**SIMONIZ BODY GLAZE**

GFP90/E503		each
		7/-



**SIMONIZ
WHITE TYRE WALL CLEANER**

GFP93/E110 $\frac{1}{2}$ Bottle each
2/6



I.C.I. WAX POLISH

7 ounce Tins

GFP94/E304 each
5/-



I.C.I. "7" CAR POLISH

In 16 ounce Tins

GFP95/E202 each
3/3



APOLLO CAR POLISH

For Chromium Bodywork or Glass

GFP96/E100 3 $\frac{1}{2}$ oz. tinlet .. each
1/6
GFP96a/E208 14 oz. tin 4/-



GUNK D.P. SOLUTION

"The Master Cleaner"

GFP97/E109 Pint Tins .. each
2/4
GFP98/E300 Quart Tins .. 4/-
GFP99/E800 Gall. Drums .. 10/8

**KAY'S
UPHOLSTERY SHAMPOO**

Mothproofing (DDT) Packet contains
sufficient shampoo for six complete treat-
ments.

GFP104/E108 packet
2/6



BUFFT CLEANER

each
For Silver and Silver Plate
GFP100/D800 1/-
For Chromium and Stainless Steel
GFP101/D800 1/-
Packed in handy size tubes.

dura-glit



DURAGLIT WADDING POLISH

12 Tins per Display Box

For Metal each
GFP102/D1105 1/3
For Silver and Chromium
GFP103/D1309 1/9



CLEANING CLOTHS

Stockinette in Rolls

each
GFP105/E200 Small 3/-
GFP106/E306 Medium 5/3
GFP107/E606 Large 9/9

STOCKINETTE DUSTERS

Packets containing two stockinette dusters
16 in. x 7 in. and 8 in. x 7 in. double
approximate sizes.

GFP108/D1106 each
1/6

YELLOW POLISHING CLOTHS

Size - 20 in. x 15 $\frac{1}{2}$ in.

each
GFP109/D700 10 $\frac{1}{2}$ d.

PUMPS

*Blue Mel's* No. 1 POCKET PUMP

POCKET PUMPS

Black and White

GFP110a/E204		each
		3/6

GFP110/E206

GFP112/E205



APEX "LASTWELL" CELLULOID PUMPS

With Best Quality $5\frac{1}{2}$ in. Connection

GFP113/E210	12 in. x 7/8 in.	Black	each
GFP114/E302		White	4/3
GFP115/E300	15 in. x 7/8 in.	Black	4/6
GFP116/E304		White	5/-



APEX "SUPERLITE" PUMPS

With brass drawn Seamless Rubber Tube. Specially treated to prevent Warping. Best Quality Celluloid

GFP133/E300	12 in. x 7/8 in.	Black	each
GFP134/E304		White or Colours ..	4/3
GFP135/E304	15 in. x 7/8 in.	Black	5/-
GFP136/E308		White or Colours ..	5/6
GFP137/E308	18 in. x 7/8 in.	Black	5/6
GFP138/E400		Colours	6/-



BLUEMELS "FEATHERWEIGHT"

Black Celluloid

GFP123/E402	15 in. x 7/8 in.		each
GFP124/E410	18 in. x 7/8 in.		6/3
			7/3

White and Coloured Celluloid

GFP125/E404	15 in. x 7/8 in.		each
GFP126/E502	18 in. x 7/8 in.		6/6
			7/9



BLUEMELS JUNIOR PUMPS

Black or White Re-inforced Plastic in sizes 9 in. 10 in. or 12 in. x 7/8 in.

GFP131/E304	Black	each
GFP132/E306	White	5/-
		5/3



G.F.C. STEEL PUMPS

15 in. x $\frac{7}{8}$ in. Black Enamelled with Connectioneach
3/9

PHILLIPS CHROMIUM PLATED STEEL PUMPS

15 in. x $\frac{7}{8}$ in. with connectioneach
3/8

BAILEYS SUPER STEEL-LINED PUMP

Celluloid covered with Best Quality 6 inch Connection. With three Coloured Rings on Barrel

GFP117/E308	12 in. x 7/8 in.	Black	each
GFP118/E400		White or Colours ..	5/6
GFP119/E400	15 in. x 7/8 in.	Black	6/-
GFP120/E404		White or Colours ..	6/6
GFP121/E404	18 in. x 7/8 in.	Black	6/6
GFP122/E408		White or Colours ..	7/-



BLUEMELS "LIGHTWEIGHT"

Black or White Celluloid

GFP127/E310	15 in. x 7/8 in.		each
GFP128/E406	18 in. x 7/8 in.		5/9
			6/9



BLUEMELS RINGED PUMPS

Black or White Celluloid with Coloured Rings. Over 100 combinations. Packed 12 different Combinations per Display Box

GFP129/E310	15 in. x 7/8 in.		each
GFP130/E406	18 in. x 7/8 in.		5/9
			6/9

**APEX "ULTRALITE" PUMPS**

Aluminium Barrel with Alloy Plunger Tube

each

GFPI40/E306	15 in. x 7/8 in.	Polished		5/3
GFPI40a/E310	18 in. x 7/8 in.	Polished		5/9

"BRITANNIALLOY" PUMPS

High Tensile Alloy. Complete with Braided Connection. Highly Polished Finish

each

GFPI41/E308	15 in. x 7/8 in.		6/6
GFPI42/E404	18 in. x 7/8 in.		5/6

**BLUEBELLS AIRWEIGHT PUMPS**

Polished Alloy with Coloured Bands

each

GFPI44/E308	12 in. x 7/8 in.		5/6
GFPI44a/E310	15 in. x 7/8 in.		5/9
GFPI44b/E408	18 in. x 7/8 in.		7/-

**ZEFAL PUMPS**

Duralumin. Polished Finish

each

GFPI46/E502	15 in. x 7/8 in.		7/9
GFPI47/E606	18 in. x 7/8 in.		9/9

Red, Blue, Green, Gold or Multi-coloured

each

GFPI48/E606	15 in. x 7/8 in.		9/9
GFPI49/E708	18 in. x 7/8 in.		11/9

Motor Cycle and Car Pumps**BLUEBEL "MOTOBIKE" PUMPS**

Metal barrel. Celluloid covered. With folding stirrup. Black.

Sizes - 12, 13, 14, 15, 16 in. x 7/8 in.

each

GFPI51/E608		10/-
-------------	---------	------

BLUEBELS "CELLUMINIUM" PUMPS

Alloy and Plastic.

GFPI39/E400

15 in. x 7/8 in. Black or White

each
6/-*"Four of Britain"*
CYCLE INFLATOR**BLUEBELS "TOUR OF BRITAIN"**

18 in. x 1 in. Alloy Pump with Hand Grip of Coloured Bands. Highly Polished Finish

GFPI43/E608

each
10/-**APEX "GRANDE PRIX" POLISHED ALLOY PUMPS**

15 in. x 15/16 in. with Coloured Hand Grip Rings

GFPI45/E606

each
9/9**TORNADE - RACING PUMPS**

With Chromeclad Protection

GFPI50/E400

15 in. x 15/16 in.

each
6/-

In Assorted Colours

GFPI50a/E500

15 in. x 15/16 in.

7/6

THE AIREEZE CYCLE FOOT PUMP

Plastic body with Nylon Plunger. Will fit into pocket.

GFPI50b/E404

each
6/6**DUNLOP FOOT PUMPS**

each

GFPI52/E3300	Minor 12.2 cu. ins.	44/-
GFPI53/E4103	Junior 15.6 cu. ins.	55/-
GFPI54/E7400	Major 20.0 cu. ins.	98/6
GFPI55/E16906	Giant 33.0 cu. ins.	226/-

PRIMA FOOT PUMPS

Lightweight Pump with Brass Barrel. With 30 in. Connection

GFPI56/E2400

2 1/4 in. x 4 3/4 in. Barrel

each
30/-



DUNLOP MOTOR CYCLE HAND PUMPS

Metal Lined Celluloid

		each
GFP157/E406	15 in. x $\frac{7}{8}$ in. ..	6/9
GFP158/E406	16 in. x $\frac{7}{8}$ in. ..	6/9
GFP159/E500	18 in. x $\frac{7}{8}$ in. ..	7/6
GFP160/E406	12 $\frac{3}{8}$ in. x $\frac{7}{8}$ in. ..	6/9
GFP161/E406	14 in. x $\frac{7}{8}$ in. ..	6/9
GFP162/E406	13 $\frac{1}{8}$ in. x $\frac{7}{8}$ in. ..	6/9



APEX MOTOR CYCLE PUMPS

7/8 in. Steel Lined Black Celluloid Covered. Complete with Wire Stirrup and fitted 12 in. Swivel Ended Connection.

		each
GFP163/E406	Up to 16 in. ..	6/9
GFP164/E500	Over 16 in. ..	7/6



SNAP-ON LEVER TYPE CONNECTORS ONLY

		each
GFP173/E102		1/9



BLUEMELS No. 9 PUMP CONNECTION

Standard Pattern 5 in. 12 per display card.

		each
GFP165/C800		1/-

BLUEMELS No. 9a PUMP CONNECTIONS

Slaverand and High Pressure 5 $\frac{1}{2}$ in.
12 per Display Card

		each
GFP166/C800		1/-


BLUEMELS PUMP CONNECTIONS 5 $\frac{1}{2}$ in.

No. 9b Schrader to screw on outside of valve
12 per Display Card

		each
GFP167/C800		1/-

No. 9c Schrader to screw on inside of valve
(Two Male Ends)

		each
GFP168/D800		1/-



DUNLOP CAR PUMP CONNECTIONS

30 inch long. Complete with lever type
snap-on connector

		each
GFP176/E600		7/6

BLUEMELS "MOTOBIKE" PUMP CONNECTIONS

Swivel end for Schrader with adaptor for
Dunlop valves

For 12 to 14 inch pumps

		each
GFP174/E102		1/9

For 15 in. pumps upward. 9 inch long

		each
GFP175/D1408		1/10



BLUEMELS "PREMIER" DE LUXE PUMP CONNECTIONS

Sylko braided to fit both high pressure and
Woods connections. Individually boxed.
Display Carton of 36

		each
GFP169/D1008		1/4

PUMP CONNECTIONS

The "Farrington" Braided Pump
Connections. 12 per Display Card

		each
GFP170/C608		10d.

THE BELVIN ARMoured PUMP CONNECTION

An everlasting connection, 6 inch long
One dozen on Display Card

		each
GFP171/C1304		1/8

ZEFAL PUMP CONNECTIONS

6 inch Braided. Cards of 12

		each
GFP172/C1200		1/6



PUMP ADAPTORS


Card of 36

Woods to Schrader

		each
GFP177/C904		5d.


Schrader to Woods

		each
GFP178/C700		3 $\frac{1}{2}$ d.

**G.F.C. SPRING PUMP CLIPS**

Enamelled Black. Best Quality

GFP179/DP608	Size 1 in.	..	pairs
GFP180/DP608	Size 1 $\frac{1}{8}$ in.	..	10d.
	Junior		
GFP181/DP608	Size $\frac{7}{8}$ in.	..	10d.
GFP182/DP608	Size $\frac{3}{4}$ in.	..	10d.

**JUBILEE****WORM DRIVE HOSE CLIPS**

Non-leaking, ensure perfect joint. Easy to fit and remove.

GFR1/D909	Size 00	..	each
	(Fits all Hose from $\frac{5}{8}$ in. to $\frac{3}{4}$ in. outside dia.)		1/3
GFR2/D909	Size 0	..	1/3
	(Fits all Hose from $\frac{5}{8}$ in. to $\frac{7}{8}$ in. outside dia.)		
GFR3/D909	Size 0X	..	1/3
	(Fits all Hose from $\frac{3}{4}$ in. to 1 in. outside dia.)		
GFR4/D909	Size 1	..	1/3
	(Fits all Hose from $\frac{7}{8}$ in. to 1 $\frac{1}{2}$ in. outside dia.)		
GFR5/D1004	Size 1X	..	1/3 $\frac{1}{2}$
	(Fits all Hose from 1 $\frac{1}{8}$ in. to 1 $\frac{3}{8}$ in. outside dia.)		
GFR6/D1004	Size 2a	..	1/3 $\frac{1}{2}$
	(Fits all Hose from 1 $\frac{1}{4}$ in. to 1 $\frac{3}{8}$ in. outside dia.)		
GFR7/D1004	Size 2	..	1/3 $\frac{1}{2}$
	(Fits all Hose from 1 $\frac{1}{2}$ in. to 2 $\frac{1}{8}$ in. outside dia.)		
GFR8/D1101	Size 2X	..	1/4 $\frac{1}{2}$
	(Fits all Hose from 1 $\frac{3}{8}$ in. to 2 $\frac{1}{4}$ in. outside dia.)		
GFR9/D1304	Size 3	..	1/8
	(Fits all Hose from 2 in. to 2 $\frac{3}{4}$ in. outside dia.)		


**DUNLOP PUMP WASHERS**

24 per Tin

GFP189/T200	$\frac{7}{8}$ in.	..	each
			1 $\frac{1}{2}$ d.


**TERRY "REX" PUMP CLIPS**1 in. x 1 $\frac{1}{8}$ in. x $\frac{7}{8}$ in.

GFP183/P100	Blued Finish	..	pair
GFP184/P104	Chromium Plated		2/-

**RADIATOR LAMPS****No. 58. THE DESMO HANGING HEATER**

A paraffin heater which will burn for 250 hours at one filling. Built on the miner's lamp principle and can therefore be used in close proximity to petrol vapour.

GFR10/E1108	..	..	each
			17/6

**BLUEMELS****LEATHER PUMP WASHERS**

Ready oiled and prepared. Packed two dozen in tube with special forming tool

GFP185/T504	$\frac{7}{8}$ in.	..	each
D208			4d.

G.F.C. PUMP WASHERS

Good quality leather. Specially treated. In tubes of 24 ready oiled

GFP186/T106	..	..	each
			—

Box of 36 Assorted, $\frac{3}{8}$ in. to 1 $\frac{1}{2}$ in.

GFP187/B203	..	..	—
GFP188/G509	$\frac{3}{4}$ in.	..	—
GFP188a/G600	$\frac{7}{8}$ in.	..	—
GFP188b/G704	1 in.	..	—
GFP188c/G940	1 $\frac{1}{8}$ in.	..	—
GFP188e/G1008	1 $\frac{1}{4}$ in.	..	—
GFP188f/G1208	1 $\frac{3}{8}$ in.	..	—
GFP188g/G1306	1 $\frac{1}{2}$ in.	..	—
GFP188h/G1608	1 $\frac{5}{8}$ in.	..	—

DUNLOP FOR FOOT PUMPS

GFP190/D2200	Major	..	each
GFP191/D1800	Junior	..	2/9
GFP192/D1800	Minor	..	2/3

**No. 126****THE DESMO UNIVERSAL HEATER**6 $\frac{3}{4}$ ins. high. One filling paraffin (4 pints) will burn for 250 hours.

GFR11/E1703	..	..	each
			23/-

REPAIR OUTFITS



SMITH'S "BLUECOL"


The Double-Safe Anti-Freeze

	each
GFR12/E4306 1 gallon tin..	58/-
GFR13/E2206 ½ gallon tin..	30/-
GFR14/E1108 Quart tin ..	15/6
GFR15/E600 pint tin ..	8/-

ANTI FREEZING COMPOUND

Challenge 100% Blue Ethylene Glycol inhibited anti-freeze.

Aluminium Cans	each
GFR16/E303 ½ Pint ..	4/6
GFR17/E600 1 Pint ..	8/-
Tins	
GFR18/E1006 Quart ..	15/-
GFR19/E3900 Gallons ..	55/-



DUNLOP CYCLE REPAIR OUTFIT

For Sprint Covers "Tubular"
6 per Display Carton


GFR30/E304 ..	each 5/-
---------------	----------



ROMAC REPAIR OUTFIT


For Car or Motor Cycle

	each
GFR20/E108 Small Size D52 ..	2/6
GFR21/E302 Large Size B71 ..	4/9



JOHN BULL CYCLE OUTFITS

Oblong. 24 per Display	each
GFR26/DI200 ..	1/6
Junior. 24 per Display	
GFR27/D800 ..	1/-

DUNLOP
MOTOR CYCLE REPAIR
OUTFITS

6 per Display Carton

GFR31/E208 ..	each 4/-
---------------	----------

ROMAC
CURE-C-CURE OUTFIT

With patches that become part of the tube

Cycle Outfit	each
GFR22/DI400 ..	1/9
Cycle Outfits with solution capsules	
GFR22a/DI200 ..	1/6
Cycle Refill	
GFR23/D800 ..	1/-
Motor Cycle Outfit	
GFR24/D2800 ..	3/6

For Individual Patches see Page 97

TIP-TOP
CYCLE REPAIR OUTFITS (F)Self-Vulcanizing. Complete
Small Tins

	each
GFR24a/B3200 36 per Display Box	1/4
Large Tins	
GFR24b/B2904 24 per Display Box	1/10



DUNLOP CYCLE REPAIR OUTFITS

	each
"Long" 12 per Display Carton	
GFR28/E1200 ..	1/6
"Midget" 12 per Display Carton	
GFR29/E800 ..	1/-

**DUNLOP CAR KIT No. 3**

Patches, Patch Strip, Scissors, Solution
Sprinkler, Wire Brush, Canvas and Valve
Core Key

each
GFR32/E500 7/6

**DUNLOP PATCH STRIP MAJOR**


Patch Strip, Scissors, Solution, Talc,
Wire Brush and Valve Core Key

each
GFR33/E208 4/-

**DUNLOP PATCH STRIP MINOR**

Patch Strip, Scissors, Solution and Metal
Scrubber

each
GFR34/E108 2/6

REFLECTORS

No. 51



No. 52



No. 7

BLUEMELS
RED REAR REFLECTORS FOR
CYCLES

1½ in. With Moulded Plastic Cases

Carded in Dozens

No. 4 "Prismatic" in white case with
mudguard screw clip fitting

each
GFR35/D1800 2/3

No. 7 "Prismatic" in white case with
stay clip fitting

each
GFR36/D1800 2/3

No. 51 "Prismatic" one-piece red
translucent moulding with two screws
for mudguards

each
GFR37/D1200 1/6

No. 52 "Prismatic" in white case with
single screw mudguard fitting. Suits
guards of all widths

each
GFR38/D1400 1/9

BLUEMELS
2 in. RED REAR REFLECTOR
FOR CYCLES

Carded in Dozens

No. 46 "Prismatic" with streamlined
body. To fit any cycle mudguard.

Single bolt fitting

each
GFR39/D2200 2/9

No. 49. Similar to No. 4 reflector
but 2 inch

each
GFR40/D2600 3/3

No. 50. 2 in. face. Seat stay fitting.

each
GFR41/D2600 3/3



"MICRO-LENS"
REFLECTIVE
PATCHES
MADE FROM "SCOTCHLITE" BRAND REFLECTIVE SHEETING
A PRODUCT OF MINNESOTA MINING AND MANUFACTURING
COMPANY LTD.

BLUEMELS
"MICRO-LENS" "SCOTCHLITE"

reflective patches. 1½ x 2 in. patch for
cycle mudguards etc. 24 per card


each
GFR43/D800 1/-

2 in. dia (approx) Adhesive Flexible
Disc. 24 per Card

each
GFR44/D1000 1/3

1 in. x 5 in. Adhesive Red Flexible
Strip. 36 per Card

each
GFR45/D1200 1/6




FAIRYLITE REFLECTORS

1½ in. dia. Red Lens Set in White Enamelled Case

Mudguard Strap Fitting

GFR46/D1200 each 1/6



FAIRYLITE REFLECTOR

Single Bolt Fitting

GFR47/D800 each 1/-

Single Bolt Ribbed Fitting

GFR47a/D800 1/-




PHILLIPS

1½ in. REAR REFLECTORS

Red Lens Set in Moulded Rubber Single Bolt Fitting

GFR48/D900 each 1/2



LUCAS "REALITE" REFLECTORS

1½ in. Diameter. Approved N.P.L. Certificate No. 176

No. 47. Rubber Moulded Body, with single nut mudguard fitting

GFR49/D1200 Black each 1/6
GFR49a/D1200 Silver Grey .. 1/6

No. 46. Mudguard Flush Fitting, White Enamelled

GFR50/D1000 each 1/3

No. 43. Single Nut Fitting White Enamelled each 1/-
GFR51/D800

No. 45S. Black Stay Fitting each 1/-
GFR52/D800



"BANTEL" EASIFIX REFLECTORS

1½ in. Red Lenses fixed to Mudguard Bridge Type Fitting. 12 per Card


GFR53/D1000 each 1/3

"BANTEL" SINGLE BOLT FITTING REFLECTOR

Alloy Case

1½ in. Red Lens. 12 per Card

GFR53a/D800 each 1/-



ASHBY

STRAP FITTING REFLECTORS

Bolts around mudguard. 1½ in. Red Lens

GFR55/D1008 each 1/4



BANTEL SINGLE BOLT

Plastic Housing. 12 per Card each 1/4
GFR54/C1008

BANTEL "STREAMLITE" REFLECTORS

2-Pin Mudguard Fitting. White, Red or "Raleigh" Green Case. 12 per Card.

GFR54a/C1200 each 1/6



ASHBY

SINGLE BOLT FITTING REFLECTORS

for Mudguards. 1½ in. Red Lens each

For Plain Section

GFR56/D1000 1/3

For Ribbed Section

GFR57/D1008 1/4



RIM CEMENT

(6 in Display Carton)

For fixing tubular tyres to rims 4 ozs. approx. Flasks

GFR110/D2200 each 2/9


RIM ADHESIVE TAPE

(6 in. Display Carton)

For fixing tubular tyres to rims.

Rolls 4½ yards x ¾ in. wide

GFR109/E108 2/6 plus 5d. P.T.

**WESTWOOD (Wired-on)**

Standard Section in sizes 22, 24 or 26 in. x $1\frac{3}{8}$ in. 24, or 26 in. x $1\frac{1}{2}$ in.

GFR58/P1302 Chromium Plated

GFR59/P902 Black Enamelled

28 in. x $1\frac{1}{2}$ in.

GFR60/P1304 Chromium Plated

GFR61/P904 Black Enamelled

NARROW SECTION

In Sizes: 24 in. or 26 in. x $1\frac{3}{8}$ in.

GFR62/P1302 Chromium Plated

GFR63/P902 Black Enamelled

JUVENILE (Wired-on) WESTWOOD

Standard Section in Sizes:
11 in. 14 in. or 18 in. x $1\frac{3}{4}$ in.

GFR64/P1208 Chromium Plated


GFR65/P810 Black Enamelled

NARROW SECTION

In Sizes:
12 in. 14 in. 16 in. 18 in. or 20 in. x $1\frac{3}{8}$ in.

GFR66/P1208 Chromium Plated

GFR67/P810 Black Enamelled

**ENDRICK****SPECIAL LIGHTWEIGHT**

(High Pressure Road Racing Section) in
Sizes: 26 in. or 27 in. x $1\frac{1}{2}$ in.
Depressed and Pierced

GFR77/P1508 Chromium Plated


GFR78/P1100 Black Enamelled

**AVA HIGH PRESSURE
SECTION RIMS**

With Fluted Sides and Embossed Lining.

27 in x $1\frac{1}{2}$ in. 32/40 H

GFR79/P1508 Chromium Plated


RIMS**WEINMANN RIMS****"ALESA"**

Famous continental make in highly polished finish

Alesa High Pressure. 26 in. or 27 in. x $1\frac{1}{4}$ in.

GFR92/P2608 pair
40/-

Endrick Pattern, 26 in or 27 in. x $1\frac{1}{4}$ in.
GFR93/P3000 **45/-**

**ENDRICK SECTION**

In Sizes:
24 in. or 26 in. x $1\frac{3}{8}$ in.
26 in. or 27 in. x $1\frac{1}{4}$ in.

GFR68/P1302 Chromium Plated

GFR69/P902 Black Enamelled

TANDEM ENDRICK SECTION

In Sizes:
26 in. or 28 in. x $1\frac{1}{4}$ in.
26 in. or 28 in. x $1\frac{3}{8}$ in.

GFR70/P1400 Chromium Plated

GFR71/P1000 Black Enamelled

CARRIER WIRED SECTION

In Sizes: 26 in. x $1\frac{1}{2}$ in. or $1\frac{3}{4}$ in.

GFR72/P1404 Chromium Plated

GFR73/P1008 Black Enamelled

26 in. x $1\frac{1}{2}$ in. or $1\frac{3}{4}$ in. Depressed and Pierced

GFR74/P1808 Chromium Plated

GFR75/P1404 Black Enamelled

14 in. or 18 in. x $1\frac{1}{2}$ in. Black Enamelled

GFR76/E502

**"SCHERENS"**

Tubular "Scherens" Model
Hollow. 27 in. only

GFR94/P4008 pair
61/-
Hollow wood inserted. 27 in. only
GFR95/P3500 pair
52/6

**DUNLOP****Cotton**

17/32 in. wide for wired standard and narrow section rims. 12 per Display Card (Superior Quality)

GFR101/C504 each
8d.

As above (standard quality) in bundles of 50 Tapes

GFR102/B1700 per 50

G.F.C. COTTON RIM TAPES


With Buckle. 84 in. long x 9/16 in. wide.
Folded in Bundles of 12

GFR100/D304 each
5d.

MOTOR AND CAR RIM BANDS

GFR105/E100 Motor Cycle each
1/6

GFR106/D1600 Car **2/-**
(Please state size required when ordering)



**DUNLOP
RUBBER RIM TAPES**

Rubber - Endless

$\frac{1}{2}$ in. wide for wired narrow section and
Endrick Rims. 36 per Display Carton
each

GFR103/D800 **1/-**

$\frac{3}{8}$ in. wide for Endrick Special Lightweight
(High Pressure) Rims. 36 per Display carton
each

GFR104/D800 **1/-**



RIM AND TYRE PAINT each

GFR107/E108 $\frac{1}{2}$ pint **2/6**
GFR108/E208 1 pint **4/-**



BIFURCATED RIVETS

$\frac{5}{32}$ in. x $\frac{5}{16}$ in. Heads
1 gross box assorted lengths

GFR111/G108 doz. **2½d.**

WEINMANN CORKS

For Hollow Sprint Rims. 144 per Tin

GFR97/G406 doz. **7d.**

WEINMAN 15G x 5/8 in NIPPLES

For wood inserted sprint rims

GFR98/G709 doz. **1/-**

WEINMANN NIPPLE WASHERS

7 gross per Tin


GFR99/G108 doz. **2½d.**

SINGLE RIMS

FRONT OR REAR

Supplied at Half Pair Price

SADDLES



LYCETT 3-COIL

A Tourist Model with solid leather top.
Size $10\frac{1}{2}$ in. x $5\frac{1}{4}$ in. x $3\frac{7}{8}$ in. Black Enamelled.

each

Weight 2 lbs. 4 ozs. L73 Gents.

GFS8/E1600 **24/-**

2 lbs. 2 ozs. L71 Gents


GFS9/E1400 **21/-**

2 lbs. 3 ozs. L73 Ladies

GFS10/E1600 **24/-**

2 lbs. 1 oz. L71 Ladies

GFS11/E1400 **21/-**




"G.F.C." 3-COIL

Selected leather top. 3 plain resilient coils
bolted throughout. $10\frac{1}{2}$ in. x $8\frac{1}{4}$ in.

each

GFS6/E809 Gents **13/-**

GFS7/E809 Ladies **13/-**



BROOKS 3-COIL. MODEL B 83

Specially selected leather top. Six wire
Bracket. 3-coil springs.

Size: $10\frac{3}{8}$ in. x $8\frac{3}{8}$ in. x $3\frac{1}{2}$ in. Weight
2 lbs. 12 ozs. Chromium Plated.

GFS1/E2804 each **42/6**

BROOKS 3-COIL MODEL

Similar to B 83 but four-wire bracket
3-coil Springs

Gents: Size $10\frac{1}{2}$ in. x $8\frac{3}{8}$ in. x $3\frac{7}{8}$ in.
Weight: 2 lbs. 6 ozs.


GFS2/E2304 Black-C.P. Clip each **35/-**

GFS3/E2504 Chromium Plated **38/-**

Ladies: Size $9\frac{3}{8}$ in. x $8\frac{1}{8}$ in. x $3\frac{7}{8}$ in.
Weight: 2 lbs. 5 ozs.

GFS4/E2304 Black - C.P. Clip **35/-**

GFS5/E2504 Chromium Plated **38/-**



No. M 15
DUNLOP 3-COIL SADDLES

10 $\frac{3}{4}$ in. x 8 $\frac{3}{4}$ in. 4 Wire Bracket. 3-Spiral Springs.

each
GFS13/EI300 19/6

No. D 7
DUNLOP SADDLES 3-COIL

10 in. x 8 in. 4 Wire Bracket. 3-Spiral Springs.

each
GFS14/EI204 18/6



LEATHERIES L. 50
SPRING SEAT SADDLES

Leathercloth Top. Four Wire Frame with two rear coil springs.

each
GFS24/EI000 15/-



G.F.C. SPRING SEAT SADDLES

Best Quality Black Leather Cloth

each
Roadster Model with two 3-coil rear springs.

GFS25/E809 13/-

Sports Model with Plain Wire Bracket.

GFS26/E809 13/-

Three-Coil Spring Roadster Model.

GFS26a/E902 13/9



LYCETT SADDLES

Single Loop. Four Wire Frame. Solid Leather Top. Black Enamelled.

each
Gents 10 $\frac{1}{2}$ in. x 8 $\frac{1}{4}$ in. x 2 $\frac{1}{4}$ in. L 72

GFS20/EI600 24/-

Ladies 9 $\frac{1}{2}$ in. x 8 $\frac{1}{4}$ in. x 2 $\frac{1}{4}$ in. L 72 L

GFS21/EI600 24/-



LYCETT

Similar to L 72 Model but lighter construction.

each
Gents 10 in. x 8 $\frac{1}{4}$ in. x 2 $\frac{1}{4}$ in. L 70

GFS22/EI400 21/-

Ladies 9 $\frac{3}{4}$ in. x 8 $\frac{1}{4}$ in. x 2 $\frac{1}{4}$ in. L 70 L

GFS23/EI400 21/-



LYCETT S. 21
SPRING SEAT SADDLES

Multi spring mattress girder. Four wire bracket. With two rear coils. Black or tan leathercloth covering tailored felt.

each
GFS27/EI104 Black 17/-

GFS28/EI304 Chromium 20/-



G.F.C. FOUR WIRE SADDLE

Good Quality Leather Top.

Size 10 $\frac{1}{2}$ in. x 8 $\frac{1}{4}$ in. on Strong Steel Underframe with Four Loop Springs.

each
GFS15/E809 Gents 13/-

GFS16/E809 Ladies 13/-

DUNLOP FOUR WIRE

each
No. F 34/2. 11 $\frac{1}{2}$ in. x 9 $\frac{1}{4}$ in.

GFS17/EI508 23/6

No. D 6. 10 in. x 8 in.

GFS19/EI108 17/6



BROOKS
SPRING SEAT SADDLES

B. 22. Multi-spring. Four wire bracket. With two rear coils. Tailored felt and $\frac{1}{4}$ in. non-absorbent rubber interlay. Finished quality Black or Tan leathercloth top. Chromium Plated.

each
Gents size 10 $\frac{3}{4}$ in. x 9 $\frac{1}{4}$ in. x 3 $\frac{1}{2}$ in.
GFS29/EI804 27/6

Ladies Size 9 in. x 9 $\frac{1}{4}$ in. x 3 $\frac{1}{8}$ in.
GFS30/EI804 27/6



**TERRY No. 1086 X
EXTRA COIL CYCLE SADDLES**

Seating Area $9\frac{1}{2}$ in. x $10\frac{1}{2}$ in.

GFS31/E1608 Gents Model .. each **25/-**

TERRY No. 1087 X

Seating Area $9\frac{1}{2}$ in. x $8\frac{1}{2}$ in.

GFS32/E1608 Ladies .. each **25/-**

REPLACEMENT TOPS FOR ABOVE

GFS32a/E808 .. each **13/-**



**WRIGHTS
POWER CYCLE SADDLE**

No. 65/3. Specially designed for Motorised Bicycles. With two rear powerful shock-absorbing tension coils. Vynide proofed seat, $10\frac{3}{4}$ in. x $11\frac{1}{2}$ in. Chromium Plated rear coils and clips.

GFS36/E1804 .. each **27/6**



**LYCETT
JUNIOR LEATHER SADDLE**

Solid leather top. Improved single wire frame. Eye bolt fitting, $\frac{5}{16}$ in. or $\frac{9}{16}$ in. Black enamel. Size $8\frac{1}{2}$ in. x $6\frac{1}{2}$ in. x $2\frac{1}{2}$ in. L 3.

GFS39/E600 .. each **9/-**



**WRIGHT'S
SPRING SEAT SADDLES**

S40. Covered one Piece Vynide Top. With Spring Cover Clip Checker, Black, Light or Dark Tan, Maroon or Green.

GFS33/E1104 .. each **17/-**




**LYCETT
JUVENILE SPRING SEAT**

S5 Mattress Spring construction on two-wire frame. Covered finest quality black or tan leathercloth.

$8\frac{3}{4}$ in. x $6\frac{1}{2}$ in. x 3 in. each


GFS37/E904 .. **14/-**



**BROOKS
JUVENILE THREE COIL SADDLE**

Selected leather top fitted on three coil springs and four wire bracket. Size 9 in. x $6\frac{1}{2}$ in. x $3\frac{1}{2}$ in. 5/8 in. or 7/8 in. clip. Black enamel. J 3.

GFS40/E804 .. each **12/6**



WRIGHT'S "FEATHERBED"

No. 505. With thick felt underlay. Deep springy airfoam interior. Soft leather anti-friction lining and luxuriously sprung mattress Vynide cover. Corner guard protected.

GFS34/E1804 Gents .. each **27/6**
GFS35/E1804 Ladies .. **27/6**



**BROOKS
JUVENILE SPRING SEAT**

J 9. Mattress Spring construction on two-wire frame. Covered finest tan leathercloth over $\frac{1}{4}$ in. thick non-absorbent rubber interlay. Chromium plated.

GFS38/E1300 .. each **19/6**



**BROOKS
FOUR WIRE JUVENILE SADDLES**

J 4. Four wire single loop model with specially selected leather top. 5/8 or 7/8 in. C.P. clip. Size 9 in. x $6\frac{1}{2}$ in. x $3\frac{1}{2}$ in.

GFS41/E1008 .. each **16/-**

J 5. As above. $10\frac{1}{4}$ in. x $6\frac{3}{4}$ in. x 2 in.

GFS42/E1400 .. each **21/-**

J 6. As above. 10 in. x $8\frac{1}{4}$ in. x $2\frac{1}{4}$ in.

GFS43/E1500 .. each **22/6**

**DUNLOP JUVENILE SADDLES**

S 1. 8 in. x 6½ in. 2 wire frame 9/16 in. 5/8 in. or 7/16 in. x 1½ in. Eye bolt type clip.

each
GFS44/E604 **9/6**

S 3. 8 in. x 6½ in. 2 rear springs, 2 wire girder bracket. 9/16 in., 5/8 in. or 7/16 in. 1½ in. eye bolt type clip.

each
GFS45/E700 **10/6**

With 5/8 in. or 7/8 in. adult type clip.

GFS45a/E704 **11/-**

D 5. 8¾ in. x 7 in. 4 wire bracket, 3 spiral springs. 7/8 in. clips.

each
GFS46/E1100 **16/6**

D 4. As above but four wire single loop frame.

each
GFS47/E1004 **15/6**

**LYCETT TWO WIRE SPORTS SADDLES**

L 15. With solid leather top. Mounted on light sturdy two-wire frame. Finished black enamel.

each
Standard 11 in. x 6¾ in. x 3½ in.
GFS48/E1600 **24/-**

Narrow 11 in. x 6 in. x 2¾ in.
GFS49/E1600 **24/-**

MANSFIELD RACE SADDLES

each
GFS49a/E3304 "North Road" .. **50/-**
GFS49b/E2404 "Bath Road" .. **37/-**

**BROOKS TWO WIRE SPORTS SADDLES****CHAMPION RANGE**

Brooks specially selected leather top. Hand rivetted. Two wire frame.

B 17. Standard Model
11 in. x 6¾ in. x 3½ in. 1 lb.-12 ozs.

each
GFS53/E3000 Black with C.P. clip **45/-**
GFS54/E3108 Chromium Plated **47/6**

B 17. Narrow Model.
11 in. x 6 in. x 3½ in. 1 lb.-10 ozs.

each
GFS55/E3000 Black with C.P. clip **45/-**
GFS56/E3108 Chromium Plated **47/6**

B 17. Swallow Model.
11 in. x 6 in. x 3½ in. 1 lb.-9 ozs.

each
GFS57/E4304 Black with C.P. clip **65/-**
GFS58/E4500 Chromium Plated **67/6**

B 17. Flyer Model.
11 in. x 5½ in. x 3 in. 1 lb.-8 ozs.

each
GFS59/E3000 Black with C.P. clip **45/-**
GFS60/E3108 Chromium Plated **47/6**

B 17. Sprinter Model.
11 in. x 4¾ in. x 2½ in. 1 lb.-7 ozs.

each
GFS61/E3000 Black with C.P. clip **45/-**
GFS62/E3108 Chromium Plated **47/6**

B 17. Competition Standard Model.
11 in. x 6½ in. x 3½ in. 1 lb.-7 ozs.

Designed specially for competition work. Available plain or grease dressed.

each
GFS63/E3008 Black with C.P. clip **46/-**
GFS64/E3204 Chromium Plated **48/6**

**DUNLOP CLUB SADDLES**

Two Wire Frame. Ref. CL 7.

each
Standard 11 in. x 6½ in. 2902
GFS50/E1500 **22/6**

Narrow. 11 in. x 6 in. 27½ oz.
GFS51/E1500 **22/6**

Sprint. 11 in. x 4½ in. 24¼ oz.
GFS52/E1500 **22/6**

BROOKS B 15 RACE SADDLES

Brooks selected leather top on two-wire frame.

B, 15. Standard Model
11 in. x 6¾ in. x 3½ in. 1 lb.-11 ozs.

each
GFS62a/E2108 Blk. with C.P. clip **32/6**
GFS62b/E2304 Chromium Plated **35/-**

B, 15. Narrow Model
11 in. x 6¾ in. x 2¾ in. 1 lb.-10 oz.

each
GFS62c/E2108 Black C.P. clip.. **32/6**
GFS62d/E2304 Chromium Plated **35/-**

B, 15. Flyer Model
11 in. x 5½ in. x 3 in. 1 lb.-8 ozs.

each
GFS62e/E2108 Black, C.P. clip.. **32/6**
GFS62f/E2304 Chromium Plated **35/-**

**G.F.C. SPORTS SADDLE**

Selected leather. Size 11½ in. x 6¼ in. on strong double wire frame.

each
GFS65/E809 **13/-**

MOTOR CYCLE SADDLES AND FOOTRESTS



LYCETT AUTO-CYCLE SADDLES
(Suitable for Power Assisted Cycles)

Spring mattress in girder frame. With two rear coils. Finest quality black leather-cloth with felt interlay. 7/8 in. seat pillar clip. Frame finished in black enamel.

10½ in. x 11½ in. x 3½ in. - 3 lbs.-13 ozs.
S. 185

each
GFS320/E1608 **25/-**



LYCETT PILLION SEAT

Two coil springs at front and rear. Slotted bracket at front giving ¾ in. vertical adjustment. Bolts on rear mudguard. Covered black Leathercloth with felt interlay. 10½ in. x 10½ in. wide.

each
GFS324/E2404 **36/6**

With strong handle at front.
GFS325/E2600 **39/-**

For "Douglas Vespa"
GFS326/E2404 **36/6**



LYCETT DUAL SEAT


A combination of moulded rubber and spring mattress suspension, with raised backs for both riders. Covered in hard wearing leathercloth. Girder frame with full adjustment.

Recommended for rigid frame motor-cycles
Model D.S.I. Fully sprung front and rear.

each
GFS318/E7000 **105/-**

Recommended for spring frame motor
cycles, Model D.S.2. Without vertical
coil springs.

each
GFS319/E6608 **100/-**




**LYCETT
SPONGE RUBBER PILLION SEATS**

Model S.2701. Covered best quality black leather cloth. Mounted on a steel base. For rear mudguard fitting

Size, 9½ in. x 7 in. wide. 2 lbs.-12 ozs.

each
GFS323/E1804 **27/6**



PILLION SEAT FOOT RESTS
(Adjustable)

Strong steel folding frame. Adjustable to suit varying leg lengths. Fitted two universal clips.

each
S. 16. Lightweight Model as illustrated.
GFS327/P600 **9/-**

each
S. 14. With cushioned rubber rests.
GFS328/P708 **11/6**


SADDLE SPARES

SADDLE SPRINGS

		each
GFS66/D208	Plain 3-Coil.	
GFS67/D504	Black Enamelled	4d.
	Chrome	8d.
GFS68/D300	Plain 4-Coil.	
GFS69/D608	Black enamelled	4½d.
	Chrome	10d.
GFS70/D304	Plain 5-Coil.	
GFS71/D800	Black enamelled	5d.
	Chrome	1/-
GFS72/D904	Twisted 5-Coil.	
GFS73/D1200	Black enamelled	1/2
	Chrome	1/6

Tension Rear. Chrome for Wright's Motorised Saddle. In pairs with connecting rod.

each
GFS74/E301 **4/8**



SADDLE TENSION SPRINGS

For Mattress Saddles.

		each
GFS75/D208	Short	4d.
GFS76/D404	Medium to long	6½d.

State overall length and type of ends required.

SADDLE SPRINGS BOLTS AND NUTS

		each
GFS77/D106	¾ in., 7/8 in., 1 in. or 1½ in.	2½d.

SADDLE TENSION PINS

GFS77a/D200	Round	each
		3d.
GFS77b/D300	Flatted	4½d.

SADDLE CLIPS

		each
Juvenile Eyebolt. 5/8 in. x 9/16 in.		
GFS78/E8	Black	1/-

Complete for Two Wire (Race) Frames.

GFS79/E308	Chrome	each
		5/6

Complete for Four Wire Frames.

GFS80/E110	Black	each
		2/6
GFS81/E206	Chrome	3/9

Complete for Six Wire Frames

GFS82/E110	Black	each
		2/6



CUSHY SADDLE COVERS

Incorporates thick one piece sponge rubber pad. Reversible high quality felt. Cloth and waterproof material. Easy fitting.

	Standard Size.	each
GFS91/E300		4/6
GFS92/E400	Extra Large (B90/2 etc.)	6/-



SADDLE CLIP BOLTS AND NUTS


GFS83/D500	Black enamelled	each
		7½d.
GFS83a/D904	Chrome	1/2



REPLACEMENT SADDLE TOPS

		each
Terry for extra-coil saddles.		
GFS84/E808		13/-
Lycett for S 21. saddles. 9¾ in. x 8½ in.		
GFS85/E406		6/9
To fit most cycle saddles. 10½ in. x 9½ in.		
GFS86/E406		6/9

SADDLE COVERS



BAYCLIFF

Reversible Saddle Covers. Felt Pad Type.

		each
CL 97. Khaki Single Texture Material.		
GFS93/E204		3/6

CL54. Olive Green Double Texture Material.		
GFS94/E208		4/-

"CUSHION" TYPE

No. 49. Soft filled in Olive Green Double Texture Material.

		each
GFS95/E304		5/-

"SOFTASEAT"

Sponge Filled, Saxe, Green, Wine.

GFS95a/E308		5/6
-------------	-------	-----

BROOKS PROOFIDE (Left)

Preserves and conditions all leather articles

		tin
GFS99/D1200		1/6

SADDLE BASE FRAMES

Complete with bolts and nuts. Double Wire. Black Enamelled.

	7 in. x 7½ in., 8 in. or 8½ in.	each
GFS87/E108		2/6

	9 in. 3-Wire Girder Pattern.	each
GFS88/E400		6/-

BROOKS OR LYCETT
WIRE BASE FRAMES

For B 17. or B 15. Range or Lycett L 15.

		each
GFS89/E206	Black enamelled	3/9
GFS90/E300	Chrome	4/6

MIDLAND
SORBO INTERIOR MODEL

Felt one side. Waterproof material the other. No. 758.

		each
GFS96/E310		5/9



MIDLAND MODEL 764

Well padded quality fawn felt. For Terry type spring top saddles.

		each
GFS97/E208		4/-

MIDLAND MODEL 760

Dri-sad. Easily and permanently fitted to the back of the saddle. Automatically rolls up when not in use. Waterproof rubber faced Material.

		each
GFS98/E208		4/-

SEAT PILLARS



STRAIGHT SEAT PILLARS

Chromium plated steel. 7/8 in. domed top.
 Sizes 7/8 in. - 15/16 in. - 1 in. or 1 1/32 in.

			each
GFS111/E105	9 in.		2/3
GFS112/E201	12 in.		3/2

"KROMO"

A. & P. Steel Chromium Plated. Straight
 Pattern 1 in. - 1 1/32 in. - 1 3/64 in. - 1 1/16 in.
 or 1 5/64 in. x 7/8 in. Domed Top.

			each
GFS99a/D4200	7 in.		5/3
GFS100/D4408	8 in.		5/7
GFS101/D4800	9 in.		6/-
GFS102/D5008	10 in.		6/4
GFS103/D5704	12 in.		7/2

A & P STEEL SEAT PILLARS

Chromium plated. Happy medium pattern.
 1 in. or 1 1/32 in. x 7/8 in.
 Domed Top.

			each
GFS114/D4808	8 in.		6/1
GFS115/D5308	10 in.		6/8 1/2
GFS116/D5800	12 in.		7/3

REYNOLDS ALUMINIUM
ALLOY SEAT PILLARS

Polished, straight pattern. 7/8 in. domed top.

each

No. 1 size (1 in.) x 8 in.

GFS104/D

No. 1 size (1 in.) x 10 in.

GFS104a/D

No. 2 size (1 1/32 in.) x 8 in.

GFS105/D

No. 2 size (1 1/32 in.) x 10 in.

GFS105a/D

No. 3 size (1 3/64 in.) x 8 in.

GFS106/D

No. 3 size (1 3/64 in.) x 10 in.

GFS106a/D

No. 4 size (1 1/16 in.) x 8 in.

GFS107/D

No. 4 size (1 1/16 in.) x 10 in.

GFS107a/D

No. 5 size (1 5/64 in.) x 8 in.

GFS108/D

No. 5 size (1 5/64 in.) x 10 in.

GFS108a/D



"L" PATTERN SEAT PILLARS

Chromium Plated Steel. 9 in. stem x 6 in.
 top fork. 7/8 in. saddle clips.

			each
GFS109/E203	1 in.		3/5
GFS110/E203	1 1/32 in.		3/5

SEAT PILLARS FOR
KIDDIES CYCLES AND TRICYCLES

Steel Chromium Plated

each

Kiddies "L" Pattern 65°


GFS119/E105 2/3

Tricycle "L" Pattern 77°

GFS120/E105 2/3

Tricycle "L" Pattern 90°

GFS121/E105 2/3

LODGE SHOCKPROOF
INSULATED COVERS

Covers for sparking plugs will fit 14 or
 18 mm. size elbow pattern.

each

GFS148/E100 M 90 1/6

M 90 X with built-in T.V. Interference
 suppressor

GFS149/E108 2/6

SPARKING PLUGS

ETC.

"K.L.G."

WATERPROOF PLUG COVERS

One Piece Bakelite

each

Type "S" Straight Pattern

GFS158/E207 1/2 3/6

Type "SS" Straight Pattern with suppressor

GFS158a/E300 4/-

Type "P" 90 deg. Angle Pattern
 Illustrated.

GFS159/E106 2/-

Type "PS" 90 deg. Angle Pattern with
 Suppressor

GFS159a/E110 1/2 2/6



TERMINALS

each

High Tension 5mm.

GFS155/D110 3d.


High Tension 7 mm.

GFS156/D300 4 1/2 d.

K.L.G.
GAP SETTING GAUGE

each

GFS157/E109 2/6



LODGE

K.L.G.

CHAMPION

FOR MOTORISED BICYCLE UNITS.

PLUG MANUFACTURERS RECOMMENDATIONS.

Type of Motor			K.L.G.	Lodge	Champion	Type of Motor			K.L.G.	Lodge	Champion
B.S.A. Winged Wheel	..	..	FE 20	—	N 7	Mini-Motor	49.9 cc.	..	F 50	C 14	J 8 *
Banomoto	..	..	F 50	C 14	N 8 B	Mosquito	38 cc.	..	F 70	H 14	L 10
Berini	38 cc.	..	F 70	C 10	N 8 B	Motamite	..	..	—	C N	—
Bikotor	47 cc.	..	Ten 205	C 14	—	Mocyc	..	..	F 70	C 10	L 10
Cylaid	31 cc.	14 mm.	F 50	C 14	N 8 B	Power-Pak	..	..	F 20	C 14	N 8 B
		10 mm.	Ten 50	C 10	Y 6	Quickley	..	..	F 80	2 HN	LA 10
Cyclemaster	26 cc.	..	F 50	C 14	N 8 B	Sachs	98 cc.	..	M 50	—	—
	32 cc.	..	F 50	C 14	L 10	Teagle	..	..	TFS 20	—	—
Anti Whisker	..	..	C 50	—	—	Vincent Firefly	..	..	F 20	—	N 8 B
Cymoto	48 cc.	..	F 50	C N	N 8 B	Velo - Solex	..	..	F 50	C N	L 10
Cucciolo	..	..	F 50 X	C 14	L 10	V.A.P.	..	..	F 50	—	J 12
Cicca	..	..	M 50	C 3	7						
G.Y.S.	49 cc.	..	Ten 50	—	Y 6						
		14 mm. Models	F 50	—	N 8 B						
ITOM.	48 cc.	..	F 70	H 14	L 10S						
	61 cc.	..	F 50	—	—						

QUANTITY RATES FOR 3 - 6 OR 12 DOZEN ASSORTED LOTS OF ANY ONE MAKE TAKEN IN ONE DELIVERY

LODGE, K.L.G. OR CHAMPION

PLUGS FOR MOTOR CYCLES, CARS OR COMMERCIAL
VEHICLES INCLUDING PLATINUM. RACING AND
WATERPROOF ALSO AVAILABLE.

WE SHALL BE PLEASED TO SUPPLY COPIES OF MANU-
FACTURERS LISTS, RECOMMENDATION WALL CHARTS
ETC. ON REQUEST.

TERMINAL NUTS
FOR SPARKING PLUGS

	(Brass)	each
GFS150/G1009	Lodge	1 1/2 d.
GFS151/G1009	K.L.G.	1 1/2 d.
GFS152/G1009	Champion	1 1/2 d.

EXTERNAL SEATING WASHERS
FOR SPARKING PLUGS

Packed in Polythene Bags of 144

		each
GFS153/G1009	14 mm.	1 1/2 d.
GFS154/G1009	18 mm.	1 1/2 d.

SPOKES AND NIPPLES



STOCKED IN ALL LENGTHS

PLAIN GAUGE SPOKES

Complete with R.T. Nipples.
Rustless.

		doz.
GFS160/G904	13 G.	1 1/2
GFS161/G608	14 G.	1 0 d.
GFS162/G604	15 G.	9 1/2 d.

PLAIN GAUGE SPOKES
ONLY

	Unthreaded.	Rustless	doz.
GFS165/G1604	8 G.		2 1
GFS166/G1011	10 G.		1 5
GFS167/G609	12 G.		10 1/2 d.
GFS168/G508	13 G.		8 1/2 d.

SINGLE BUTTED SPOKES

Complete with R.T. Nipples.
Rustless

		doz.
GFS169/G1200	12/14 G.	1 6

DOUBLE BUTTED SPOKES

Complete with R.T. Nipples.
Rustless

		doz.
GFS170/G904	15/17 G.	1 2
GFS171/G911	14/16 G.	1 3
GFS171a/G1407	12/14 G.	1 10

**RIM WASHERS**

		doz.
GFS172/G6	·175in. 13G ..	$\frac{1}{2}$ d.
GFS172a/G5	·15in. 14 or 15G ..	$\frac{1}{2}$ d.
GFS173/G8	·2in. 10, 12 or 13G	1d.
GFS173a/G103	·25in. 10 or 12G	2d.
GFS173b/G108	·3in. 8, 10 or 12G	2½d.
Weinmann Nipple Washers (7 gross in tin).		
GFS174/G108		2½d.

NIPPLES FOR SPOKES

Brass Nickel Plated. Cut Thread and Roll Thread.


	doz.
·3 in. for 8G, 10G or 12G. C.T.	
GFS175/G1500	1/10½
·2 in. for 10G or 12G. C.T.	
GFS177/G508	8½d.
·25 in. for 8G or 10G. C.T.	
GFS179/G906	1/3
175 in. for 13G. C.T. and R.T.	
GFS180/G400	6d.
·15 in. for 14G or 15G. C.T. and R.T.	
GFS181/G300	4½d.
15G Cadmium Plated. ·15 in. x 7/16 in.	
For Alloy Rims.	
GFS182/G400	6d.
15G x 5/8 in. for Wood Inserted Rims.	
Weinmann.	
GFS183/G702	11d.

**SPOKE DIES**

	each
GFS193/E308	6G to 13G .. —
GFS193a/E402	14G to 16G. .. —

SPOKE DIE HOLDERS

	each
GFS194/E706	 —

**CYCLO
SPOKE SCREWING MACHINE**

Simple sturdy fool-proof machine worthy of a place in every cycle builder's equipment. Supplied less roller head Ref. 155a.

GFS195/E1500	each —
--------------	--------

**ROLLERS FOR CYCLO
SPOKE SCREWING MACHINE**

Available Set 13, 14 or 15 gauge. But normally supplied set 14 gauge. Simple adjustment by means of ring body. Ref. 155

GFS196/E2200	each —
--------------	--------

**MOTOR CYCLE
SPOKE SCREWING MACHINE
(Cyclo)**


This spoke rolling machine is sturdy and fool-proof and will provide a perfect thread. Complete for vice or bench use.

	each
With 8 - 9 or 10 Gauge Head	
GFS197/E7000	—

COMPLETE ROLLING HEAD


For Motor Cycle Spoke Screwing Machine.

	each
GFS198/E4500	8 Gauge Head .. —
GFS199/E4500	9 Gauge Head .. —
GFS200/E4500	10 Gauge Head .. —

**SPOKE CUTTERS**


"Eldi" Spoke Cutters. Toggle Action. Strong Solid Construction.

	pair
GFS201/P1700	 —


**G.F.C.
FOUR-WAY NIPPLE KEY**

Case Hardened for 10 - 15 G Nipples. 12 per Card.

GFS202/C400	each 6d.
-------------	----------

**BROOKS
SIX-WAY CHROMIUM NIPPLE
KEYS**

GFS203/D800	each 1/-
-------------	----------

**G.F.C.
BAR TYPE NIPPLE KEY**

In polished finish for 14 or 15 G Nipples.

GFS204/D500	each 7½d.
-------------	-----------

**CYCLO
"BENELUX" NIPPLE KEYS**

For 14 or 15 G Nipples. Bronze Finish. 12 per Card.

GFS205/C1200	each 1/6
--------------	----------

**SPOKE NIPPLE KEYS****"KING DICK"**

Single way Nipple Key for 15 G nipples.

GFS206/D909½	each 1/2
--------------	----------

**"KING DICK"**

Four-way Nipple Keys for 10, 11, 13, 15 G Nipples.

GFS207/D1609 $\frac{1}{2}$ each **2/-**

"KING DICK"

Six-way Nipple Key. Round Type for 6, 10, 11, 12, 13, 15 G Nipples.

GFS208/D2003 $\frac{1}{2}$ each **2/5**

**THE "SURE FIT"
PEG AND CONE SPANNER**

Extra strong with separate hardened wire pegs.

GFS220/D300 each **4 $\frac{1}{2}$ d.**

**SIX-WAY SPANNERS**

G.F.C. 10 G. Enamelled. each
GFS223/D604 **9 $\frac{1}{2}$ d.**

Brooks No. 7 Chrome Steel
GFS224/D1000 **1/3**

SPANNERS**"KING DICK"
ADJUSTABLE SPANNERS**

	In Blued Finish	each
GFS209/E500	No. 0 Size 3 in. ..	7/2
GFS210/E600	No. 1 Size 4 in. ..	8/6
GFS211/E804	No. 2 Size 6 in. ..	11/10

**BLOCK SPANNERS**

Specially hardened. Fits standard cycle nuts.

GFS215/D1606	B.S.A.	each 2/1
GFS216/D1800	Brooks No. 2 ..	2/3

**THE "UNIVERSAL"
NUT, PEG AND CONE
SPANNER**

Fits standard cycle nuts, cones and peg holes.

GFS221/D508 each **8 $\frac{1}{2}$ d.**

**"C.I." DUMBELL SPANNERS**

"Ten-in-One"

Designed to fit standard British and foreign cycle nuts. Light yet strong. Approx. 4 $\frac{3}{8}$ in. overall. 12 per Counter Display Carton. Self-colour or black.

GFS225/D808 each **1/1**

"SIX - IN - ONE"

A handy sized pocket spanner. Nut sizes include cotter pin. Less than 4 in. overall. 12 per Counter Display Carton.

GFS226/D608 each **10d.**

**G.F.C. "K.D." PATTERN
ADJUSTABLE SPANNERS**

Black Finish.

		each
GFS212/E404	4 in.	6/6
GFS213/E600	6 in.	9/-

**SWIVEL HANDLED
SPARKING PLUG SPANNER**

Fits 14 or 18 mm. Plugs.

GFS214/D2408 each **3/1**


**PEG AND CONE SPANNERS**

Hardened Pegs.

		each
GFS217/E200	B.S.A.	3/-
GFS218/D704	Brooks No. 3 Chr'm	11d.
GFS219/D504	G.F.C.	8d.

**FOUR-WAY SPANNERS**

	G.F.C. 10 $\frac{1}{2}$ G. Enamelled.	each
GFS222/D504		8d.
	Brooks No. 8 Chrome Steel.	
GFS222a/D800		1/-

**PEDAL SPANNERS**

each

"King Dick" Chrome Steel. 13 in. long.
GFS227/E500 **7/2**

"Terry" Blued Steel - 12 in. long.
GFS229/E208 **4/-**

"Cyclo" 13 in. long.
GFS230/E303 **4/10½**

**HEAD AND LOCK RING SPANNER**

Steel Chrome Finish.

GFS234/D1000 Brooks No. 6 **1/3**

**TERRY TEMPERED STEEL SPANNERS**

Double ended - Blued finish.

WHITWORTH

GFS236/D400	3/32in. x 1/16in.	each
GFS237/D408	1/8in. x 5/32in.	6d.
GFS238/D608	3/16in. x 1/4in.	7d.
GFS239/D1000	5/16in. x 3/8in.	10d.
GFS240/D1400	7/16in. x 1/2in.	1/3

GFS241/S304 Set of Five **1/9**

B. A.


GFS242/D400	Size 0 BA x 2 BA	each
GFS243/D400	1 BA x 3 BA	6d.
GFS244/D304	4 BA x 6 BA	6d.
GFS245/D304	5 BA x 7 BA	5d.
GFS246/D208	8 BA x 10 BA	5d.
GFS247/D208	9 BA x 11 BA	4d.

GFS248/S108 Set of Six **2/6**

METRIC**SET OF SIX SPANNERS**

6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15 and 16 x 17.

GFS248a/S308 No. 1402 **5/6**


**"KING DICK" DOUBLE OFFSET RING SPANNERS**

Chrome Vanadium

3/16in. x 1/4in. BSF - 1/8in. x 3/16in. Whit.	each
GFS267/E400 1.	5/9
1/4in. x 5/16in. BSF - 3/16in. x 1/4in. Whit.	
GFS268/E403 2.	6/1
5/16in. x 3/8in. BSF - 1/4in. x 5/16in. Whit.	
GFS269/E410 3.	6/11
3/8in. x 7/16in. BSF - 5/16in. x 3/8in. Whit.	
GFS270/E509 4.	8/3
7/16in. x 1/2in. BSF - 3/8in. x 7/16in. Whit.	
GFS271/E704 5.	10/6
1/2in. x 9/16in. BSF - 7/16in. x 1/2in. Whit.	
GFS272/E805 6.	12/1
9/16in. x 5/8in. BSF - 1/2in. x 9/16in. Whit.	
GFS273/E1003 7.	14/7

Set of the above seven spanners
(Packed in cardboard box).


GFS274/S4404 **63/4**

**"KING DICK" DOUBLE ENDED CHROME VANADIUM RING SPANNERS**

3/16in. x 1/4in. BSF - 1/8in. x 3/16in. Whit.	each
GFS260/E311 1.	5/7
1/4in. x 5/16in. BSF - 3/16in. x 1/4in. Whit.	
GFS261/E403 2.	6/-
5/16in. x 3/8in. BSF - 1/4in. x 5/16in. Whit.	
GFS262/E406 3.	6/6
3/8in. x 7/16in. BSF - 5/16in. x 3/8in. Whit.	
GFS263/E501 4.	7/3
7/16in. x 1/2in. BSF - 3/8in. x 7/16in. Whit.	
GFS264/E507 5.	7/11
1/2in. x 9/16in. BSF - 7/16in. x 1/2in. Whit.	
GFS265/E601 6.	8/8


Set of above six spanners

GFS266/S2811 **41/4**

**BLUEMELS****"UNIVERSAL" POCKET SPANNERS FOR CYCLES**

A combination tool covering a range of hexagonal nuts. One end shaped as tyre lever.

GFS233/E6 **9d.**

**"KING DICK" DOUBLE OPEN-ENDED CHROME VANADIUM SPANNERS**

WHITWORTH OR B.S.A.

3/16in. x 1/4in. B.S.F. - 1/8in. x 3/16in. Whit.	each
GFS250/E209 1.	3/11
1/4in. x 5/16in. B.S.F. - 3/16in. x 1/4in. Whit.	
GFS251/E304 2.	4/9
5/16in. x 3/8in. BSF - 1/4in. x 5/16in. Whit.	
GFS252/E308 3.	5/2
3/8in. x 7/16in. BSF - 5/16in. x 3/8in. Whit.	
GFS253/E406 4.	6/4
7/16in. x 1/2in. BSF - 3/8in. x 7/16in. Whit.	
GFS254/E502 5.	7/5
1/2in. x 9/16in. BSF - 7/16in. x 1/2in. Whit.	
GFS255/E607 6.	9/5


Set of the above six spanners.
(packed in metal clip).

GFS257/S2507 **36/7**

9/16in. x 5/8in. BSF - 1/2in. x 7/16in. Whit.
GFS258/E800 7. **11/5**

Set of the above seven spanners.
(Packed in metal clip).

GFS259/S3306 **47/10**



APPOLLO TUBULAR BOX SPANNERS

No. 11.

For bolts 1/8in., 3/16in., 1/4in., 5/16in. and 3/8in. Whitworth and square nut 9/32in. across flats. Complete with screwdriver type tommy bar.


GFS275/S302 set
4/9



TERRY MAGNETO SPANNERS

8 leaves, screwdriver and .012 feeler gauge.

GFS235/E104 No. 905 each
2/-



"G.F.C." FEELER GAUGES

6 Blade


GFS276/E204 each
3/6



BROOKS SADDLE TENSION SPANNERS

No. 3/T. Chrome Steel. each
GFS231/D800 1/-

No. 5. Chrome Steel. each
GFS232/E108 2/6



PHILLIPS M719 COMBINATION SPANNER

12 per Display Card each
GFS248/C710 1/-

PHILLIPS No. M710

Combined Cone Spanner and Tyre Levers

GFS249/C405 12 per display card each
7d.

SCREWDRIVERS



"STEAD" HANDY SCREWMASTERS

Plastic handled pocket Screwdrivers with carbon steel blades. 1/8 in. dia. Handles finished in a variety of colours.

GFS277/D309	2 1/2 in. Blade	..	..	..	..	..	..	..	..	each
GFS278/D406	4 in. Blade	..	..	..	..	..	..	..	..	5d.
GFS279/D900	6 in. Blade	..	..	..	..	..	..	..	..	6d.
										1/-

Display Cards of 24 Screwmasters
18 - 2 1/2 in. Blades and 6 - 4 in. Blades.


GFS280/C700

CABINET SCREWDRIVERS

With Beech Handles. Ground hardened blades. Polished oval turned Beech handles and steel ferrules.

GFS281/D2008	3 in. Blade	..	..	..	..	..	..	..	..	each
GFS282/D2304	4 in. Blade	..	..	..	..	..	..	..	..	2/7
GFS283/D2504	5 in. Blade	..	..	..	..	..	..	..	..	2/11
GFS284/D2808	6 in. Blade	..	..	..	..	..	..	..	..	3/2
										3/7

WELDING, SOLDERING AND BRAZING MATERIALS



BRAZING BRUSHES

4 Row. 12 in. x 1 1/2 in. cut. each
GFS285/D1904 2/5

2 Row. 10 in. x 1 1/2 in. cut. 1/10
GFS286/D1408

BRAZING WIRE

GFS287/Lb303 each



CHEMICO BRAZING FLUX

For Copper and Mild Steel. each

GFS288/D3200 1 lb. tins .. 4/-
GFS289/E4900 28 lb. tins .. —
1 cwt. (in 28 lbs. tins)
GFS290/Cwt19200 —



CHEMICO WELDING FLUX


For Cast Iron Welding

GFS291/D3600 1 lb. tins .. 4/6
GFS292/E5200 28 lb. tins .. —

**SOLDER**

Best Grade

GFS293/Lb500	Tinman	..	—
GFS294/Lb500	Blow Pipe	..	—

**"BAKERS" SOLDERING FLUID**

GFS295/DI506	4 Fluid ozs.	..	each 1/10
GFS296/D2606	8 Fluid ozs.	..	3/2
GFS297/D3306	12 Fluid ozs.	..	4/-

**DIRTY PAWS**

Antiseptic - Anti-dermatic. Gritless hand cleaner. Removes grease, grime, oils, paint, tar and printing inks. Leaves the skin soft and smooth. Also useful for cleaning paint work and paint brushes. Will remove wax polish from floors, leather upholstery and shoes, car bodies, etc.

GFS301/DI008	In handy tubes	each 1/4
GFS302/DI504	In small tins	.. 1/11

**ERSIN MULTICORE SOLDER**

3-cores of ersin flux in correct proportion for high speed precision soldering. No additional flux required.

Handy Reels in printed Carton.

GFS300/D400	..	..	..	carton 6d.
-------------	----	----	----	------------

MULTICORE TAPE SOLDER

No soldering iron or flux required. Melts with a match.

24 Cards per Display Carton

GFS300a/DC800	..	..	..	card 1/-
---------------	----	----	----	----------

HAND SOAPS**SWARFEGA HAND CLEANER**

Antiseptic non-abrasive jelly. Rapid in action. Requires no hot water and leaves skin clean and smooth.

GFS307/DI306	10 oz. tins	..	each 1/6
GFS308/EI206	1 gall cans	..	—

ALBION "ANKEROID" STRIP SOLDER

24 Strips per Card

GFS298/C403	..	..	..	per strip 6d.
-------------	----	----	----	---------------

ALBION "FLUXOL" FLUX CORED SOLDER

24 Strips per Card.

GFS299/C400	..	..	..	per strip 6d.
-------------	----	----	----	---------------

**GENUINE GRE-SOLVENT PASTE**

No. 2 tins (approx. 1 lb.)	each
GFS303/DI006	.. 1/2
No. 3 tins (approx. 2 lb.)	
GFS304/DI800	.. 2/-
7 lb. Tins	
GFS304a/E406	.. 6/-
28 lb. Slip-lid tins	
GFS305/EI306	.. 18/-

**GRE-SOLVENT POWDER**

(For general cleaning purposes)

In Handy Shaker Canisters

GFS306/D803	..	..	..	each 11d.
-------------	----	----	----	-----------



DUNLOP PATCHING SOLUTION

TUBES

Small 3 in. x 9/16 in.

GFS309/D304	12 per display carton	5d.
GFS310/D301	36 per display carton	5d.

Large 4 in. x 3/4 in.

GFS311/D408	12 per display carton	7d.
-------------	-----------------------	-----

FLASKS

Small 3 1/2 in. x 1 1/2 in.

GFS312/D800	6 per display carton	1/-
-------------	----------------------	-----

TINS

GFS313/D1000	Small. 1/2 pt. approx.	1/3
GFS314/D1600	Medium. 1/2 pt. app.	2/-
GFS315/D2800	Large. 1 pt. app.	3/6

FOR TUBULAR TYRES

For Proofing of Side Walls.

GFS316/D2400	Flask (4 oz. app.)	3/-
--------------	--------------------	-----

For Tube and Fabric Repair.
Tube. 3 in. x 9/16 in.

GFS317/D304	12 per display carton	5d
-------------	-----------------------	----



PHILLIPS SINGLE PROP STAND

For 26 in. wheels. Clips on chain stays.
Silver enamelled finish.

GFS330/E309		each 5/7
-------------	---------	-------------



DUNLOP DUSTING CHALK

FC/2 Small Flasks (6 per carton)

GFS318/D600	FC/3 Tin 12 oz. approx.	each 9d.
GFS319/D1600	FC/4 Bag 7 lb.	2/-
GFS320/E300	"G.F.C." Small Tins	
GFS321/D208		4d.



DUNLOP WIRE BRUSHES


Small

GFS322/D400	12 per card	.. each 6d.
-------------	-------------	----------------

Large

GFS323/C400	6 per card	.. 1/-
-------------	------------	--------


CYCLE STANDS



SHURESTA ADJUSTABLE PROP STAND

Fits all makes of cycle and is adjustable for
26 in or 28 in wheels.


GFS329/E510		each 8/9
-------------	---------	-------------



SHURESTA "XL" CYCLE STAND

Suitable for motorised cycles - 26 in. or
28 in. wheels - This stand has unique
retracting legs which fold back along the
chain stays when not in use.


GFS335/E1006		each 15/6
--------------	---------	--------------



SHURESTA "V" STAND

Fits all cycles from 26 in. to 28 in. wheels.
Particularly suitable for motorised cycles.


GFS334/E706		each 11/3
-------------	---------	--------------



SHURESTA DISPLAY STAND

For all types or size of bicycle.


GFS336/E1108		each 16/6
--------------	---------	--------------



PHILLIPS CYCLE DISPLAY STANDS

Adaptable for all cycles (except kiddies).
Silver base with chrome plated arms.

each
GFS338/E407 **6/10**



LLOYDS "MINI-STAND"

Twin leg fold-up type. Clips on chain stays.
Suitable for motorised cycles.

each
GFS332/E804 Black Enamelled **12/6**



INSULATING TAPE

High Grade Adhesive Tape for Electrical
and General Purposes.

		each	
GFT1/D400	5 yd. rolls. $\frac{1}{2}$ in.	6d.	
GFT1a/D608	10 yd. rolls. $\frac{1}{2}$ in.	10d.	
GFT2/D706	10 yd. rolls. $\frac{3}{8}$ in.	11½d.	
GFT3/D806	10 yd. rolls. $\frac{3}{4}$ in.	1/1	

DUNLOP INSULATING TAPE

IT/2 2 yard x 5/8 in. 24 per carton.

each
GFT3a/D400 **6d.**

IT/5 5 yards x 5/8 in. 12 per carton.

GFT3b/D600 **9d.**

IT/10 10 yards x 5/8 in. 12 per carton

GFT3c/D1000 **1/3**

IT/25 25 yards x $\frac{1}{2}$ in.

GFT3d/D1600 **2/-**

TOURING BAGS

BROOKS LEATHERCLOTH



MILLBROOK

9 in. x 7 in. x $6\frac{1}{2}$ in.

each
GFT4/E606 **9/9**



GLENBROOK

13 in. x 7 in. x $6\frac{1}{2}$ in.

each
GFT5/E1203 **18/5**



FLEETBROOK

11 in. x 8 in. x $9\frac{3}{4}$ in.

Black or Tan

each
GFT6/E1203 **18/5**

**LEABROOK**

13in. x 7in. x 6½in.
Black or Tan

GFT7/E1404 each
21/6
Excl. P.T.

**MOSSBROOK**

13in. x 8in. x 9½in.
With quick release fitment.

GFT8/E2000 each
30/-
Excl. P.T.

**ROYALBROOK**


13in. x 8in. x 9½in.
With quick release fitment.

GFT9/E3500 each
52/6
Excl. P.T.

BROOKS CANVAS**NORTHBROOK**

11½in. x 6½in. x 7in.

GFT10/E1507 each
23/4
Excl. P.T.

**QUEENSBROOK**

12½in. x 7in. x 9in.
With quick release fitment.

GFT11/E2400 each
36/-
Excl. P.T.

**KINGSBROOK**

13in. x 8in. x 9½in.

GFT12/E3105 each
47/2
Excl. P.T.

**"JUNIOR"**


A useful compact bag in best quality leathercloth with bag stiffened by fibre-board. 10in. x 7in. x 3in.

GFT13/E310 each
5/9

"RAMBLER"

Similar to "Junior" but with front tool pocket. 10in. x 7in. x 4½in. to 3in.

GFT14/E602 each
9/3

BAYCLIFF**"MOORSIDE"**


In best leathercloth, with one end pocket and cape strap loops. 10in. x 8½in. x 7in.

GFT15/E808 each
13/-

**"MINOR"**


A well designed shaped bag in leathercloth, permanently stiffened at the ends. 9in. x 7in. x 7in.

GFT16/E604 each
9/6

**"CAPE ROLL"**

Designed to keep oilskin in good condition. With zip fastening. 13in. x 5in. dia.

GFT17/E508 each
8/6

**"STRONG PACK"**

In heavy duty canvas, lined twill. With two end pockets. With leather bound hood flaps and fastening straps.


13in. x 9in. x 8½in.

GFT24/E2400 Black each 36/-
GFT25/E2400 Tan each 36/-

"ROUGH RIDER"

A larger edition of the "Strong Pack". 15in. x 9in. x 9½in.

GFT28/E2800 Black each 42/-
GFT29/E2800 Tan each 42/-

**"PACKEASY"**

Removable fibre board body lining gives rigidity and strength. Fitted permanent stiffened ends. Two end pockets and cape strap loops. 13in. x 9½in. x 7in.

GFT21/E1308 each
20/6

**"GOODWILL"**

Two end pockets and cape strap loops, in best quality leathercloth.


13in. x 7in. x 7in.

GFT19/E 1000 each
15/-

**"BRAESIDE"**


Rich grain tan leathercloth touring Bag. Permanently stiffened ends with one end pocket. Cape strap loops.

GFT26/E908 each
14/6

**"ROUNDER"**

A full capacity bag with stiffened circular ends and detachable fibre body lining. Cape loops provided. 13in. x 7in. dia.

GFT18/E1000 each
15/-

**"HIGHWAY"**


No end pockets. In heavy duty canvas, with twill lining. 13in. x 9in. x 8½in.

GFT22/E1708 Black each 26/6
GFT23/E1708 Tan each 26/6

**"BEACHSIDE"**

Tan leathercloth with natural hide leather parts. Reinforced to take wear of saddle springs. 13 in x 9½ in. x 7 in.


GFT27/E1404 each
21/6

**"HARDWEAR"**

Black Mail Waterproof Material

Black hide leather fittings. Oilskin lining to underside of flap. Two end pockets. Cape strap loops. 11½ in. 7¾ in x 6¾ in.

GFT20/E1304 each
20/-



THE RANGER NON-SWAY MODEL

Black leathercloth. Two side pockets.
Exclusive saddle spring recess and box
girder suspension.


13in. x 9in. x 7in. to 5in.

each
GFT29a/E1604 24/6

THE "RANGER MINOR"

"Non-Sway", as above, but size
13in. x 8in. x 6½in. to 6in.

each
GFT29b/E1508 22/-



MIDLAND HANDLEBAR TOURING BAG

Manufactured from hard wearing canvas
This bag measures 10in. x 5½in. x 8in.
Two side pockets and front pocket.

each
GFT49/E2004 Tan 30/6

MIDLAND



"WEEKENDER"

Two side pockets. Best quality leather-
cloth. Exclusive box girder suspension.

13in. x 8in. x 7in. to 5in.

each
GFT30/E903 No. 652/2P 13/10


As above, Tan Canvas.

GFT30a/E1202 No. 672 18/3

As above, but without side pockets.

Black Leathercloth.

each
GFT31/E310 No. 654 5/9




TANDEM

With special steel reinforcements at front
and bottom. Extra strong steel suspension
and board stiffened ends. Two side pockets,
one with tool roll - and large front map
pocket. Midland supreme saddle spring
recess in special hard-wearing "Hidene"
material.

15in. x 13in. x 8in.

each
GFT34/E2800 42/-



MIDLAND FRONT TOURING PANNIERS


Size 11in. x 10½in. to 5½in. x 4in. Specially
designed for fitment to front of cycle.

pair
GFT50/E1308 Black leathercloth 20/6
GFT51/E1600 Tartan leathercloth 24/-
GFT52/E1704 Tan canvas 26/-

MIDLAND No. 4762 CANVAS TOURING PANNIERS

Set of two bags (12in. x 12in. x 4½in.).
Best quality proofed canvas. Easily fitted
or detached. Two end thermos flask
pockets.

pair
GFT56/P4104 Black 62/-
GFT57/P4104 Tan 62/-



"DAYSPIN"

Day touring bag designed to give sterling
service. Proofed canvas material. Midland
supreme box. Girder suspension.

13in. x 9in. x 10in. to 8in.

each
GFT39/E1300 Black 19/6
GFT40/E1300 Tan 19/6



"G.F.C."

LEATHERCLOTH TOURING BAG

Best quality black leathercloth. With leather re-inforcement. Suspension bar of hardened steel rod.

each

LUNCH

10in. x 4½in. x 7in. No pocket.

GFT43/E406 **8/11**
inc. P.T.

A capacious bag for a day's run

12in. x 7in. x 7in. No pocket.

GFT44/E600 **11/11**
inc. P.T.

12in. x 7in. x 7in. No pocket.

Tan Leathercloth.

GFT44a/E600 **11/11**
inc. P.T.

12in. x 7in. x 7in. Two end pockets.

GFT45/E710 **15/6**
inc. P.T.

12in. x 8½in. x 6in. Two end pockets.

GFT46/E910 **19/6**
inc. P.T.




**MIDLAND
TOURING FRAME BAG**

Size 18in. x 12in. x 3in. Ideal for motorised cycles. Securely fitted to frame by four leather straps. Flap fastened by straps and press studs. Black leathercloth, re-inforced by steel suspension bar.

each

GFT48/E1200 **18/-**



MIDLAND No. 4787

Two bags each measuring

12in. x 12in. x 5in.

pair

GFT53/P2704 Black canvas .. **41/-**

GFT54/P2704 Tan canvas .. **41/-**

GFT55/P2104 Black leathercloth **32/-**




**MIDLAND
DOWN TUBE BAG**

For the lady tourist. 4in. x 4in. x 10½in. to 12in. High grade black leathercloth. With zipp fastener. Fits securely on the down tube.

each

GFT47/E804 **12/6**



**THE MIDLAND
"QUICK RELEASE" PANNIER**

Designed for use with cycles fitted with motorised units. Two bags 12in. x 12in. x 4in. Fitted to rigid metal frames for easy attachment to the steel carrier. (Stay 26in. W. or 28in. W. spindle fittings). The bags are of high quality, black, double texture, proofed material. Ideal for Cyclemaster but can be fitted to cycles with other types of motorised units.

set

GFT58/S2710 No. 4749 **41/9**
excl. P.T.




MIDLAND PANNIER SET

4825/4847

For fitment to cycles with Mini Motor. Set consists of two bags, 12in. x 8in. x 4½in. The frame provides a carrier platform, Size 8in. x 13½in. The panniers are of double black proofed material.

set

GFT59/S3200 **48/-**
excl. P.T.

**"CAMPER" PANNIER**


Made for the solo rider. Fibre stiffened backs. Rear end pockets with hooded leather bound lids. Hide carrying and supporting straps. Size 12in. x 11in. x 4½in.

pair
GFT61/P3704 56/-

BAYCLIFF**"LONGTOUR" PANNIERS**


Designed on similar lines to Camper except that one of the pockets is of sufficient capacity to hold a one pint vacuum flask. The other for maps, tools, etc. Main strapping is 1 inch real hide leather. 15in. x 12in. x 6½in.

pair
GFT62/P 78/6

**"SOLO" PANNIER BAGS**

Good quality rubber faced cloth. Two end pockets and a special feature is extra wide suspension straps. Full chrome leather. With wearing piece between strap and metal carrier. Fibre stiffened. Size 12in. x 11in. x 4½in.

pair
GFT60/P2400 36/-

PANNIER CARRIERS**BAYCLIFF**


Folding pattern strip steel. Black enamelled. Patented clips. Grips positively to rear fork.

each
GFT63/E810 13/3

**MIDLAND**

Super steel tubular metal frame with clips to ensure a fitting to down tube. 15in. x 5in.


each
GFT64/E608 Black Enamelled 9/11
GFT64a/E800 Coloured Finish 12/-

**ASHBY PANNIER CARRIERS**

No. 45 Pannier Carrier. Tubular Folding.


With Ridged Adjustable Arms.

each
GFT39/E800 Black 12/-
GFT40/E804 Silver 12/-

**LLOYDS PANNIER CARRIERS**

An extremely strong tubular carrier with four point attachment. Fold flat for storage.

GFT65/E804	Steel Black Enamelled		each
GFT66/E1300	Polished Alloy		12/6
			19/6

**No. 7****SPORTSMAN'S
No. 7 TOECLIPS**


Fully adjustable tempered spring steel.
Chromium Plated pair

GFT70/P300 4/6

**G.B. TOE CLIPS**

Made from spring quality stainless steel.
Highly Polished. pair

GFT73 P404 Bolt-on type .. 6/6
GFT73a P404 Clip-on type .. 6/6

**SPORTSMAN'S
WIRE TOE CLIPS**

Adjustable tempered steel wire.
Chromium Plated.

GFT71/P202 No. 8 pair
3/3

**WANDERLUST**

Fully adjustable toe clip with long strap loop.
Carbon steel hardened and tempered.
4 ozs. per pair. Chromium plated.

GFT74/DP3808 pair
4/10

**BROOKS No. 3710**

6in. x 3in. x 1½in. box type construction covered black leathercloth.
each
GFT69/D2808 3/7
Excl. P.T.

BROOKS No. 2306

Solid leather stiff ends. 6½in. x 3in. x 1½in.


GFT69a/D3904 each
4/11
Excl. P.T.

BAYCLIFF TOOL ROLLS

For fitment to Highway or Pathfinder Touring Bags by press stud. Tool roll clips inside front edge of bag.


GFT67/E202 each
3/3

FOR BAG STRAPS SEE UNDER CARRIER STRAPS
(see page 24)

TOE CLIPS**SPORTSMAN'S
No. 17 TOE CLIPS**

Extra wide toe piece. Chromium plated.

GFT72/P110 pair
2/9

**ASHBY "ACE" TOE CLIPS**


No. 20 chromium plated spread head pattern.

GFT72a/P206 pair
3/9

**TYPE MONIQUE**


Non-adjustable carbon steel. Hardened and tempered. Weight $3\frac{1}{2}$ ozs. per pair. Chromium plated.

GFT75/P210 pair
4/3

**BROOKS TOECLIPS**

Spring steel with ribbed and looped clip to take straps. Chromium plated.

GFT76/P308 Adjustable No. 7 .. pair 5/6
GFT77/P300 Non-adjustable No. 3 4/6

**CATOS TOE CLIPS**

Chromium plated spring steel. High class finish.

GFT78/P304 No. 101 Adjustable .. each 5/-

No. 102 Non Adjustable

GFT79/P302 4/9

No. 104 Non Adjustable
Plastic covered in various colours

GFT80/P304 5/-

Aluminium Alloy - Polished.
No. 100 Adjustable.

GFT81/P300 4/6

TOE CLIP STRAPS**BROOKS No. 2**

In chrome leather. With spring loaded buckle.

GFT87/P108 pair 2/6

**PRINCIP No. 2**

Ashby toe-clip straps in full chrome leather. 15in. x $\frac{1}{2}$ in. with cad. plated quick release buckle.

GFT90/P200 pair 3/-

BROOKS No. 1

Best quality chrome leather. Special quick release buckle.

GFT88/P208 pair 4/-

BAYCLIFF STRAPS

Quick release trigger type toe clip straps. Chrome leather. 16in. x $\frac{1}{2}$ in. 9 pairs per display carton.

GFT89/P104 pair 2/-

SPEEDSTER No. 1


Ashby. Similar to the Princip but with continental type quick release spring buckle.

GFT91/DP3408 pair 4/4

CYCLO

Oppy Quick Release.
Selected Chrome Leather. 6 pairs per Card.

GFT91a/P208 pair 4/-

**CHRISTOPHE TOE CLIPS**

Spring steel chromium plated continental toe clips.

GFT82/P404 Short Model .. pair 6/6
GFT83/P404 Medium model .. 6/6
GFT84/P404 Long model .. 6/6
GFT85/P404 Clip-on model .. 6/6

TOOLS

(FOR SCREWDRIVERS AND SPANNERS SEE PAGE 120 - 122)



ENGINEERS' PLIERS

Polished jaws, Milled grip and specially hardened side wire cutters.

								pair
GFT92/P501	Size 6 in.	..	..	..	..	..	..	7/8
GFT93/P604	Size 7 in.	..	..	..	..	..	..	9/6

ROUND NOSE PLIERS

								pair
GFT94/P404	Size 6 in.	..	..	..	..	..	..	6/6



HACK SAW HAND BLADES

Ding-Dong make. Best quality

24 or 32 Teeth x 1/2 in.

GFT95/D400	9 in.	..	..	each
GFT96/D406	10 in.	..	..	6d.
GFT97/D506	12 in.	..	..	7d.
				8 1/2d.



CENTRE AND PIN PUNCHES

4 in. Long Knurled Centres.

								each
GFT98/E108	..	..	..	..	..	..	..	2/6

TAPS AND DIES

CRANK TAP AND REAMER DOUBLE ENDED

For re-bushing cranks right and left hand.

								each
GFT100/E1300	..	..	..	..	..	..	..	19/-

CRANK TAP AND REAMER

Ref. 521. Best quality steel. Single sided.
Right or left hand.

								each
GFT101/E2000	..	..	..	..	..	..	..	30/-

NEW STANDARD PEDAL TAPS

Right or left hand. Double ended.

								each
GFT102/E700	..	..	..	..	..	..	..	10/6

PEDAL TAPS

Best quality steel single sided R. or L.
Ref. 201.

								each
GFT103/E1400	..	..	..	..	..	..	..	20/-

CRANK AXLE REAMER

Tapered .005.

								each
GFT108/E1006	..	..	..	..	..	..	..	15/-

BRACKET TAP

								each
	Double ended.	1 3/8 in.	x	24	thread.			
GFT109/E1706	..	..	..	..	..	..	..	23/-

HEAD LUG REAMER

Standard type. Complete with holder and
revolving guide. Ref. 119.

								each
GFT110/E2300	..	..	..	..	..	..	..	31/-

HEAD LUG CUTTER ONLY

Ref. 119c.

								each
GFT111/E1206	..	..	..	..	..	..	..	17/6

BOTTOM BRACKET CLEARING TAP

Right and left hand thread.
1 3/8 in. x 24 thread.

								each
GFT112/E1100	..	..	..	..	..	..	..	16/6

Also in Tandem size.

								each
GFT113/E1306	..	..	..	..	..	..	..	19/9

N.B.—PLEASE STATE RIGHT OR
LEFT HAND THREAD WHEN
ORDERING TAPS

GROUND THREAD BOTTOM BRACKET MACHINE TAP H.S.S.

Right and left hand. $1\frac{3}{8}$ in. x 24 thread.
Ref. 121.

GFT114/E4500 each
67/6

BOTTOM BRACKET TAP HOLDER

With pilot guide for hand use.

GFT115/E1406 21/6

ADJUSTABLE TAP HOLDER

Overall Length, $8\frac{1}{2}$ ins.

GFT120/E1000 each
15/-

HUB DIE WITH HANDLES

A useful tool to rectify damaged or tight
hub threads. $1\frac{3}{8}$ in. x 24 thread.

GFT121/E2000 each
30/-

SPARE DIES

In Sizes

Standard B.S.A. size. $\frac{3}{8}$ in. x 30 thread.
1 in. x 24 thread. 1 in. x 26 thread.
 $\frac{7}{8}$ in. x 24, 26 or 30 thread.

GFT122/E1006 each
15/6

Tandem size. $1\frac{1}{8}$ in. x 26 thread.

GFT123/E1406 21/6

Extra for High-speed Steel Dies.

GFT124/E1200 15/-

Extra for Split Adjustable Dies.

GFT125/E500 7/6

"MUNRO" PATENT BOTTOM BRACKET CUP REMOVER

Removes any type of cup with utmost ease.
For milled cup one $\frac{1}{8}$ in. ball should be
placed in each cup hole to act as peg in
tool face plate.

GFT116/E2000 each
30/-

BOTTOM BRACKET CUP ASSEMBLING TOOL

With replaceable pegs.

GFT117/E1100 each
16/6

FORK COLUMN DIE AND HOLDER

Complete. Ref. 116/D.H.

GFT118/E2000 each
30/-

FORK CROWN RACE CUTTER

Made to fit 116/D.H.

GFT119a/E1706 each
24/-

As above in High Speed Steel.

GFT119/E1500 each
22/-

TWIST DRILLS IN SETS OF NINE

$1/16$ in., $5/64$ in., $3/32$ in., $7/64$ in., $1/8$ in., $9/64$ in., $5/32$ in., $11/64$ in., $3/16$ in.



Carbon Steel

In Yellow Plastic Containers.

GFT137/S306 set
5/3

Short Pattern.

GFT137a/S203 set
3/5



High Speed Steel

In Green Plastic Containers

GFT149/S1003 set
15/4

TWIST DRILLS CARBON STEEL



GFT126/D306	$3/64$ in.
GFT127/D306	$1/16$ in.
GFT128/D309	$3/32$ in.
GFT129/D311	$7/64$ in.
GFT130/D403	$1/8$ in.
GFT131/D405	$9/64$ in.
GFT132/D405	$5/32$ in.
GFT133/D500	$11/64$ in.
GFT134/D506	$3/16$ in.
GFT135/D607	$7/32$ in.
GFT136/D903	$1/4$ in.

TWIST DRILLS H.S. STEEL

GFT138/E9	$3/64$ in.
GFT139/E9	$1/16$ in.
GFT140/E10	$3/32$ in.
GFT141/E11 $\frac{1}{2}$	$7/64$ in.
GFT142/E11 $\frac{1}{2}$	$1/8$ in.
GFT143/E102	$9/64$ in.
GFT144/E102	$5/32$ in.
GFT145/E102	$11/64$ in.
GFT146/E103	$3/16$ in.
GFT147/E200	$7/32$ in.
GFT148/E203	$1/4$ in.

CYCLE COVERS

FOR ROADSTER CYCLES, Etc.


**DUNLOP CHAMPION****MICHELIN ZIG-ZAG****PALMER PILOT**

Nominal Sizes: 26 in. x $1\frac{1}{4}$ in. - 26 in. x $1\frac{3}{8}$ in. - 26 in. x $1\frac{1}{2}$ in. - 26 in. x $1\frac{3}{4}$ in. - 28 in. x $1\frac{1}{2}$ in. Wired

GFT150/E710 each
11/9

GFT151/E710 each
11/9

GFT152/E710 each
11/9


**DUNLOP ROADSTER****MICHELIN ROADSTER**

Nominal Sizes

26 in. x $1\frac{1}{4}$ in. - 26 in. x $1\frac{3}{8}$ in. - 26 in. x $1\frac{1}{2}$ in.
26 in. x $1\frac{3}{4}$ in. - 28 in. x $1\frac{1}{2}$ in.

Wired

GFT153/E904 each
14/-


**DUNLOP CAMBRIDGE****MICHELIN ENDURANCE**

Nominal Sizes

26 in. x $1\frac{1}{4}$ in. - 26 in. x $1\frac{3}{8}$ in. - 26 in. x $1\frac{1}{2}$ in.
28 in. x $1\frac{1}{2}$ in.

Wired

GFT154/E807 each
12/10

**DUNLOP FORT**

Nominal Sizes: 26 in. x $1\frac{1}{4}$ in. - 26 in. x $1\frac{3}{8}$ in. - 26 in. x $1\frac{1}{2}$ in. - 26 in. x $1\frac{3}{4}$ in.
28 in. x $1\frac{1}{2}$ in. Wired.

GFT155/E1404 each
21/6

FOR TANDEM CYCLES

**DUNLOP TANDEM**

26 in. x $1\frac{1}{4}$ in. - 26 in. x $1\frac{3}{8}$ in.

(Wide Section)
Wired

GFT156/E1201 each
18/2

**DUNLOP
TANDEM SPRITE**

26 in. x $1\frac{1}{4}$ in. - 26 in. x 19 in.

(Wide Section)
Wired

GFT157/E1305 each
20/1

CYCLE COVERS


FOR CARRIER CYCLES, AUTOCYCLES, Etc.

Type of Cover	Nominal Size	To Fit Rim	Ref.	Retail
DUNLOP CARRIER 	14 x 2 x 1 $\frac{3}{8}$ in. Wired	14 x 1 $\frac{3}{8}$ in. (F2J)	GFT159/EI210	19/3
	14 x 2 $\frac{1}{2}$ in. Wired	14 x 2 $\frac{1}{2}$ in. (G2J)	GFT160/EI505	23/1
	20 x 2 x 1 $\frac{3}{8}$ in. Wired	18 x 1 $\frac{3}{8}$ in. (F4J)	GFT161/EI306	29/3
	26 x 2 $\frac{1}{2}$ in. Wired	20 x 2 $\frac{1}{2}$ in. (G Sect.)	GFT162/EI804	27/6
	26 x 1 $\frac{1}{2}$ in. Wired	26 x 1 $\frac{1}{2}$ in. (F9)	GFT163/EI305	20/1
	26 x 1 $\frac{3}{8}$ in. Wired	26 x 1 $\frac{3}{8}$ in. (F12)	GFT165/EI305	20/1
	26 x 2 x 1 $\frac{3}{8}$ in. Wired	26 x 1 $\frac{3}{8}$ in. (F12)	GFT166/EI702	25/9
	26 x 2 x 1 $\frac{3}{8}$ in. O.S. Wired			
DUNLOP CARRIER "R"	12 $\frac{1}{2}$ x 2 $\frac{1}{4}$ in. Wired	12 $\frac{1}{2}$ x 2 $\frac{1}{4}$ in. (G1J)	GFT167/EI707	26/5


FOR MOTORISED CYCLES

**DUNLOP MOTORISED**26 in. x 1 $\frac{1}{4}$ in.26 in. x 1 $\frac{3}{8}$ in.
GFT168/EI201 each **18/2**

 26 in. x 1 $\frac{3}{8}$ in. x 1 $\frac{1}{2}$ in.
 28 in. x 1 $\frac{1}{8}$ in.

GFT169/EI305 each **20/1**
**MICHELIN POWER DRIVE**26 in. x 1 $\frac{3}{8}$ in.
GFT170/EI102 **16/9**
26 in. x 1 $\frac{3}{8}$ in. x 1 $\frac{1}{2}$ in.
GFT171/EI305 each **20/1**

FOR JUVENILE CYCLES

**DUNLOP JUNIOR**11 in. x 1 $\frac{3}{4}$ in.12 - 14 - 16 - 18 - 20 in. x 1 $\frac{3}{8}$ in.
GFT172/E603 each **9/4**
22 - 24 in. x 1 $\frac{3}{8}$ in. CHAMPION
GFT173/E710 each **11/9**
22 - 24 in. x 1 $\frac{3}{8}$ in. ROADSTER
GFT173a/E904 each **14/-**
**MICHELIN JUVENILE**14 - 16 - 18 - 20 in. x 1 $\frac{3}{8}$ in.
GFT174/E603 each **9/4**
24 in. x 1 $\frac{3}{8}$ in.
GFT175/E710 each **11/9**


CYCLE COVERS

FOR SPORTS CYCLES, Etc.

**DUNLOP SPORTS**


26 in. x $1\frac{1}{4}$ in.
26 in. x $1\frac{3}{8}$ in.

GFT176/E807 each
12/10

**MICHELIN NEW SPORTS**
(Translucent)


26 in. x $1\frac{1}{4}$ in.
26 in. x $1\frac{3}{8}$ in.
27 in. x $1\frac{1}{4}$ in.

GFT177/E807 each
12/10

**PALMER SPORTS**
(Translucent)

26 in. x $1\frac{1}{4}$ in.
26 in. x $1\frac{3}{8}$ in.

GFT178/E807 each
12/10

**DUNLOP SPRITE**

26 in. x $1\frac{1}{4}$ in.
26 in. x $1\frac{3}{8}$ in.
27 in. x $1\frac{1}{4}$ in.

GFT179/E1009 each
16/2

**DUNLOP SPEED**

26 in. x $1\frac{1}{4}$ in.
26 in. x $1\frac{3}{8}$ in.
27 in. x $1\frac{1}{4}$ in.

GFT180/E1009 each
16/2

**PALMER PIXIE**

26 in. x $1\frac{1}{4}$ in.
26 in. x $1\frac{3}{8}$ in.

GFT181/E1009 each
16/2

**DUNLOP TOURIST SPRITE**


26 in. x $1\frac{1}{4}$ in.
26 in. x $1\frac{1}{2}$ in.
26 in. x $1\frac{3}{8}$ in.
28 in. x $1\frac{1}{2}$ in.

GFT182/E1305 each
20/1

DUNLOP WHITE SPRITE


26 in. x $1\frac{1}{4}$ in.
26 in. x $1\frac{3}{8}$ in.
27 in. x $1\frac{1}{4}$ in.

GFT183/E1107 each
17/5

**PALMER WHITE WALLED**
PIXIE


26 in. x $1\frac{1}{4}$ in.
26 in. x $1\frac{3}{8}$ in.
27 in. x $1\frac{1}{4}$ in.

GFT184/E1107 each
17/5

**MICHELIN HIGH SPEED**

26 in. x $1\frac{1}{4}$ in.
27 in. x $1\frac{1}{4}$ in.

GFT185/E908 each
14/6

**MICHELIN "25"**

26 in. x $1\frac{1}{4}$ in.
27 in. x $1\frac{1}{4}$ in.

GFT186/E1305 each
20/1

**DUNLOP ROAD RACING**
(High Pressure)

26 in. x $1\frac{1}{4}$ in.
27 in. x $1\frac{1}{4}$ in.

GFT187/E1305 each
20/1



MICHELIN

DUNLOP

PALMER



CYCLE INNER TUBES

FOR ROADSTER CYCLES, Etc.

Make and Type	Size	Ref.	Retail
DUNLOP CHAMPION	26 x $1\frac{1}{4}$ in. - 26 x $1\frac{3}{8}$ in. - 26 x $1\frac{1}{2}$ in.	GFT188/E311	5/10
MICHELIN UNIVERSAL	26 x $1\frac{3}{8}$ in. - 28 x $1\frac{1}{2}$ in.	GFT189/E311	5/10
DUNLOP ROADSTER	26 x $1\frac{1}{4}$ in. - 26 x $1\frac{3}{8}$ in. - 26 x $1\frac{1}{2}$ in.	GFT190/E405	6/8
MICHELIN SUPER	26 x $1\frac{3}{8}$ in. - 28 x $1\frac{1}{2}$ in.	GFT191/E405	6/8
DUNLOP CAMBRIDGE	26 x $1\frac{1}{4}$ in. - 26 x $1\frac{3}{8}$ in. 26 x $1\frac{1}{2}$ in. - 28 x $1\frac{1}{2}$ in.	GFT192/E311	5/10
DUNLOP FORT	26 x $1\frac{1}{4}$ in. - 26 x $1\frac{3}{8}$ in. 26 x $1\frac{1}{2}$ in. - 28 x $1\frac{1}{2}$ in.	GFT193/E500	7/6

FOR TANDEM CYCLES

DUNLOP TANDEM	26 x $1\frac{1}{4}$ in. - 28 x $1\frac{3}{8}$ in.	GFT194/E405	6/8
---------------	---	-------------	-----

FOR CARRIER CYCLES

DUNLOP CARRIER	14 x 2 x $1\frac{1}{4}$ in.	GFT195/E311	5/10
	14 x $2\frac{1}{2}$ in.	GFT196/E500	7/6
	20 x 2 x $1\frac{3}{8}$ in.	GFT197/E405	6/8
	20 x $2\frac{1}{2}$ in.	GFT198/E500	7/6
	26 x $1\frac{1}{2}$ in. Schrader Valve	GFT199/E500	7/6
	26 x $1\frac{3}{8}$ in.	GFT200/E407	6/11
	26 x 2 x $1\frac{3}{8}$ in.	GFT201/E407	6/11
DUNLOP CARRIER "R"	12 x $2\frac{1}{4}$ in.	GFT202/E502	7/9
	Extra for Schrader Valve where not fitted.	E/E5	7d.

FOR MOTORISED CYCLES

DUNLOP MOTORETTE (With Schrader Valve)	26 x $1\frac{3}{8}$ in. - 26 x $1\frac{1}{4}$ in.	GFT203/E408	7/-
	26 x 2 x $1\frac{1}{2}$ in. - 28 x $1\frac{1}{2}$ in.		


FOR JUNIOR CYCLES

DUNLOP OR MICHELIN JUNIOR	11 x $1\frac{3}{8}$ in.	GFT204/E305	5/1
	12 - 14 - 16 - 18 - 20 in. x $1\frac{3}{8}$ in.	GFT205/E305	5/1
	22 - 24 x $1\frac{3}{8}$ in.	GFT206/E311	5/10
ROADSTER	22 - 24 x $1\frac{3}{8}$ in.	GFT207/E405	6/8

FOR SPORTS CYCLES

DUNLOP SPORTS	26 x $1\frac{1}{4}$ in. - 26 x $1\frac{3}{8}$ in.	GFT208/E311	5/10
DUNLOP SPRITE	26 x $1\frac{1}{4}$ in. - 26 x $1\frac{3}{8}$ in.	GFT200/E402	6/3
DUNLOP ROAD RACING (High Pressure)	26 x $1\frac{1}{4}$ in. - 27 x $1\frac{1}{4}$ in.	GFT210/E405	6/8
MICHELIN HIGH SPEED	26 x $1\frac{1}{4}$ in. - 27 x $1\frac{1}{4}$ in.	GFT211/E401	6/2
PALMER HIGH SPEED	26 x $1\frac{1}{4}$ in. - 27 x $1\frac{1}{4}$ in.	GFT211a/E	6/2

MOTOR CYCLE, AUTOCYCLE AND MOTOR SCOOTER TYRES

Wired Type Size		DUNLOP UNIVERSAL COVER		DUNLOP RIBBED COVER		DUNLOP TUBE	
		Ref.	Retail	Ref.	Retail	Ref.	Retail
 UNIVERSAL	2.25 — 19	GFT212/E3804	49/6			GFT213/E1205	16/-
	2.50 — 19	GFT214/E4402	57/-	GFT215/E4402	57/-	GFT216/E1205	16/-
	2.75 — {19	GFT217/E4801	62/-	GFT218/E4801	62/-	GFT220/E1205	16/-
	21	GFT219/E4801	62/-			GFT221/E1209	16/6
	3.00 — {16	GFT222/E5102	66/-			GFT223/E1205	16/-
	18	GFT224/E5306	69/-	GFT225/E5306	69/-	GFT226/E1205	16/-
	19	GFT227/E5408	70/6	GFT228/E5408	70/6	GFT229/E1205	16/-
	20	GFT230/E5500	71/-	GFT231/E5500	71/-	GFT232/E1209	16/6
	21	GFT233/E5500	71/-	GFT234/E5500	71/-	GFT235/E1209	16/6
	3.25 — {16	GFT236/E5500	71/-			GFT236b/E1205	16/-
 RIBBED	17	GFT237/E5602	72/6	GFT237a/E5602	72/6	GFT236b/E1205	16/-
	18	GFT238/E5709	74/6	GFT237a/E5709	74/6	GFT236b/E1205	16/-
	19	GFT239/E6001	77/6	GFT237a/E6001	77/6	GFT236b/E1209	16/6
	20	GFT240/E6005	78/-			GFT236b/E1209	16/6
	3.50 — {18	GFT241/E6608	86/-			GFT214b/E1205	16/-
	19	GFT242/E6909	90/-	GFT242a/E6909	90/-	GFT242b/E1307	17/6
	21	GFT243/E7201	93/-			GFT242b/E1209	16/6
	4.00 — {18	GFT244/E8406	109/-			GFT244b/E1307	17/6
	19	GFT245/E8605	111/6			GFT244b/E1376	17/6
	4.50 — 16			GFT246a/E8702	112/6	GFT246b/E1701	22/-
 FORT	Wire Type	DUNLOP FORT COVER		DUNLOP SIDECAR MAJOR COVER		DUNLOP TUBE	
	Size	Ref.	Retail	Ref.	Retail	Ref.	Retail
	3.25 — 19	GFT248/E7201	93/-	GFT248a/E6001	77/6	GFT248b/E1205	16/-
 SPORTS	3.50 — 19	GFT249/E8308	108/-	GFT249a/E6909	90/-	GFT248b/E1307	17/6
	Wire Type	DUNLOP TRIALS UNIVERSAL COVER		DUNLOP SPORTS COVER		DUNLOP TUBE	
	Size	Ref.	Retail	Ref.	Retail	Ref.	Retail
 SPORTS	2.75 — {19	GFT250/E4801	62/-	GFT248a/E5709	74/6	GFT248b/E1205	16/-
	21	GFT251/E4801	62/-	a/E5709	74/6	b/E1209	16/6
	3.00 — {19	GFT252/E5408	70/6	a/E6506	84/6	b/E1205	16/-
	20	GFT253/E5500	71/-	a/E6511	85/-	b/E1209	16/6
	21	GFT254/E5500	71/-	a/E6511	85/-	b/E1209	16/6
	3.25 — 19	GFT255/E6001	77/6	a/E7201	93/-	b/E1205	16/-
	3.50 — {18	GFT256/E6608	86/-			b/E1205	16/-
	19	GFT257/E6909	90/-	a/E8308	108/-	b/E1307	17/6
	18	GFT258/E8406	109/-	a/E10106	131/-	b/E1307	17/6
	19	GFT259/E8605	111/6	a/E10310	134/-	b/E1307	17/6
 AUTOCYCLE	Wire Type	MOTOR SCOOTER COVERS		DUNLOP TUBE			
	Size	Ref.	Retail	Ref.	Retail		
	SCOOTER						
	3.25 — 12.. .. .	GFT260/E4509	59/-	GFT260b/E1205	16/-		
	3.50 — {7.. .. .	GFT261/E3411	45/-	b/E1205	16/-		
	8.. .. .	GFT262/E3707	48/6	b/E1205	16/-		
	10.. .. .	GFT263/E4601	59/6	b/E1205	16/-		
	12.. .. .	GFT264/E5301	68/6	b/E1205	16/-		
	4.00 — {8.. .. .	GFT265/E4805	62/6	b/E1205	16/-		
	12.. .. .	GFT266/E5908	77/-	b/E1205	16/-		
Wired Type Size		AUTOCYCLE COVERS		DUNLOP TUBE			
2.25 — 21.. .. .		GFT267/E3406	44/6	GFT267b/E1001	13/-		
26 x 2.00 (For Rim 1755 mm)		GFT268/E2002	26/-	b/E602	8/-		

Note—We also stock Michelin and Avon Motor Cycle Covers and Tubes. Details and Manufacturers Lists on request.

**DUNLOP
TUBULAR RACING TYRES
Nos. 0 - 10**

Prices and full details of range available on application.

TREAD STOPPING COMPOUND

For tubular tyre repairs. Dunlop TSC/1 small tubes.

GFT270/D208 each
4d.



TYRE PRESSURE GAUGES


Pencil Type. Single Foot

			each
GFT271/E508	G/5	3-20 lbs. in 1 lb. units.	8/6
GFT272/E508	G/6	6-50 lbs. in 1 lb. units.	8/6
GFT273/E508	G/7	20-120 lbs. in 2 lb. units.	8/6
G/17		50-140 lbs. for cycle high pressure tyres.	
GFT274/E508			8/6
G/20		for new easy-pump valve, cycle Roadster tyres.	
GFT275/E508			8/6

TYRE SAVERS

TYRE SAVERS


Carlton Puncture prevents incorporating patent non-bouncing damper clears nails, flint, etc. Weight negligible.



TERRY No. 735 TYRE LEVERS

Best quality spring steel blued finish.
12 sets per Display Card.

GFT284/C800 set
1/-



G.F.C. CYCLE TYRE LEVERS

Made in hardened steel. Cadmium plated finish. Sets of three.

GFT285/DS504 set
8d.



ROADSTER MODEL "R"

Clips on Mudguard

		each
GFT276/E104	Standard	2/-
GFT277/E108	Standard with reflector.	2/6
GFT278/E104	Tandem Model "T"	2/-
GFT279/E108	Tandem Model "T" with reflector	2/6



LIGHTWEIGHT - MODEL "M"

Fixes to brake centre bolt for use with or without mudguards.

GFT280/E104 each
2/-

LIGHTWEIGHT - MODEL "C"

For the racing cyclist. Fixes under the nut of brake centre bolt.

GFT281/E100 each
1/6



**SUPER-LIGHTWEIGHT
MODEL "CL"**

Lightest possible weight, 1/5th oz. for Racing Cyclist. Fitted in the same way as Model "C"

GFT283/E100 each
1/6



LIGHTWEIGHT - MODEL "CC"

As model "C". Fixing in the same way but with the addition of plastic anti-splash guard to prevent mud and water being thrown back on rider.

GFT282/E104 each
2/-



**TERRY PATENTED
"NO-NIP" TYRE LEVER**

Boxed separately - 6 per Display Card

	each
GFT286/E108	2/6



BROOKS No. 6 TYRE LEVERS

Spoon end and cranked to fit on spoke.
Dull chrome finish. Set of three.

	set
GFT287/S104	2/-



**DUNLOP TYRE LEVER
(Cycle)**

Round with spoon ends and cranked to fit on spoke $4\frac{1}{2}$ in. overall.

12 singles per Display Card.

GFT288/C400	each
	6d.



DUNLOP MOTOR CYCLE LEVERS

Spoon Type M/C./ Levers.

	each
GFT290/D1200 7 in. .. .	1/6
GFT290a/D1600 10 in. .. .	2/-
GFT290b/D2200 12 in. .. .	2/9

**TERRY No. 735
MOTOR CYCLE LEVERS**

Tested spring steel. All edges round.
Blued finish. Sets of three.

	set
GFT289/S200	3/-

TROUSER BANDS AND CLIPS



TERRY WIDE PATTERN

No. 4 steel. Cards of 12 pairs

		pair
GFT291/C400	Bronzed .. .	6d.
GFT292/C600	Plated .. .	9d.



DOVERITE No. 100

Covered in Black.

	pair
GFT293/DPI000 .. .	1/3

Exonite covered in black, brown, white or grey. 12 pairs per display card.

	pair
GFT293a/C1200 .. .	1/6



**SHELTON CELLULOID COVERED
TROUSER BANDS**

Black, Brown, White or Grey.

	pair
GFT294/C1000 .. .	1/3



12 pairs per card.

TERRY No. 2 PUSH UP CLIPS

With Rolled Ends

		pair
GFT296b/C300	Bronzed .. .	4½d.
GFT296b/C308	Plated .. .	5½d.

TERRY No. 3 PUSH UP CLIPS

With plain ends.

		pair
GFT295/C208	Bronzed .. .	4d.
GFT295a/C304	Plated .. .	5d.



**REVOD PUSH-UP
TROUSER CLIPS**

Exonite covered in black, brown, white or grey.

	pair
GFT296/C1200 .. .	1/6



KAYLEE WATERSLIDE HEADSTOCK TRANSFERS

In the following designs
Lion, Regal, Empire, Chieftain, Invader,
Centurion, Revenge, Clipper, Eagle,
Rocket, Pegasus, Grand Prix "B", Senior
T.T., Meteor "B", Red Devil "B", Glory.

GFT291/D200 each
3d.

KAYLEE WATERSLIDE DECORATIVE TRANSFERS

PENNANTS

(4 per Sheet)

Red/White, Gold/Red, Gold/Black,
Black/White.

GFT295/D.St 400 sheet
6d.

TRANSFERS



KAYLEE TRANSFERS

In Display Box
Includes all popular types of Headstock,
Pennants, Union Jacks, Chevrons and
Checkers, etc.

GFT292/B3503

UNION JACKS

Kaylee Waterslide

		each
GFT301/D6	Small	1 d.
GFT302/D10	Medium	1 1/2 d.
GFT303/D108	Large	2 1/2 d.

CHEVRONS AND BANDS

(2 per Sheet)

Red, Yellow, Green, Black and Blue,
Multicolour.

	Straight Bands "A"	sheet
GFT304/D.St 400		6d.

	Chevrons "B"	sheet
GFT305/D.St 400		6d.

VARNISH FIXING STRAIGHT BANDS

Sheet of thirty multicolour assorted bands.

	sheet
GFT306/S109	3/-

DOWN OR SEAT TUBE TRANSFERS KAYLEE WATERSLIDE

In the following designs - Meteor "A", Red Devil "A", Black Panther, Continental, Tour
de France, Grand Prix "A", Club Model, Safety Model, Light Roadster, Atomic Flyer,
Sports, Speedster.

GFT293/D400	each 6d.
---------------------	-------------



CHECKER FRAME TRANSFERS

In the following colours

Red/Gold, Red/White, Blue/White,
Black/White, Black/Gold, Black/Yellow

Kaylee Waterslide.

GFT299/D400	each 6d.
---------------------	-------------

In Assorted Colours.
Varnish Fixing.

GFT300/D400	each 6d.
---------------------	-------------

ALPHABET TRANSFERS

Permanent Waterslide Fixing Transfers.
Sheets. 100 letters, numerals and symbols
A - Z, 1 - 0 etc.
Gold.

		set
GFT307/S4	5/16in. letters ..	6d.
GFT308/S10	1/4in. letters ..	1/3

Full alphabet with two each of each vowel
and all numerals. In gold, blue, red, green,
black and white.

		set
GFT309/S4		6d.

NUMBER PLATE TRANSFERS

Number plate transfers for motor cycle and
motorised cycles. Varnish fixing.
Letters A - Z

GFT310/D10	(1 3/4in.) Front
GFT311/D100	(2 1/2in.) Rear ..

Numbers 0 - 9

GFT312/D10	(1 3/4in.) Front ..
GFT313/D100	(2 1/2in.) Rear ..

FRAME LINING TRANSFERS

Panelled set for one frame. Printed on
single sheet. Varnish fixing.

		sheet
GFT296/St. 104	Green and Gold	2/-
GFT297/St. 104	Red and Gold	2/-
GFT298/St. 104	Double Gold ..	2/-

HUMBROL
TRANSFER VARNISH

In handy screw top bottles with brush.

		each
GFT315/D1400		1/9

O'MY TRANSFER VARNISH

Half oz. Jars.

		each
GFT314/D504		8d.

VALVES AND PARTS

VALVE REPLACEMENT PARTS
For Woods Valve

								each
GFV6/D206	Body Metal	..	..	..	..	..	..	4d.
GFV7/D508	Body rubber based with "Vulcafix" Adhesive backing.	..	..	..	..	..	..	
GFV9/D200	Plug with Rubber Sleeve	..	..	..	..	..	..	3d.
GFV10/D8	Body Cap	..	..	..	..	..	..	1d.
GFV11/D8	Rim Nut	..	..	..	..	..	..	1d.
GFV12/D8	Hexagon Nut	..	..	..	..	..	..	1d.
GFV13/D8	Dust Cap	..	..	..	..	..	..	1d.
GFV14/D8	Bridge Washer	..	..	..	..	..	..	1d.


FOR PRESTA VALVE

								each
GFV15/D8	Dust Cap.	..	..	..	..	..	..	1d.
GFV16/D8	Rim Nut	..	..	..	..	..	..	1d.

VALVES INSERTS
DUNLOP "EASY PUMP"

For insertion in Woods valve. Packed in
pairs.

		pair
GFV4/DP800		1/-

PRESTA
Complete.

		each
GFV3/D706		10d.

WOODS
Complete.

		each
GFV1/D706		10d.



ALLIGARO CONTINENTAL VALVE INSERTS

One Pair in Box.

GFV5/DPI000 .. pair $\frac{1}{3}$

VALVE CORE KEYS

For removing and fitting Schrader valve core.

GFV19/DI04 $1\frac{1}{2}$ in. long .. each 2d.
GFV20/D304 4 in. long .. 5d.



SCHRADER No. 880 VALVE CAPS

Standard for all Schrader valves. Sold only in red and blue boxes of five.

GFV17/B100 .. box. $\frac{1}{6}$



SCHRADER VALVE CORES

The standard air check for all Schrader valves. Sold only in red and blue metal boxes of five.

GFV18/B103 .. sheet $\frac{1}{10}$

VALVE TUBING



DUNLOP SHAPED VALVE TUBING

Packets of five pieces - 36 packets per pkt.
GFV21/C309 .. card. 2d.

TINS

Containing 500 pieces (approx.)

GFV22/T609 ..



DUNLOP STRAIGHT

Packets of 5 pieces - 36 packets on card.

GFV23/C309 .. pkt. 2d.

12 yards in tin.
GFV24/T600 ..
1 lb. reels. Approx. 90 yards.
GFV25/R3206 ..

WASHERS



FLAT STEEL PLATED WASHERS

gross
GFW1/G100 $3/16$ in. .. $\frac{1}{6}$
GFW2/G103 $1/4$ in. .. $\frac{1}{11}$
GFW3/G109 $5/16$ in. .. $\frac{2}{9}$
GFW4/G204 $3/8$ in. .. $\frac{3}{6}$

BOXES OF ASSORTED PLATED

gross
GFW5/G200 Sizes $3/16$ to $1/2$ in. $\frac{3}{-}$



TERRY SINGLE SPRING WASHERS No. 159

gross
GFW6/G8 $\frac{3}{4}$ $1/8$ in. .. $\frac{1}{-}$
GFW7/G9 $\frac{1}{4}$ $3/16$ in. .. $\frac{1}{2}$
GFW8/G10 $\frac{3}{4}$ $1/4$ in. .. $\frac{1}{3}$
GFW9/G101 $\frac{1}{4}$ $5/16$ in. .. $\frac{1}{4}$
GFW10/G104 $3/8$ in. .. $\frac{1}{10}$
GFW11/G108 $7/16$ in. .. $\frac{2}{6}$
GFW12/G200 $1/2$ in. .. $\frac{3}{-}$




TERRY DOUBLE SPRING WASHERS No. 54.

gross
GFW13/G200 $1/8$ in. .. $\frac{3}{-}$
GFW14/G210 $3/16$ in. .. $\frac{4}{-}$
GFW15/G402 $1/4$ in. .. $\frac{6}{-}$
GFW16/G500 $5/16$ in. .. $\frac{7}{6}$
GFW17/G508 $3/8$ in. .. $\frac{8}{6}$
GFW18/G700 $7/16$ in. .. $\frac{10}{6}$
GFW19/G808 $1/2$ in. .. $\frac{13}{-}$

WHEELS

(PLEASE STATE DETAILS OF REAR HUB)

ROADSTER WHEELS
WESTWOOD RIMS

British made hubs. 15G Spokes.

24 in. Chrome.		each
GFW20/P2700	Pair	40/-
GFW21/E1208	Front	19/-
GFW22/E1404	Rear	21/-
26 in. Chrome		
GFW23/P2700	Pair	40/-
GFW24/E1208	Front	19/-
GFW25/E1404	Rear	21/-
28 in. Chrome		
GFW26/P2708	Pair	41/-
GFW27/E1304	Front	20/-
GFW28/E1502	Rear	22/-
28 in. Black		
GFW29/P2504	Pair	37/6
GFW30/E1108	Front	16/6
GFW31/E1308	Rear	21/-

CARRIER WHEELS
WESTWOOD RIMS

Black. 14G Spokes.

26 in. x 1 3/4 in. Phillips Carrier Hubs.		each
GFW37/P2606	Pair	40/-
GFW38/E1203	Front	18/-
GFW39/E1403	Rear	22/-
26 in. x 1 3/4 in. B. W. Carrier Hubs.		
GFW40/P2900	Pair	43/6
GFW41/E1400	Front	21/-
GFW42/E1500	Rear	22/6
14 in. and 18 in. Low Gravity Phillips Carrier Hubs.		
GFW43/E1206	pair	18/6
14 in. and 18 in. Low Gravity B.W. Carrier Hubs.		
GFW44/E1404		21/-



SPORTS TYPE WHEELS

Endrick Rims. 15G Spokes. Chrome
24 in., 26 in. or 27 in.

British Made Hubs. Single Sided.		each
GFW45/P2804	Pair	42/-
GFW46/E1304	Front	20/-
GFW47/E1500	Rear	22/-
British Made Hubs. Double Sided.		
GFW48/P2808	Pair	42/6
GFW49/E1304	Front	20/-
GFW50/E1504	Rear	22/6
Bayliss Wiley Hubs. 51 and 310		
GFW51/P3103	Pair	45/-
GFW52/E1400	Front	21/-
GFW53/E1703	Rear	24/-
Bayliss Wiley Hubs. 9 and 10 or 11		
GFW54/P3308	Pair	46/6
GFW55/E1603	Front	24/-
GFW56/E1705	Rear	22/6

Bayliss Wiley Hubs. 19 and 20/21		
GFW57/P6208	Pair	90/-
GFW58/E2906	Front	43/-
GFW59/E3303	Rear	47/-

15/17 G Double Butted Spokes.		
EXTRA/P200	Pair	3/-


JUVENILE WHEELS
WESTWOOD RIMSBritish made hubs. 12, 14, 16, 20 inch.
Chrome.

		each
GFW32/P2510	Pair	38/-
GFW33/E1206	Front	18/-
GFW34/E1304	Rear	20/-

COASTER HUB WHEELS

Rear Westwood or Endrick Wheels,
Perry Coaster Hubs. Chrome.

		each
GFW35/E3300	With 13G Spokes	48/-
GFW36/E3106	With 14G Spokes	46/6



RACING WHEELS

Dunlop or "Ava" Continental High
Pressure Section Rims. 15/17G Rustless
Double Butted Spokes. Chrome Plated.

British Made Hubs. Double Sided Small Flange.		each
GFW60/P3400	Pair	51/-
GFW61/E1510	Front	23/6
GFW62/E1802	Rear	27/6

Bayliss Wiley. Nos. 51 and 310 Hubs.

GFW63/P3800	Pair	56/-
GFW64/E1706	Front	25/-
GFW65/E2006	Rear	31/-

Bayliss Wiley Nos. 9 and 10 or 11

GFW66/P4106	Pair	60/-
GFW67/E1910	Front	29/-
GFW68/E2108	Rear	31/-

Bayliss Wiley. Nos. 19 and 20 or 21.

GFW69/P7000	Pair	100/-
GFW70/E3300	Front	48/-
GFW71/E3700	Rear	52/-

Phillips "Resilion" L/F Hubs.

GFW72/P4000	Pair	60/-
GFW73/E1810	Front	27/-
GFW74/E2102	Rear	33/-

B.H. Cos. Solite Hubs.

GFW75/P5200	Pair	78/-
GFW76/E2308	Front	33/-
GFW77/E2804	Rear	45/-

B.H. Cos. Airlite (S/F) Hubs.

GFW78/P6400	Pair	96/-
GFW79/E2706	Front	40/-
GFW80/E3606	Rear	56/-

B.H. Cos. Airlite Continental (L/F) Hubs.


GFW81/P8600	Pair	129/-
GFW82/E3600	Front	53/-
GFW83/E5000	Rear	76/-

Built with Rigida "Chrolux" Rims.

EXTRA/P200	Pair	3/-
------------	------------	-----

Built with Weinmann "Alesia" Rims.

EXTRA/P1200	Pair	16/-
-------------	------------	------



**STURMEV ARCHER
GEAR HUB WHEELS**

each

A.W. Three-Speed Wide Ratio	
GFW84/E4503	62/6
A.M. Three-Speed Medium Ratio	
GFW85/E4906	68/3
T.C.W. Three-Speed Wide Ratio Coaster	
GFW86/E6203	85/9
F.W. Four-Speed Wide Ratio	
GFW88/E4800	66/3
F.M. Four-Speed Medium Ratio	
GFW89/E5303	73/6



**STURMEV ARCHER
DYNOHUB WHEELS**

FRONT

G.H.6. Dynohub each

GFW91/E5200 71/9

REAR

A.G. A.W. Wide Ratios. Three-Speed
with 6 volt Dynohub. each

GFW92/E7806 108/4

F.G. F.W. Wide Ratios. Four-Speed with
6 volt Dynohub.

GFW93/E8307 115/4



**STURMEV ARCHER
BRAKE HUB WHEELS**

FRONT

each

A.B. A.W. with Internal Expanding Brake
Hub.

GFW94/E5800 80/-

A.B.C. A.W. with Internal Expanding
Brake Hub. (Cable Control)

GFW95/E5800 80/-

B.F. Front Brake Hub only.

GFW96/E3303 46/-

B.F.C. Front Brake Hub only.
(Cable Control)

GFW97/E3303 46/-

REAR

B.R. Rear Brake Hub only.

GFW98/E3409 48/-

B.R.C. Rear Brake Hub. only
(Cable Control)


GFW99/E3409 48/-

BALANCER WHEELS

For Junior Cycles.

For 13 in. to 20 in. Wheels.

GFW100/SI200 set 18/-




TERRY WATCH HOLDERS

Clip to hold Pocket Watch on Handlebar.

GFW101/E108 each 2/6

TOYS AND SPORTS GOODS

AIR GUN AMMUNITION



THE "GAT" AIR PISTOL

Machined components assembled to a
precision weapon. For No. 1 slugs or darts.

Boxed Individually. each
GFSL1/E1104 Black Finish .. 17/-
GFSL2/E1508 Chrome Plated .. 23/6
excl. P.T.



LANE'S "CAT" SLUGS

No. 1 Bore.

GFSL3/DP209	Boxes of 100 ..	packet 4½d.
GFSL4/DP411	Boxes of 200 ..	7½d.
GFSL5/DP1107	Boxes of 500 ..	1/6

excl. P.T.



MARKSMAN "TARGET" SLUGS

No. 1 Bore.

GFSL6/DP209	Boxes of 100 ..	packet 4½d.
GFSL7/DP411	Boxes of 200 ..	7½d.
GFSL8/DP1107	Boxes of 500 ..	1/6

excl. P.T.

**LANE'S "BEATALL" PELLETS**

No. 1 Bore Waisted.

GFSL9/DP307	Boxes of 100	packet 5½d.
GFSL10/DP611	Boxes of 200	10½d.
GFSL11/DPI608	Boxes of 500	2/1 excl. P.T.

No. 2 Bore.

GFSL12/DPI008	Boxes of 200	packet 1/4
GFSL13/DP2400	Boxes of 500	3/-

**MARKSMAN WAISTED PELLETS**

No. 1 Bore.

GFSL14/DP307	Boxes of 100	packet 5½d.
GFSL15/DP611	Boxes of 200	10½d.
GFSL16/DPI608	Boxes of 500	2/1 excl. P.T.

No. 2 Bore.

GFSL17/DPI008	Boxes of 200	packet 1/4
GFSL18/DP2400	Boxes of 500	3/- excl. P.T.

**AIR GUN DARTS**


No. 1 Bore.

Assorted colour flights. Packed in packets of twelve.

GFSL19/PI00		packet 1/6
--------------------	----------	----------------------

**WE STOCK
METTOY TOYS**

Illustrated Catalogue on request

ROLLER SKATES**ASHBY No. 1A**


Plain bearing wheel model. Supplied less straps. Adjustable platform.

GFSL20/P706		pair 10/-
--------------------	----------	---------------------

ASHBY No. 1B

Similar to No. 1A but with ball bearing wheels. Supplied less straps.

GFSL21/PI210		pair 17/1
---------------------	----------	---------------------


**ASHBY No. 420B**

Ball bearing steel wheels. Adjustable platform. Steel toe grips or toe Leathers and heel straps. Rubber cushioning to all axle holders. Key provided for adjustment of platform and toe-grips. Individually boxed in attractive printed carton.

GFSL22/PI900		pair 28/6
---------------------	----------	---------------------

No. 420 As above in Plated Finish.

GFSL23/P2103		31/11
---------------------	----------	--------------

**No. 424B**


With Rubber Wheels and Steel Toe Grips or Leather Toe Pieces.

GFSL22a/P2111		pair 32/11
----------------------	----------	----------------------

No. 424


As above in Plated Finish

GFSL23a/P2400		pair 36/-
----------------------	----------	---------------------

**DAVIES MODEL No. 6**

Adjustable 8 inch to 11 inch. Self steering chassis mounted on oscillating trucks. Fitted rubber cushions. Double ball bearing wheels. Electro plated. Packed in attractive cartons.

GFSL26/PI604		pair 28/7 Inc. P.T.
---------------------	----------	----------------------------------

**DAVIES MODEL No. 1**


With hard rubber, ball bearing wheels. Otherwise as model No. 6. Adjustable toe clamp and ankle straps. Electro plated attractively boxed.

GFSL27/PI709		pair 31/- Inc. P.T.
---------------------	----------	----------------------------------

**G.F.C.
PLAIN BEARING WHEEL
SKATES**

Adjustable platform. Ankle and toe strap fitting. Supplied less straps.


GFSL24/P606		pair 9/9
--------------------	----------	--------------------



DAVIES JUVENILE EXTENSION MODEL No. 8

Adjustable platform from 7 inch to 8½ inch.
Ball bearing wheels fitted with toe clamps
and ankle straps.

pair
GFSL25/PI301 .. . 19/8



ELASTIC

(For Model Aircraft, etc.)

Square 3/16 in. (1 lb. = 23 yards)


yard
GFSL41/DY504 .. . 8d.

Flat Strap. 1/30 in. x ½ in. (1 lb = 96 yards).

lb.
GFSL42/Ib1000 .. . 15/-

Square ¼ inch. (1 lb. = 13 yards)

yard
GFSL42/Y9½ .. . 1/2½



PHILLIPS MODEL No. 1 SKATES


Precision built with ball bearing steel
wheels and rubber cushioned bogey.
Chassis length and toe grip adjustable to
suit Juveniles and adults. Chassis and
undercarriage guaranteed for one year.
Complete in smart red and black carton
with ankle straps and key.

pair
GFSL35/P2011 .. . 36/6
Inc. P.T.

MODEL No. 2

As above but fitted hard rubber
wheels.

pair
GFSL36/P2202 .. . 39/-
Inc. P.T.



REPLACEMENT SKATE WHEELS

Ashby Plain Bearing Wheels for No. 1A
Skates

each
GFSL28/D408 .. . 7d.

Ashby Ball Bearing Wheels. Steel. Self
contained. For No. 1B and 420 skates.

1/6
GFSL29/D1200 .. .

Davies Rubber Wheels without ball races
for Model No. 1.

1/-
GFSL30/E8 .. .

Davies Steel Wheels. Double ball bearing.
Complete for Model No. 6.

1/6
GFSL31/E100 .. .

Davies Juvenile Ball Bearing Wheels for
Model No. 8

1/3
GFSL32/E10 .. .

Phillips Ball Bearing Wheel. Steel.
Complete.

1/6
GFSL33/E100 .. .

Ditto. Rubber.

1/9
GFSL34/E102 .. .
excl. P.T.



SKATE KEYS

Ashby for No. 16 Skates.

each
GFSL37/D104 .. . 2d.
excl. P.T.

Ashby for 420 Series, Etc.

2½d.
GFSL38/D108 .. .
excl. P.T.


Davies.

4½d.
GFSL39/D300 .. .
excl. P.T.

Phillips.

4d.
GFSL40/D206 .. .
excl. P.T.

Football Cases, Bladders and Accessories



FOOTBALL BLADDERS

British Made Rubber.
Association Sizes.

each
GFSL49/D3304 Size 4 .. . 4/10
GFSL50/D3608 Size 5 .. . 5/4
Inc. P.T.

FOOTBALL CASES

Pakistan Leather Cases.

each
Association Size 4
GFSL52/E804 .. . 12/6

Association Size 5
GFSL53/E900 .. . 13/6
excl. P.T.

PILOT "T" PANEL

each
Association Size 5.
GFSL54/E1800 .. . 27/-
excl. P.T.

BALL LACES

Wired for easy lacing.

each
GFSL58/D200 .. . 3d.
excl. P.T.



FOOTBALL ADAPTORS

Bluemel's Brass. 36 per Display Card.
each
GFSL45/C1200 .. . 6d.
excl. P.T.

FOOTBALL PUMPS

BLUEMEL.

each
8 in. x $\frac{7}{8}$ in. No. 1. Brown celluloid.
GFSL51a/E308 .. 5/6

9 in. x 1 $\frac{1}{8}$ in. No. 2. Brown Mottle Reinforced Plastic.
GFSL51b/E500 .. 7/6



FOOTBALL LACING AWLS

"G.F.C." Wire Pattern. 6 per card
each
GFSL46/C304 .. 10d.

Terry with Mottled Wooden Handle.
each
GFSL47/E100 .. 1/6



CEMENT, GLUES and ADHESIVES



OSOTITE

Forms a perfect joint to withstand high pressure. Gas-air and watertight.

each
GFSL58/D2200 .. 2/9



HERMETITE

Gasket cement, unaffected by gases, heat, petrol, benzol, oil and water. Handy tubes.

12 per Display Card.

Green Tubes .. tube.
GFSL59/D1408 .. 1/10

Red Tubes - Non-Setting
(For easy breaking)

GFSL59a/D1408 .. 1/10

CHEMICO JOINTING CEMENT

Specially manufactured for making gas, water and airtight joints on internal combustion engines. Small tubes.

6 per Display Carton

each
GFSL56/D1400 .. 1/9

CHEMICO
VALVE GRINDING PASTE
(Grease Base)

Duplex tins containing fine one end, coarse the other end. In the right proportion. 12 tins per Display Carton.

each
GFSL57/D1600 .. 2/-

BOSTICK "C"
ADHESIVE COMPOUND
(YELLOW LABEL)

BOSTICK "C" ADHESIVE

For sticking leather, linoleum, etc. to metal or wood, etc. Half pint tins.

each
GFSL60/D2405 .. 2/11

No. 252. Small Tubes.

GFSL61/D1104 .. 1/4

No. 252. Large Tubes (with nozzle and key)

GFSL62/D2906 .. 3/6

BOSTICK

"GLAZING" COMPOUND

For fixing glass, etc. in wooden or metal frames.

Large Tubes with Nozzle and Key

each
GFSL63/D2906 .. 3/6

BOSTICK "SEALING" COMPOUND

Weatherproof sealing of rivetted seams etc. In large tubes with key

each
GFSL64/D2906 .. 3/6



DUROFIX

Heatproof - Waterproof - Colourless, for repairs to earthenware, china, wood, metal, celluloid.

tube
GFSL66/D600 Small tubes .. 9d.
GFSL67/D1000 Large tubes .. 1/3



"O'MY" Balsa CEMENT

Quick drying for model aeroplanes, etc.

tubes
GFSL69/D400 Medium tubes .. 6d.



"CROID" AERO GLUE

tube
GFSL68/D800 No. 3 size tubes .. 1/-

**SEALASTIC**

The long-life Flexible Seal. A general sealing compound. Large nozzle. Screw cap tubes, with key.

GFSL65/D204 tube 3/6

**FLINTS
FOR PETROL LIGHTERS**

In Packets of 6.

GFSL72/DP204 .. . packet 3½d.

**FLINTS
FOR GAS LIGHTERS**

In Packets of 2.

GFSL73/DP208 .. . packet 4d.

LIGHTER FUEL**TYESULES**

Special Shell spirit in patent tins. Fitted with unbreakable pourer. Guaranteed leak proof.

GFSL71/D1100 5 oz. Tins .. each 1/3
GFSL71a/D1408 10 oz Tins .. 1/10.

**WICKS
FOR PETROL LIGHTERS**

GFSL74/G506 .. . each 1d.

**SECCOTINE**

GFSL/D900 No. 1 Handy tubes .. . tube 1/-

**EMERY CLOTH**

Blue Black Workshop Grade.

Size 11 in. x 9 in. each

GFSL125/D700 Nos. 0, 1 and 1½ 1/-
GFSL126/D800 Nos. 2 and 2½ 1/-

GLASS PAPER

Sheets 12in. x 10in. Nos. 0, 1, 1½ and 2.

GFSL128/D200 .. . sheet 3d.

**SILICON
CARBIDE WATERPROOF
(Wet and Dry Paper)**

Sheets. 11 in. x 9 in. All 'Grades.

GFSL129/D408 .. . sheet 7d.

CABLES AND FLEX

**CABLES AND FLEX**

Ignition - 5m.m. H.T. Rubber covered
14/012. 100 feet coil.

GFSL77/HY 8305 .. . yard
HF 2711 .. . 1/5
DY 1102 .. .

Ignition - 7mm. H.T. Rubber covered
19/012. 100 feet coil.

GFSL78/HY 11900 ..
HF 3910 .. . 1/11½
DY 1507 .. .

TOUGH RUBBER

3/029 Twin Flat 100 yards. yard

GFSL75/HY7110 .. . 1/1

3/029 Twin Flat with earth 100 yards

GFSL76/HY8703 .. . 1/4

TOUGH RUBBER

Flexible.

23/36 Twin Circular. 100 yards yard

GFSL79/HY7506 .. . 1/2

23/36. Three Core Circular. 100 yards

GFSL80/HY9606 .. . 1/6

FLEXIBLE CORDS

23/36 Twin Twisted Glace Cotton or Art Silk covered. 100 yards.

GFSL81/HY5900 .. . 1/4½

23/36 Three Core Twisted Glace Cotton or Art Silk covered. 100 yards.

GFSL82/HY9007 .. . 10½d.

23/36 Twin Circular Glace Cotton or Art Silk covered. 100 yards.

GFSL83/HY7208 .. . 1/1

23/36 Three Core Circular Glace Cotton or Art Silk covered. 100 yards.

GFSL84/HY9304 .. . 1/5

RIPOGLOSS
LIGHTING CABLES (CAR.)

R.176/1. Single. 14/36 or 6/012. 100 feet.

GFSL85/HY 4302 ..
HF 1405 .. . 9d.
DY 600 ..

R.276/1 Single. 23/36 or 9/012. 100 feet.

GFSL86/HY 4803 ..
HF 1602 .. . 11d.
DY 609 ..

R.176/2. Twin. 14/36 or 6/012. 100 feet.


GFSL87/HY 6005 ..
HF 2003 .. . 1/0½
DY 803 ..

R.276/2 Twin. 23/36 or 9/012. 100 feet.

GFSL88/HY 6601 ..
HF 2206 .. . 1/1½
DY 900 ..

R.376/1. Single. 70/36 or 28/012. 100 feet.

GFSL89/HY 6810 ..
HF 2307 .. . 1/2
DY 902 ..

BATTERIES
AND ACCUMULATORS

EXIDE ACCUMULATORS

Mass Type 2 Volt.

Glass Containers

		each
GFSL91/E710	DTG. 20 AH.	10/6
GFSL92/E1401	DFG. 45 AH.	18/9
GFSL93/E2107	DMG. 70 AH.	28/9



"BATRYMAX" SERIES

90 volt/1½ volt. 8in. x 5½in. x 3½in. each
4 Pin Socket

GFSL93/E1408 B.103 .. . 19/6

45 volt. 3½in. x 1½in. x 4½in. 5 Pin.

GFSL94/E604 B.104 .. . 8/6

GFSL95/E1101 B.107 .. . 14/9

GFSL96/E602 B.114 .. . 8/3

GFSL97/E1101 B.117 .. . 14/9

"PORTABLE" SERIES


"Portable" 6l. 90 volt Wander Plug

8½in x 4½in. x 3in. each

GFSL103/E803 .. . 11/-

WOODHURST
FUSE WIRE CARDS

THE EASIEST ELECTRICAL LINE TO SELL!



FUSE WIRE

"WOODHURST" TRIPLE CARDS

Containing 5 amp. for Lighting, 15 amp. for Heating, 30 amp. for Electric Cookers and Ring Main Circuits.

GFSL124/DC208 .. . 4d.

EVER READY RADIO BATTERIES



"WINNER" SERIES

GRID BIAS

"Winner" G.B. 5in. x 7½in. x 2½in. each

GFSL98/E104 .. . 1/9

HIGH TENSION

"Winner" 120 volt. 8½ x 6½ x 2½in. each

GFSL100/E1011 .. . 14/6

"Winner" 111+9 volt. 8½ x 6½ x 2½in.

GFSL101/E1110 .. . 15/9

"Winner" 126 volt. 11½ x 5½ x 2½in.

GFSL102/E1110 .. . 15/9



"ALLDRY" SERIES

"Alldry" 3. 90v. H.T./1½ L.T. Type H Socket. 11½in. x 2½in. x 5½in. each

GFSL104/E1302 .. . 17/6

"Alldry" 14. 1½ v. L.T. Type "A" Socket

4in. x 1½in. x 4½in. each

GFSL105/E302 .. . 4/3

FULL RANGE OF
EXIDE ACCUMULATORS
AVAILABLE

Details on Request

GRAMOPHONE SPRINGS and NEEDLES



SONGSTER GRAMOPHONE NEEDLES

Display cartons of six varieties of needles including bronze and gold pick-up. In Columns of five boxes, each of 200.

GFSLI06/E2908 box

"SONGSTER" NEEDLES

Inexpensive needles giving exceptionally good results. Should be played once only. 200 per box.

Extra Loud - Loud - Medium and soft tones.
GFSLI07/DBI104 box
Inc. P.T. 1/10

DART BOARDS



TOURNAMENT BOARDS

Tournament Board of Selected English Elm, wired with galvanised steel wire. 18 in. reversible.

GFSLI12/E1600 each
Inc. P.T. 24/10

NODOR 18 in. BOARDS

Single sided non-soak bristle board, wire spider and number.

GFSLI13/E5505 each
Inc. P.T. 94/6

BRONZE PICK-UP NEEDLES

Faithfully portrays the full range of musical tones. Attractive show case. Holds ten tins each containing approximately 100 needles.

GFSLI08/DBI104 box
Inc. P.T. 1/10

GOLDEN PICK-UP NEEDLES

Made especially for use with electrical pick-ups. Display box holds ten tins, each containing approximately 100 needles.

GFSLI09/DBI504 box
Inc. P.T. 2/6 1/2

SPARE NUMBER RINGS

Best Galvanised Wire for 18 in. Boards.

GFSLI14/D903 each
Inc. P.T. 1/4 1/2

"SPIDERS"

For 18 in. Dart Board. Best Galvanised Wire.

GFSLI15/D903 each
Inc. P.T. 1/4 1/2

TABLE TENNIS BALLS

Standard 1 1/2 in. Diameter. Ivory White.

GFSLI19/D200 each
Inc. P.T. 3 1/2 d.

THE "METEOR" THREE PIECE BALL

Correctly balanced for accuracy in flight and bounce.

GFSLI21/D411 each
Inc. P.T. 8 1/2 d.

"SUPREME"

LONG PLAYING NEEDLES

For Electrical Pick-up. 10 needles per Plastic box.

GFSLI10/DB700 box
Inc. P.T. 1/2

"SONGSTER"

JEWEL TIPPED NEEDLES

GFSLI11/E208 each
5/4

VULCAN GRAMOPHONE MAIN SPRINGS

We stock all popular types including replacements for

COLLARO - DECCA - GARRARD
H.M.V. ETC.

Manufacturers Lists giving full details on request.



ELECTRON WIRE

The Perfect Aerial. Individually Boxed.

GFSLI16/E6 25 feet each
1/-
GFSLI17/E100 50 feet 2/-
GFSLI18/E110 100 feet 3/9

ELECTRON WIRE

Supra-Inductor. For Indoor or Outdoor use. Perfectly Insulated.


GFSLI18a/E102 25 feet each
1/9
GFSLI18b/E204 50 feet 3/6
GFSLI18c/E306 75 feet 5/3
GFSLI18d/E408 100 feet 7/-

ELECTRIC IRON ELEMENTS

450 Watt.

GFSLI22/E206 100/110 volt .. each
3/9
GFSLI23/E206 230/250 volt .. 3/9

FARRINGDON ROADSTER CYCLES



A sturdy all-purpose bicycle of standard design which will stand up to hard wear. The finest all-British selected components used to ensure smooth running and attractive appearance.

STANDARD ROADSTER MODEL

SPECIFICATION

Frame	Built with High Grade T.I. Steel Tubing and Fittings 'D' Section Forks and Stays. Cotterless Bracket. 24G Mudguards. C.P. Head Lamp Bracket. Chainwheel 46 or 48T x 6½ Cranks. C.P.
Size	20in., 21in., 23in., 24in. Frame with 26in. x 1⅜ Wheels (Westwood).
Freewheel	British Made.
Tyres and Tubes	Dunlop Champion.
Pedals	Phillips Celtonia Rubber.
Chain	British Made. ½ in. x ⅜ in.
Handlebar and Brakes	Phillips North Road raised with two Roller Lever Brake and Black Celluloid Grips.
Saddle	3-Coil. Leather or Spring Seat.
Finish	One coat of special Rust Preventative, heavily coated with finest Black Enamel, and stoved to give high grade finish. Panel Lined Gold with White Patch to Rear Guard. All usual bright parts Chromium Plated.
Accessories	15 in. Pump and Tool Bag and Reflector.
GFCy1/E	Gents
GFCy2/E	Ladies with skeleton Chain Guard

"CYCLETTE" MODEL

Specification

Frame	16 or 18 inch, High quality steel, very strongly constructed.
Tyres	Dunlop 18 inch or 20 inch x 1⅜ inch.
Freewheel	Midget
Handlebar	North Road Raised.
Brake	Roller Lever Front and Rear.
Saddle	British Junior Leather or Spring Seat.
Finish	Red, Blue or Green Enamel or rust-proofed surface. Usual parts Chromium Plated.
GFCy3/E	Boys
GFCy4/E	Girls



"JUVENILE" MODEL


Specification

Frame	18 inch Highest Quality Steel, sturdily built, brazed-on pump pegs.	Saddle	British Juvenile Leather or Spring Seat.
Tyres	Dunlop 24 in. x 1⅜ in.	Finish	Black Enamel or rust-proof surface, lined Gold. Usual parts Chromium Plated.
Wheels	Dunlop Westwood, rustless steel spokes.	Accessories	Tool Bag, Pump and Reflector.
Handlebar	North Road Raised.	GFCy5/E	Boys
Brakes	Roller Lever, Front and Rear.	GFCy6/E	Girls

PRICES ON PAGE 155

HOLTS HAVE THE ANSWER!

FARRINGTON SPORTS CYCLES



"POPULAR" SPORTS MODEL

Specification


Frame	Built with High Grade T.I. Steel Tubing and components. Tubing $1\frac{1}{8}$ in. x $1\frac{1}{8}$ in. x 1 in. Straight round Seat Stays brazed up at Seat Lugs. Brazed on pump pegs. Special cut out lugs. Quick release fork ends. Cotterless bracket. Detachable crown race. D to 'Rd' front forks. Straight C.P. Seat Pillar. Racing Pattern ribbed mudguards with spearpoint extension.
Wheels	Dunlop Endrick Rims, C.P. 26 in. x $1\frac{1}{4}$ in. with narrow Barrel Double Sided Hubs. Rustless Spokes.
Freewheel	British Made
Saddle	Leather Racing.
Pedals	Phillips Racing Rat Trap
Chain	Coventry $\frac{1}{2}$ in x $\frac{1}{8}$ in.
Brakes	Phillips Vox Populi C.P. Front and Rear with Silyer Waterproof Cables.
Handlebars	Steel Allrounder or Maes Bend C.P. on adjustable C.P. Stem. Rubber Grips fitted.
Tyres	Dunlop "Sports".
Finish	One coat Special Rust Preventative, and stove enamelled in Blue, Green or Maroon. All bright parts Chromium Plated.

Accessories Tool Bag, Pump and Reflector.

GFCy7/E Gents Sizes, 21in., 22in., 23in.

GFCy8/E Ladies Sizes, 21in., 22in., 23in.

CARRIER CYCLES



LOW GRAVITY

Specification

Frame	22 inch. Highest quality heavy gauge steel tubing strengthened where necessary with liners; fitted with basket holder, two leg stand to front wheel and name plate.
Tyres	Dunlop Carrier 20 in. x 2 in. front wheel. 26 in x $1\frac{3}{4}$ in. rear wheel.
Handlebar	Strong Carrier Type; Raised Pattern.
Brakes	Roller Lever, Front and Rear.
Saddle	Strong Carrier Type.
Pedals	$4\frac{1}{2}$ inch wide.
Finish	All Black on rust-proof surface.
Extras	Basket; Lettering on Name Plate.

GFCy9/E

STANDARD

Specification

Frame	22 inch. Highest quality heavy gauge steel tubing, strengthened where necessary with liners; fitted with basket holder and name plate.
Tyres	Dunlop Carrier 26 in. x $1\frac{3}{4}$ in.
Handlebar	Strong Carrier Type; Raised Pattern.
Brakes	Roller Lever, Front and Rear.
Saddle	Strong Carrier Type.
Pedals	$4\frac{1}{2}$ inch wide.
Finish	All Black on rust-proof surface.
Extras	Basket; Lettering on name plate.

GFCy10/E

Holt's

AUTOMOTIVE CHEMICAL PRODUCTS

This comprehensive range of Automotive Chemical products provides the efficient and economical answer to many of the problems confronting the car owner and transport operator. Tested and approved by the entire Motoring Press, these products are now marketed in over 60 countries of the world, with Coast-to-Coast distribution in U.S.A. and Canada.

Cracked cylinder block . . .

A 30-minute repair for internal and external cracks in cylinders, valve ports and water jackets. No dismantling—simply pour it in. The result is a permanent repair withstanding heat, vibration and pressure. Can be used on cast iron or aluminium.




WONDARWELD ½ pt. 8/6 1 pt. 15/- 1 qt. 25/-

Use 1 pt. to every 3 gals. water capacity.

Radiator boiling up . . .

To clear choked cooling system, use Holt's Radflush. Its easy triple-action cleans, inhibits and protects. Scale and lime deposits flush clear at once. Exclusive Radflush Inhibitor protects entire cooling system, safeguards all metals including aluminium.




RADFLUSH

Complete treatment for whole season 8/6

Leaky radiator trouble . . .

For a 5-minute permanent repair while you drive, simply pour Radweld into the radiator. Unaffected by temperatures, water pressure or anti-freeze. Radweld contains no dangerous powders or corrosives. Cannot clog any part of the cooling system. No dismantling.



Recommended by garages throughout the world.

RADWELD For cars 3/6 For trucks 6/-

For running-in . . .

Containing Acheson Colloidal Graphite, Running-In Compound provides that extra lubrication whilst running-in new or reconditioned engines. Gives constant lubrication to the cylinder walls when friction heat is highest.



RUNNING-IN COMPOUND

Per tin 3/6

Worn engine burning oil . . .

Piston Seal provides an effective interim treatment for compensating cylinder wear by creating a resilient, self-lubricating seal at piston top. Installed through spark plug holes. No dismantling. Reduces oil consumption, and quiets piston slap. Lasts up to 10,000 miles.




PISTON SEAL

Up to 12 h.p. 15/-
Over 12 h.p. 25/-
For Motor Cycles 8/6

20-minute tune up . . .

Simply pour a quarter of a tin of Compression Primer into the carburettor air intake and you are away to a quicker start, brisker acceleration, and more M.P.G. You will feel the difference—a 20-minute job that transforms your car's performance.



COMPRESSION PRIMER 2/6 and 3/6 per tin

Stop radiator rust . . .

Radiator Inhibitor prevents the formation of rust and corrosion in the cooling system. Effective on non-ferrous as well as ferrous metals, Radiator Inhibitor keeps the entire cooling system rust-free and corrosion-proof. Unaffected by anti-freeze.



RADIATOR INHIBITOR Per tin 2/6

HOLTS HAVE THE ANSWER!

LOY Plastic Metal permanently repairs dented, holed and rusted metals . . .

LOY PLASTIC METAL in putty form is ideal for the repair of bodywork, petrol tanks etc. Can be filed or sanded down to fine imperceptible repair.

LOY Self Adhesive FABRIC SHEETING is used as reinforcement for weak rusted-out areas before applying Loy Metal.

LOY SOLVENT essential for softening Loy Sheeting and thinning Loy Metal to brush or spray consistency.

LOY METAL Handy tin 4/6 Minor tin 8/6 Major tin 25/-

LOY SHEETING Handy size (12" x 6") 3/6 Minor size (42" x 6") 9/- Major size (42" x 12") 17/6

LOY SOLVENT Handy size 2/6 Minor size 4/6 Major size 8/6


LOY HANDY KIT (contains Metal Solvent and Sheeting) 8/6

LOY TWIN PACK (contains Metal and Solvent) 6/6

LOY PATCH Special REPAIR KIT containing Loy Fabric Sheeting and Loy Fixer 3/6



LOY PLASTIC METAL



3/-
per tube

LOY METAL in tubes is ideal for a thousand and one simple jobs in the home such as repairing leaky kettles, pots and pans. Completely hygienic, will not affect food, withstands boiling water, oil or spirit.

LOY in tubes

Silencer and exhaust leaks

Leaky silencers can be permanently repaired in a few minutes with Plastic Gun Gum. No tools, no dismantling. Simply press into position with finger and thumb. Sets hard, withstands heat and vibration. Gives permanent repair and gas-tight seal which prevents fumes.



GUN-GUM SILENCER SEAL Per tin 3/6

Squeaking water pump . . .

Anti-Squeak added to the cooling water gives constant lubrication and protects all the internal working parts of the water pump. Prevents wear, the cause of water leakage, and ensures silent, efficient operation. Unaffected by anti-freeze and non-injurious to the system.



ANTI-SQUEAK

Per tin 2/6

Keep radiator clear . . .

Fre-flo removes all rust, scale and sludge from the entire cooling system whilst you drive. Poured straight from the tin, it is the modern liquid way to clear clogged radiators, harmless to aluminium heads, rubber hose or any part of the cooling system.



FRE-FLO Liquid Radiator cleaner Per tin 4/6

Waterproof ignition . . .


Aqua-Tect brushed on to sparking plugs, h.t. leads, distributor cap, coil, etc., makes them impervious to moisture, damp and condensation. Instant starting assured. Forms a durable and flexible water-proof coating that will not flake or peel, and is resistant to acid, oil, petrol.



AQUA-TECT Small size 2/- Large size 4/6

Quicker valve grinding . . .

Ensure rapid, effective and accurate results with Holt's Grinding Paste. Combines carborundum in retentive oil case with special agents which cause it to adhere to valve seating, making less "lifting" necessary. In double-ended tin with both coarse and fine grade pastes.



GRINDING PASTE

Per tin 2/-

Repairs cracked batteries

A permanent acid-proof repair for cracks in any type of bakelite, plastic, composition, metal, etc. Used straight from the tube, Batrepair adheres to the crack, air-dries hard to a permanent repair. Unaffected by petrol, oil, water and chemical solutions.




BATREPAIR

Per tube 3/6

Stop battery corrosion . . .

Corrosion on battery terminals can be killed at once by the simple use of No-Crode. Once treated, battery terminals and surrounding metal stay clean—corrosion cannot reoccur. No more terminal replacements. Not just a grease, but a safe active alkaline neutraliser.



NO-CRODE

Small tube 1/6 Large tube 3/-

HOLTS HAVE THE ANSWER TO

Holt's DTD 799 ANTI-FREEZE



Anti-freeze Specification DTD 779 is issued by the Ministry of Supply (Directorate of Technical Development). It is the only Anti-freeze permitted for the Government and Service Vehicles and piston aircraft; it is the best, superseding all previous Ministry formulae—AND NOW this same specification is available to motorists from Holt Stockists throughout the country.

Specify Holt's DTD 779. It gives complete protection against extremes of cold even down to 35° F. of frost.

Specify Holt's DTD 779. Contains a special fluorescent ingredient which is instantly recognisable preventing inadvertent draining—shows up minor leaks allowing remedial action.

Specify Holt's DTD 779. Contains special inhibitors (Triethanolamine Phosphate and Sodium Mercapto-benzothiazole) which protects copper and all cuprous alloys and effectively prevents rusting and pitting of cast-iron and steel.

Holt's DTD 779 is harmless and non-corrosive to all engine metals, including aluminium.

1 PINT 8/6 1 QUART 16/6
1/2 GALLON 31/- 1 GALLON 59/6

Also 5 gal. drums.

Add 1 pint Holt's DTD 779 to every 4 pints of water i.e. 20% by volume or 1/5 total cooling water capacity.



Hard setting gasket seal . . .


A mixture of synthetic resins bonded to give a constant and reliable seal. Gasket Cement No. 1 can be used on cork, asbestos, composition and metal-to-metal joints. Proof against petrol, oil, heat and steam, unaffected by anti-freeze, it is easily separated on dismantling.



GASKET CEMENT No. 1 Bottle 1/6. Tube 1/8
Large Tin 2/6

Non-Hardening Gasket Seal . . .

A reliable pliant seal that stays plastic indefinitely. Makes joints withstanding excessive vibration, compensates worn or pitted surfaces, can be used in place of paper gaskets. Ideal for making good worn pipe threads and for re-use of old gaskets.



GASKET CEMENT No. 2 2/- per tube

10-minute car washing . . .

Washes and shines in one 10-minute operation, Wash-shine gives clean, gleaming coachwork, chrome and glass. No streaks, no spots, no colour comes off on the cloth. Self-drying and needs no leathering. Gives the quickest, cleanest wash, makes constant polishing unnecessary.



WASH-SHINE One tin Wash-shines average car 10 times. Per tin 2/6

One stroke paint stripper . . .

The swift, simple way to remove all all types of finish from any surface. Just brushed on—it penetrates quickly. Will remove paint, cellulose and stove enamel from wood, metal, glass etc. No neutraliser needed—new paint can be applied after water washing only.



PAINT REMOVER 4 oz. bottle 1/9. 10 oz. tin 3/6
20 oz. tin 6/9. 40 oz. tin 12/-

Free seized parts . . .


Containing Acheson Colloidal Graphite, Holt's Penetrating Oil gives quicker creep and greater saturation. It not only frees rusted and corroded parts, but also carries microscopic graphite particles to the metallic surfaces and provides lasting lubrication and protection.



PENETRATING OIL Per tin 2/-
Also available in 1/2 and 1 gallon size.

General purpose lubricating oil . . .

A high grade light oil with high penetrating qualities, Holt's Lytoil contains Lanolin to prevent rust and corrosion. For 101 jobs in the home and the garage—locks, sewing machines, hinges, mowing machines, clocks, guns, bicycles, springs, wind-screen wipers, dynamos, trafficators etc., etc.



LYTOIL 1/4 per Tin

Dazzle-free motoring . . .


Cuts sun or headlight glare without affecting vision. Self-adhesive, it is simply smoothed on the glass. For windscreen, rear or side windows. Although adhesive, Glaremaster is NOT STICKY. Can be peeled off and re-applied over and over again.



GLAREMASTER 3/-

Cleans hands safely . . .

Containing DCMX Antiseptic, Hand Cleaner quickly cleans dirty hands leaving them soft and smooth. Non-abrasive and non-caustic, it "lifts" dirt from the pores, super-fatted agents preventing any skin dryness. Removes grease, grime, tar, paint and all ingrained dirt.



HAND CLEANER Per tin 1/6
Per tube 1/2

MOST MOTORING PROBLEMS

Wax polish plus silicones . . .

The rich brilliance of real wax and the extra protective qualities of silicones are combined in Wondarwax. In special easy-to-apply emulsion form, Wondarwax gives a hard film of lustrous wax without hard rubbing. Unaffected by extremes of heat, cold and damp.

WONDARWAX

Per tin 3/6



Quicker polish up . . .

For the motorist in a hurry—Plastic Gloss is a rapid two-in-one silicone treatment that cleans and polishes in one operation. Removes dirt and dust and leaves a lustrous finish with all the protective and lasting qualities of silicones.

PLASTIC GLOSS



Suitable for all finishes.
Per tin 1/- and 3/-

Chrome cleaning . . .

Wondarchrome is equally effective for a "quick" polish or for rejuvenating neglected chrome. Rapid, easy and long-lasting results are obtained on chromium, nickel, copper, brass and other metals. Removes all dirt, discolouration, corrosion. Preserves as it polishes.



WONDARCHROME

Per tin 2/- and 1/-


Prevent tarnishing . . .

Britect simply wiped on to bright metal dries at once to form an invisible transparent skin that protects the brilliance of chrome, brass, copper, etc. No further polishing required. Does not crack or blister, withstands heat and vibration.

Transparent 2/6 per bottle

BRITECT

Also available in blue, red, green and gold. Britect Remover 1/6 per bottle



Spray-on glass cleaner . . .

Holt spray instantly cleans windcreens, windows, etc., in the car and in the home. Sprayed on from plastic bottle, wiped off with clean rag, removes all dirt, grease, insect stains and fingermarks, leaving surface crystal-clear. Always ready for use, in car pocket or on kitchen shelf.



In plastic spray bottles 3/-
Concentrate refills per
bottle (12 refills) 2/6

HOLTSPRAY

Safety-clear windscreen . . .

ANTI-MIST CLOTH for safe, clear vision in steamy weather, a wipe over with Fog-off cloth will keep windscreen, windows and mirrors clear for long periods. FOG-OFF LIQUID for large areas. One tin will renew Anti-Mist cloth four times.




Anti-Mist cloth 2/6
Fog-off Liquid 2/6

FOG-OFF

Upholstery cleaning . . .

Wondarfoam is a new "dry-bubble" cleaner that rapidly restores colour and freshness to car upholstery, removes marks, dirt and grease from headcloths, leather, moquettes. Useful for furnishings and carpets, etc. Wondarfoam is non-inflammable and as harmless as water.




WONDARFOAM

Per tin 2/6 and 4/6

Safe riding vision . . .

Just rub on, wipe off with a clean rag and perspex windcreens, goggles, etc. are shining clean. Removes dirt, dust, mud and insect stains from all perspex surfaces. Non-greasy—quick and easy to use. Ensures safety-clear vision.




PERSPEX CLEANER

Per bottle 1/6



Chemically pure water ON TAP ALWAYS!

FOR BATTERIES, STEAM IRONS,
PHOTOGRAPHY, LABORATORIES, ETC.




Tapstiller will convert ordinary tap or rain water to high distillation quality—chemically pure and ready for use.

No shaking necessary. Use direct from squeeze bottle for BATTERIES, ETC. Fill bottle with tap water, attach unit and squeeze gently.

FOR BULK SUPPLIES.

Bulk quantities direct from water supply by attaching unit to tap with adaptor supplied. Chemically pure water can be stored in carboys for later use.



HOLT'S

TAPSTILLER

WATER CONVERTER KIT
Complete Tapstiller Outfit 5/6 Special Garage size 7/6.

RENEWABLE FILTER COLUMN

The Tapstiller will convert 1-20 gallons (according to hardness of water used) — colour change of resins gives immediate indication when refill is necessary. Refill unit fitting both standard and garage size 3/-

We Stock all Holt's Tested Automotive Chemical Products

EXTRAS ON CYCLES

Model No.	Type	Purchase Tax	Retail, Including P.T.
		£ s. d.	£ s. d.
GFCy1/E16103	"Standard" Roadster Gents ..	} 2 6 8	13 9 0
GFCy2/E16103	Ladies ..		
GFCy3/E10806	Cyclette	1 11 5	9 1 0
GFCy5/E14005	Juvenile Boys ..	} 2 0 9	11 14 4
GFCy6/E14005	Girls ..		
GFCy7/E17809	Sports Model Gents ..	} 2 11 9	14 18 4
GFCy8/E17809	Ladies ..		
GFCy9/E23501	Carrier Low Gravity	Not Subject	16 4 4
GFCy10/E21701	Carrier Standard	Not Subject	14 19 2

BICYCLES: CARRIAGE PAID IN LOTS OF FOUR UPWARDS

CYCLE PRICES

Model No.	Type	Purchase Tax	Retail Including P.T.
		s. d.	£ s. d.
GFCE1/5607	Sturmey-Archer Dynohub AG less DBU ..	16 5	4 13 6
GFCE2/5911	Sturmey-Archer Dynohub FG less DBU ..	17 4	5 0 0
GFCE3/3309	Sturmey-Archer Dynohub GH6 less DBU ..	9 9	2 16 4
GFCE4/706	Dry Battery Unit for above	2 2	12 5
GFCE5/2705	Sturmey-Archer 3-Speed AW	8 0	2 5 10
GFCE6/2909	Sturmey-Archer 4-Speed FW	8 8	2 9 9
GFCE7/2604	Benelux 3-Speed (1/8 in.)	7 8	2 4 0
GFCE8/2806	Benelux 4-Speed (1/8 in.)	8 3	2 7 7
GFCE9/3007	Benelux 4-Speed (3/32 in.)	8 10	2 11 1
GFCE10/3208	Benelux 5-Speed (3/32 in.)	9 5	2 14 5

Guarantee

We guarantee that all precautions which are usual and reasonable, have been taken by us to secure excellence of materials and workmanship; but this guarantee is to extend and be in force for one year only from the date of purchase, and the damages for which we make ourselves responsible under this guarantee are limited to the cost of repairs to the cycle. We undertake to make good at any time within a year any defects in these respects in our cycles. This guarantee does not apply to defects caused by wear and tear, misuse or neglect.

We do not guarantee the specialities of other firms, such as tyres, saddles, lamps, gear cases, bells, etc., supplied with our cycles or otherwise.

All conditions or warranties implied by statute or otherwise are hereby excluded, and we accept no liability for consequential loss or damage.

INDEX

Page	Page	Page	Page
A			
Accumulators 151	Baycliff Bags .. . 126, 127	Britax Dynamo Rear Lamps 71	Catapult Elastic .. . 148
Acetylene Burners .. . 74	Baycliff Saddle Covers .. 116	British Hub Co.'s Hubs 54, 55, 56	Celebrite .. . 100
A. & P. Frame Tubing .. . 41	Bayliss Wiley—	Brooks Bags .. . 125, 126	Cellulose, Paints and Enamels 37
A. & P. Seat Pillars .. . 116	Axles and Cups .. . 4, 5	Mudflaps .. . 91	Cements and Glues .. . 149
Adaptors Football .. . 148	Freewheels .. . 43	Proofide .. . 116	Cement Rim .. . 111
Adaptors Pump .. . 105	Hubs .. . 54, 55, 56	Saddles 111, 112, 113, 114	Centre Bolts .. . 16
Adie Bells .. . 3	Hub Cogs .. . 61	Saddle Spanners .. . 122	Centre Punches .. . 133
Adjustable Spanners .. . 120	Hub Spindles .. . 61, 62	Brushing Belco .. . 37	Chains .. . 27
Adjusters Chain .. . 29	'Beattall' Pellets .. . 147	Brushes Brazing .. . 122	Chain Adjusters .. . 29
Adhesive Tape .. . 111	Belco Cellulose .. . 37	Brushes Enamel .. . 20	Bolts .. . 27
Aerial Wire .. . 152	Bells .. . 2, 3, 4	Brushes Wire .. . 123	Guards .. . 29
Aero Glue .. . 149	Bell Band Clips .. . 4	Bryterpol Polish .. . 101	Links .. . 28
Aircraft Elastic .. . 148	Bell Crank Units .. . 18	B.S.A. Cables .. . 56	Rings .. . 32, 33, 34
Aireeze Foot Pump .. . 104	Bends .. . 48	B.S.A. Hubs .. . 60	Rivet Extractors .. . 28
Air Gun Ammunition 146, 147	Benelux Cables .. . 60	Buglex Horns .. . 53	Shifters .. . 59
Air Gun Darts .. . 147	Freewheels .. . 44	Bulbs .. . 78, 79, 80	Wheels and Cranks .. . 34
Air Pistols .. . 146	Gears .. . 58, 59	Bulb Horns .. . 53	Wheel Screws .. . 34
Airlite Hubs .. . 55	Nipple Keys .. . 119	Burg Locks and Chains .. . 84	Chains for Locks .. . 85
Alatet Head Fittings .. . 51, 52	Bicycles Roadster .. . 153	Burners .. . 74, 75	Challenge Oil .. . 95
Alldry Radio Batteries .. . 151	Juvenile .. . 153	Bushes Crank .. . 33	Champion Plugs .. . 118
Alligaro Valve Inserts .. . 144	Sports .. . 154	Butted Steering Tubes .. . 41	Chater Lea Cotters .. . 35
Allrounder Bends .. . 48	Carrier .. . 154	Butted Spokes .. . 118	Chain Wheel Screws .. . 34
Alloy Pumps .. . 103, 104	Prices .. . 155		Pedals .. . 99
Aluminium Enamel .. . 37	Bifurcated Rivets .. . 111	C	
Alphabet Transfers .. . 143	Binda Pattern Goggles .. . 39	Cables .. . 13, 14	Child Seats .. . 22, 23
Anti-Freeze Mixture .. . 107	Black Enamel .. . 37	Cable Brakes .. . 5, 6, 7	Chinese Lacquer .. . 37
Anti-Slip Blocks .. . 10	Blades (Fork) .. . 41	Cable Clips and Bands 15, 60	Christophe Toe Clips .. . 132
Anti-Slip Blocks in Shoes 11	Blades (Hacksaw) .. . 133	Cable Clamps .. . 15	Chrome Cleaner .. . 100, 101
Apex Pumps .. . 103, 104	Bladders .. . 148	Cable Dynamo .. . 85	C.I. Cyclometers .. . 30
Apollo Car Polish .. . 102	Block Spanners .. . 120	Cable Electric .. . 150	Locks and Chains .. . 84
Ashby Carriers .. . 21, 22, 23	Blocks in Shoes .. . 8, 9	Cable End Caps .. . 14	Spanners .. . 120
Ashby Brakes .. . 6	Bluemels Lamps .. . 73, 74	Cable Nipples .. . 12, 14, 15	Cleaners .. . 100, 101, 102
Ashby Lamp Brackets .. . 81	Mudguards .. . 89, 90	Cable Stops .. . 12, 14	Cleaning Cloth .. . 102
Ashby Skates .. . 147	Pumps .. . 103, 104	Cables for Gears .. . 59	Clean Feet .. . 92
Ashby Toe Clips .. . 131, 132	Reflectors .. . 108	Cabinets for Speedometers 31	Cleaners Hub .. . 64
Atlas Lamps and Tubes .. . 81	Boards (Dart) .. . 152	Cabinet Screwdrivers .. . 122	Clips Bell Band .. . 4
Attachments for Forks .. . 43	Bodies and Cogs for Free- wheels .. . 44, 45	Cadet Horns .. . 54	Clips Pump .. . 106
Artists Brushes .. . 20	Bodyglaze .. . 101	Caliper Brakes .. . 5, 6, 7	Clips Toe .. . 131, 132
Autobrite .. . 101	Bodysheen .. . 101	Blocks in Shoes .. . 11	Clips Trouser .. . 141
Auto-Cycle Saddles .. . 115	Bolts and Nuts .. . 20, 93	Brake Cables .. . 13	Clips Worm Drive .. . 106
A.W. Hubs .. . 57	Boron Compound .. . 122	Caliper Brakes .. . 5, 6, 7	Clothing Cycle .. . 35, 36
Axles Bottom Bracket .. . 4, 5	Boss Fitting Lamp Brackets 82	Blocks in Shoes .. . 11	Club Special Guards .. . 89
	Bostick .. . 149	Brake Cables .. . 13	Clutch Cables .. . 13, 14
	Bottle Carriers .. . 25, 26, 27	Cantilever Brakes .. . 7	Coats Warehouse .. . 36
	Bottles Feeding .. . 25	Blocks .. . 9	Coaster Hubs .. . 56
	Bottom Parts .. . 16, 17, 18	Canvas .. . 97	Coaster Hub Wheels .. . 145
	Box Spanners .. . 122	Canvas Bags .. . 126, 127, 128	Cogs .. . 61
	Bracket Axles and Cups 4, 5	Capes .. . 35, 36	Cogs and Bodies for F/W's 44, 45
	Taps & Reamers 5	Cape Rolls .. . 127	Cog Lock Rings .. . 61
	Units .. . 5	Cape Straps .. . 24, 25	Coloral Bottles and Carriers .. . 25, 26, 27
B.A. Spanners .. . 121	Brackets Lamp .. . 81, 82, 83	Caps and Cores (Schrader) 144	Combination Lamps .. . 74
Bags .. . 125, 126, 127, 128, 129, 130	Brakes .. . 5, 6, 7	Caps Pedal .. . 100	Combination Locks .. . 85
Bag Straps .. . 24, 25	Brakes Internal Expanding 56, 57	Carbide .. . 25	Comos Brakes .. . 7
Bag Supports .. . 23	Brakes Pram .. . 100	Carrier Baskets .. . 40	Competition Capes .. . 36
Bailey Guards .. . 89	Brake Blocks .. . 8, 9, 10	Carrier Cycles .. . 154	Comet Oil .. . 94
Bailey Pumps .. . 103	Brake Bolts .. . 16	Chain Wheel Sets .. . 32	Continental Bells .. . 3, 4
Bakers Soldering Fluid .. . 122	Brake Cables .. . 13	Covers .. . 136	Continental Chain Guards 29
Balls (Steel) .. . 1	Brake Cable Nipples 12, 14, 15	Frames .. . 40	Cotters .. . 35
Balls (Table Tennis) .. . 152	Brake Cable Stops .. . 12, 14	Head Fittings .. . 51	Head Fittings 51, 52
Ballpaks .. . 1	Brake Cable Cap Ends .. . 14	Hubs .. . 55	Valve Inserts .. . 144
Ball Head Clips .. . 51, 52	Brake Guides .. . 16	Mudguards .. . 87	
Ball Head Races .. . 51	Brake Hood Grips .. . 47	Panniers .. . 130, 131	
Ball Joint Mirrors .. . 86	Brake Hubs .. . 56, 57	Parts .. . 24	
Ball Laces .. . 148	Brake Inner Wire .. . 11	Straps .. . 24, 25	
Ball Lacers .. . 149	Brake Levers .. . 16, 19	Tubes .. . 138	
Ball Retainers .. . 1	Brake Linings .. . 12	Wheels .. . 145	
Bands (Trouser) .. . 141	Brake Outer Casing .. . 11	Carriers .. . 21, 22, 23	
Bantel Guards .. . 89, 90	Brake Parts .. . 16, 17, 18	Carriers Bottle .. . 25, 26, 27	
Bantel Reflectors .. . 109	Brake Shoes and Blocks 10, 11	Child .. . 22, 23	
Bars and Brakes .. . 7, 8	Brake Springs .. . 15, 17	Sprint Wheel .. . 24	
Base Frames (Saddle) .. . 116	Brake Tubes .. . 16	Tennis Racquet .. . 24	
Baskets .. . 1	Brampton Head Sets 51, 52	Trademan's .. . 22	
Basket Supports .. . 1	Hubs .. . 56	Carlton Tyresavers .. . 140	
Baskets Tradesman's .. . 40	Pedals .. . 99	Car Polish .. . 100, 101, 102	
Batteries .. . 75, 77, 78	Bray Burners .. . 74	Cases Football .. . 148	
Batteries Radio .. . 151	Brazing Sundries .. . 122	Casing Repair .. . 97	
Battery Horns .. . 53, 54	Bridges Mudguards .. . 88	Castrol Grease, Grease & Oil 94	
Battery Lamps .. . 72, 73, 74	Bridgex Tubing .. . 41	'Cat' Slugs .. . 146	

INDEX—continued

[illegible]



INDEX—continued

Page	Page	Page	Page
J			
Jenolite Chemical Sealer .. 37	Locks and Chains .. 83, 84, 85	Mudguard Bridges .. 88	Handlebar Stems .. 49
Paint Stripper .. 37	Locks Frames .. 85	Extensions .. 91	Hubs .. 54, 55, 56
Juvenile Cycles .. 153	Lodge Plugs .. 117, 118	Fittings .. 90	Hub Parts .. 61, 62
JUY. 51 Derailleur Gears .. 58	Long Cones .. 62	Reflectors 108, 109	Motorised Guards .. 88
JUY. 56 Double Changers .. 59	Long Outfits .. 107	Screw and Nuts .. 93	Oilers .. 96
JUY. 543 Derailleur Gears .. 58	Long Shackle Locks .. 84, 85	Stays .. 88, 89, 90	Pedals .. 97, 98, 99
	Lubricating Oil .. 94, 95	Multicore Solder .. 123	Pedal Parts .. 99
	Lubricators .. 96	Multiple Freewheels .. 44	Reflectors .. 109
	Lucas Bells .. 2		Resilience Brakes .. 7
	Cyclometers .. 30	N	Phillips Spanners .. 122
	Dynamo Sets .. 66, 67		Westwood Rim Brakes 7
	Spares .. 67		Wing Nuts .. 63
	Dynamos only .. 69	Needles Gramophone .. 152	Picture Bells .. 2
	Headlamps .. 69	Nervex Lugs .. 42	Pifco Front Lamps .. 73
	Rear Lamps .. 70	Nipples Brake .. 14	Rear Lamps .. 74
	Motor Cycle Stop and	Nipples Solderless .. 15	Torch Cases .. 76
	Tail Lamps .. 71	Nipples Spoke .. 119	Pillars Seat .. 117
	'Gem' Locks .. 83	Nipple Keys .. 119, 120	Pillion Seats .. 115
	Reflectors .. 109	Number Plates .. 93	Footrests .. 115
	Lucifer Dynamo Sets .. 68	Number Plate Transfers .. 143	Pin Punches .. 133
	Lycett Cycle Saddles .. 111, 112, 113, 114	Nustikon Licence Holders .. 83	Pip-Pip Horns .. 52, 53
	Motor Cycle Saddles 115	Nuts .. 20, 93	Pistols .. 146
			Pivo Handlebar Bends .. 49
			Plastic Capes Leggings and South
			Westers .. 36
			Plastic Dress Guards .. 92
			Pliers .. 133
			Plugs Handlebar .. 47
			Plugs Sparking .. 117, 118
			Polishes .. 100, 101, 102
			Polishing Cloths .. 102
			Pram Brakes .. 100
			Straps .. 100
			Tying .. 100
			Preference Freewheels 43, 44
			Cogs .. 45
			Pressure Gauges .. 140
			Presta Valves .. 143
			Presto Handlebar Stems .. 50
			Proofide .. 116
			Prop Stands .. 124, 125
			Punches (Centre and Pin) 133
			Pumps Cycle .. 103, 104
			Foot .. 104
			Football .. 149
			Motor Cycle .. 104, 105
			Pump Adaptors .. 105
			Clips .. 106
			Connections .. 105
			Washers .. 106
			Pushes Horn .. 53
			Push-up Trouser Clips .. 141
			Putty Stopper .. 37
			Q
			Quill Pedals .. 98, 99
			R
			Races (Ball) .. 51, 52
			Racquet Clips .. 24
			Radiator Lamps .. 106
			Radio Batteries .. 151
			Raleigh Oil .. 95
			Rat Trap Pedals .. 98, 99
			Ray-O-Vac Batteries .. 77, 78
			Torch Cases .. 76
			Reeds Horn .. 53
			Red Rear Lamp Glasses .. 88
			Reflectors .. 108, 109
			Remover Freewheel .. 45
			Renolds Chain .. 27
			Repair Outfits .. 107, 108
			Resilience Brakes .. 7
			Hubs .. 56

INDEX—continued

Page	Page	Page	Page
Retainers Ball 1	Sparto Side Car Lamps .. 72	Three-in-One Oil 95	W
Reynolds Tubing 41	Stop Lamp Switches 72	Polish 101	Waisted Pellets 147
Ring Spanners 121	Tail Lamps .. 70, 71	Three Pin Chain Wheel Sets .. 32, 33, 34	Wakefield Oil and Grease .. 94
Ringed Pumps 103, 104	Spattees 35, 36	Throttle Cables 13, 14	Wall Cleaner (White Tyre) 102
Rims 110	Speedometers 30	Tidies (Cable) 15	Washer Head 51
Rim Adhesive Tape 111	Speedometer Spares 61	Toe Clips 131, 132	Pump 106
Cement 111	Spindles Hub 62	Toe Clips Straps 132	Rim 119
Corks 109	Pedal 99	Tools 133, 134	Steel 144
and Tyre Paint 111	Spotlight Torches 75	Tool Bags 131	Spring 144
Tapes 110, 111	Spokes and Nipples .. 118, 119	Tool Rolls 131	Watch Clips 146
Washers 119	Spoke Cutters 119	Top Chain Guards 29	Waterproof Brake Casing .. 11
Rivets 111	Dies 119	Top Tube Control Wires .. 59	Waterslide Transfers .. 142
Rivet Extractors 28	Nipples 119	Top Tube Child Seats .. 22	Webb Brakes 6
Robbialac Lacquer and Cellulose 37	Nipple Keys .. 119, 120	Torch Batteries 77, 78	Pedals 99
Roller Skates 147, 148	Screwing Machines .. 119	Bulbs 78, 79	Spring Forks 43
Romac Cylinder Black .. 37	Spring Forks 43	Cases 75, 76	Weinmann Brakes 6
Patches 97	Spring Links 28	Tornade Racing Pumps .. 104	Brake Blocks 10
Polishes 100	Spring Ring Bells 3	Tour de France Gears .. 58	Corks 109
Repair Outfits 107	Spring Washers 144	Tour de France Guards .. 90	Nipples 109
Round Head Screws and Nuts, 93	Sprint Wheel Carriers .. 24	Touring Bags, 125, 126, 127, 128, 129, 130	Rims 110
Rubber Handle Grips, 45, 46, 47	Squires Locks 84	Tourist Brake Levers .. 16	Washers 109
Rubber Torches 75	Locks and Chains 84, 85	Toys 146, 147, 148	Wesco Oilers 96
Rubber (Valve) 144	Stadium Bells 2	Tradesman's Cycles .. 154	Wet and Dry Paper 150
Rust Proofing (Jenolite) .. 37	Goggles 38	Baskets 40	Wheels Cycle (Built) 145, 146
	Horns 53	Carriers 22	Skate 148
	Mirrors 86	Transfers 142, 143	Wire Aerial 152
S	Star Ball Retainers 1	Transfer Varnish 143	Wire Brake 11
Saddles .. 111, 112, 113, 114, 115	Starlite Chinese Lacquer .. 37	Tread Stopping Compound 140	Brazing 122
Saddle Covers 116	Starlite Dynamo Lighting Sets 68	Tricycle Chain Guards .. 29	Brushes 124
Dressing 116	Combination Sets .. 74	Tricycle Freewheels .. 44	Fuse 151
Spares 115, 116	Rear Lamps .. 70, 74	Tricycle Mudguards .. 87	Wicks for Lighters 150
Tops 116	Stands Cycle 124, 125	Triple Freewheels .. 43, 44	Williams Chain Wheel Sets .. 32, 33, 34
Schrader Valve Parts 144	Stays Mudguard 88, 90	Trouser Bands and Clips .. 141	Woods to Schrader Adaptors .. 105
Screws and Nuts 93	Steel Balls 1	Tubes Brake 16	Woods Valves 143
Screwdrivers 122	Steel Mudguards 87, 88	Tubes Feeding Bottle .. 26	Wrights Saddles 113
Sealastic 150	Steel Screwdrivers 122	Tubes Fluorescent 81	
Seat Pillars 117	Steel Tubing 41	Tubing Frame 41	Y
Seat Stays 41	Stems Handlebar 49, 50	Tubing Valve 144	Yellorex Chains 27
Seccotine 150	Stirrups Brake 17	Tubulars 140	Chain Links 28
Sheerline Brakes 5	Stockinette 102	Tubular Box Spanners .. 122	
Shelton Trouser Bands .. 141	Stopping Compound .. 140	Tubular Carriers 21	Z
Shim 101	Storm Cheetah Clothing .. 36	Turpentine Substitute .. 38	Zefal Pumps 104
Shockstop End Caps 47	Straps Leather 24, 25	Twin Cell Batteries 77	Pump Connections .. 105
Grips .. 45, 46, 47	Pram 100	Twin Cell Rear Lamps .. 73, 74	
Plugs 47	Toe Clips 132	Twistdips 19	
Shoes 36	Strikers Cyclometer .. 31	Twist Drills 134	
Shuresta Stands 124	Studded Brake Blocks .. 9, 10	Twist Grips 19	
Silicone Waterproof Paper 150	Sturmey Archer Hubs 57, 58	Tyres .. 135, 136, 137, 138, 139	
Simoniz Products 101, 102	Sturmey Archer Control Cables 59	Tyre Gauges 140	
Simplex Bottles and Carriers .. 25, 26, 27	Swarfega Hand Soap 123	Levers 140, 141	
Double Changers 59	Syncro Switch Cables .. 60	Savers 140	
Gears 58	T	Tyresules Lighter Fuel .. 150	
'Get you Home' 59	Tail Lamps 70, 71		
Wheel Stops 59	Tandem Chain Wheel Sets 33		
Skates Roller 147	Tandem Stems 50	V	
Skate Wheels 148	Tape (Handlebar) 47	Valves 143	
Keys 148	Tape (Insulating) 125	Valve Parts 143	
Skefco Ball Bearings 1	Tape (Rim) 110, 111	Caps (Schrader) 144	
Smith's Bluecol 107	Taps and Dies .. 5, 133, 134	Cores (Schrader) 144	
Speedometers 30	Tecalemit Grease Guns .. 96	Inserts 143, 144	
Speedometer Spares 31	Nipples 96	Core Keys 144	
Soap 123	Visaguns 96	Tubing 144	
Soldering Material .. 122, 123	Tennis Racquet Clips .. 24	Valve Grinding Paste .. 149	
Solderless Nipples 15	Tension (Saddle) Spanners 122	Varnish (Transfer) 143	
Slugs 146	Tension Springs 115	Victree Bells 3	
Solution 124	Terry Cable Clips 15	Villiers Freewheels 43	
Sou'Westers 35, 36	Lamp Brackets 82	Vince Cycle Stands 125	
Spanners 120, 121, 122	Magneto Spanners .. 122	Vista Goggles 38	
Sparkling Plugs 117, 118	Pump Clips 106	Vox Populi Brakes 5	
Sparkling Plug Covers .. 117	Racquet Clips 24		
Gauges 117	Saddles 113		
Spanners 120	Spanners 121		
Terminals 117	Trouser Bands 141		
Washers 118	Tyre Levers .. 140, 141		
	Watch Clips 146		

ESTABLISHED
1880



OVER 75 YEARS OF PROGRESS

Comprehensive stocks of Elswick and Hopper
Cycles and Tricycles are held for distribution
to London and district dealers by our officially
appointed Wholesalers:

THE GENERAL FITTINGS COMPANY LTD.,
105a TORRIANO AVENUE, LONDON, N.W. 5

The Elswick-Hopper Cycle & Motor Co.
LIMITED
Barton-on-Humber, Lincs.