

Under this copy of HOUSE BEAUTIFUL
is our new combination of
© beim Hersteller
Artikel/Magazin/Quart
a sensitive AM/FM stereo tuner
plus a powerful 50 watt stereo amplifier.

Beautiful.



It might strike you as just a fine decorator accessory. True, it is an asset anywhere in any room. But if you can tear yourself away from just looking at it, flick it on and you'll HEAR the true beauty it was invented for. Fifty watts of extraordinary stereo sound can't be seen, but you'll feel it completely filling your room. The receiver is all solid state. E-V has removed all the bulk, the heat, and the cost that mean nothing to your listening (and looking) enjoyment. Series 1100 units give you all the control you need to satisfy the most discerning musical taste. Peek at the features of the

amplifier and tuner. Everything said about those units has been combined in this receiver, and that's a lot in a package this size. All connections are recessed and hidden. Every model is complete with case including solid walnut end panels. There are the sound source lights, "spot of light" tuning dial, and FTS stereo broadcast indicator that works even when you're listening to records. It's almost as much fun to watch as to hear. At home in a bookshelf, on a table or cabinet. Just add a pair of Electro-Voice speakers for a completely satisfying high fidelity system.

E-V 1177 FIFTY WATT FM STEREO RECEIVER

E-V 1178 FIFTY WATT AM/FM STEREO RECEIVER



Electro-Voice®



Careful! Here's an amplifier so small you may misplace it under a few decorator magazines. You'll never misplace the sound, of course — it's superb! But the size means you can really put the E-V 1144 anywhere. Whatever your sound source — tuner, turntable, tape — it has a place with this amplifier. And the unit shows you what's operating, because there's a color light bar, different for each source, glowing on the front panel. The amplifier is completely enclosed, of course, with a solid walnut panel at each end. Connections are hidden under the back. Solid!


E-V 1144 FIFTY WATT STEREO CONTROL AMPLIFIER

And for a perfect companion, the E-V tuner, matching the amplifier exactly. This all-solid-state unit just won't let you stray from optimum satisfaction. You tune, and the "spot of light" leads you along the dial. Your favorite stations can be marked by exclusive E-V movable locaters. If you wish, AFC locks in fm stations, and the illuminated meter shows when tuning is perfect. The FTS (full time stereo) light tells when stereo is there! Listen, it's simply great. After all, this is one tuner that's as sensitive as you are.

E-V 1155 FM STEREO TUNER

E-V 1156 AM/FM STEREO TUNER






COMPUTER-TYPE INDICATOR LIGHTS call out which audio source you are hearing — tuner, phono, or auxiliary. The lights are attractively color keyed for quick and easy identification.

Electro-Voice electronic components are warranted for two years from date of purchase against defects in materials and workmanship. Any unit showing evidence of such defect will be repaired or replaced without charge.

- E-V 1144 FIFTY WATT STEREO AMPLIFIER\$124.50
- E-V 1155 FM STEREO TUNER 160.00
- E-V 1156 AM/FM STEREO TUNER 195.00
- E-V 1177 FIFTY WATT FM STEREO RECEIVER .. 280.00
- E-V 1178 FIFTY WATT AM/FM STEREO RECEIVER 315.00




EXCLUSIVE STATION LOCATORS mark your favorite stations for quick, accurate tuning. Easily reset at any time.


"SPOT OF LIGHT" DIAL INDICATOR, instead of hard to see pointer, pinpoints tuning day or night.

"FTS" (full time stereo) INDICATOR LIGHT glows whenever you are tuned to a stereo broadcast even when listening to records or tape, or system is switched to mono. Automatic fm stereo switching.


ZERO-CENTER TUNING METER permits ultra-precise tuning of weakest signals. Illuminated for easy use.



FIT ANY SPACE with E-V 1100 series solid state electronics. Tuner and amplifier units stack less than 6 1/2" high. Case with solid walnut end panels is standard — nothing extra to buy.



*© beim Hersteller
Archiv Michael Otto*



NEAT INSTALLATION ANYWHERE is assured by recessed terminal panel at rear. All connections are out of sight. Wires can be wrapped together and run behind a table leg. Units can be placed flush against a wall if space is at a premium.

amplifier specifications / IHF music power output, 50 watts (into 8 ohms, output increases into lower impedances), 25 watts per channel / **Continuous sine wave output**, 18 watts per channel / **Frequency response**, ± 1.5 db 20-20,000 cps at rated output, ± 1.5 db 20-30,000 cps at 1 watt / **Harmonic Distortion**, less than 1.0% at rated output / **Hum and noise**, better than 70 db below rated output (magnetic phono input better than 60 db below rated output) / **Inputs**—phono (mag), tuner, aux, tape (high level). **tuner specifications: Sensitivity**, 2 uv IHF. **amplifier and tuner dimensions: 3 3/8" high, 8 3/8" wide, 10 1/4" deep. / receiver dimensions: 3 3/8" high, 15 7/8" wide, 10 1/4" deep.**

ELECTRO-VOICE, INCORPORATED BUCHANAN, MICHIGAN 49107

Setting courtesy of Herman Miller, Inc.

You can see and hear 1100 series components at your E-V high fidelity specialist's showroom.

Electro-Voice