

ROTEL®

£56-45

RT-222

AM/FM STEREO TUNER



HERE is RT-222, one of ROTEL's cost-performance out-performer. The product designed for those who want quality at low cost. In no way we have compromised ROTEL's tradition of excellence in quality to develop this fine tuner.

RT-222 has all the basic facilities you need to enjoy clear and distortion-free broadcasting but with a touch of professionalism. A smooth flywheel action, a large efficient tuning meter and a linear dial scale would assure simple yet precise operation for optimum listening pleasure.

ROTEL

RT-222

SPECIAL FEATURES

- * Precision frontend to pull in broadcasts clearly
- * All solid state electronics design
- * Handsomely trimmed aluminum extrusion panel
- * Large tuning knob with crisp flywheel action
- * Function selector for AM, FM or FM STEREO
- * Linear FM dial scale for easy tuning
- * Accurate signal strength tuning meter for visible tuning
- * Wood cabinet included

SPECIFICATIONS

FM	Sensitivity (IHF)	4 μ V
	Frequency Range	88 – 108 MHz
	Harmonic Distortion	0.5%
	Signal to Noise Ratio	63 db
	Capture Ratio	5 db
	Selectivity	20 db
	Stereo Separation	35 db at 1 kHz
	Image Rejection	40 db
	IF Rejection	60 db
	Spurious Response Rejection ...	60 db

AM	Sensitivity (IHF)	250 μ V/m
	Frequency Range	535 – 1605 kHz
	Image Rejection	50 db at 1 MHz
	IF Rejection	40 db at 1 MHz
	Signal to Noise Ratio	50 db
	Selectivity	30 db

DIMENSIONS 13"(W) x 6½"(D) x 4"(H)

WEIGHT 7 lbs/3 kg

Note. Features and specifications subject to change without notice.

Scans von <https://archive.org>