

# SANSUI SS10




**HIGH-FIDELITY STEREO HEADPHONE SET** The virtues of being alone have long been underrated. Or were until Sansui decided to do something really meaningful about it. Now enter the SS-10 stereo headphone set, affectionately dedicated to those purists to whom stereo is indeed a very personal experience, ideally savored in princely solitude, far from the maddening crowd. Equipped with newly developed mechanical two-way speakers, this truly high-fidelity set reproduces a wide range of frequencies from very, very low to ultra-high with uniform smoothness. Few other stereo headphones on the market today are so discreet and so solicitous of your undisturbed listening pleasure. The SS-10 "direct line" set offers a host of attractive features, including separate volume

controls for each channel, identical left and right channel characteristics, and hand-sewn so comfortable that it's a very wise investment from that standpoint alone. But Sansui is also very understanding about the pleasures of stereo sharing, and providently thought to make the "direct line" convertible to a "party line". So that on those occasions when there's something special you'd like someone special to hear with you, the SS-10 has a two-meter long Y-shaped extension cord equipped with two jacks for connecting two sets of headphones. But whether used in solitude, or adapted for sharing, the SS-10 stands alone as today's best buy in stereo headphones.

*Sansui*

**MECHANICAL 2-WAY SPEAKERS:** The unique, newly developed mechanical 2-way speakers of the SS-10 utilize large 8cm, special cone papers for the low and middle range notes, and quality polyester diaphragms that also cover the high ranges. These enable the SS-10 to reproduce sound with an absolute minimum of inter-modulation and harmonic distortion and a maximum of transparency and resolution.



**WIDE FREQUENCY RANGE:** Thanks to the mechanical 2-way speakers, the SS-10 reproduces a wide 20 to 20,000Hz range of sound, from well-damped, powerful rich heavy bass comparable to that reproduced by large speakers, to delicate, transparent treble, all with exceptional smoothness.


**IDENTICAL CHANNEL CHARACTERISTICS:** The SS-10 is designed to minimize the difference in tonal quality and output sound pressure level between the left and right channels, enabling you to enjoy well-balanced stereo sound. Further, unlike speaker systems, a stereo headphone set completely separates the left and right channel sounds, so that the stereo separation is exceptional.

**SEPARATE VOLUME CONTROLS:** Equipped with a volume control on each ear pad, the SS-10 saves you the trouble of standing up and walking over to the amplifier each time you wish to adjust the sound volume. It's especially convenient when you are sitting far away from the amplifier using the extension cord supplied.

Since the left and right channels can be separately adjusted, adjustment of stereo balance is also easily accomplished.



**Y-SHAPED EXTENSION CORD WITH TWO JACKS:** The SS-10 comes complete with a 2-meter long extension cord to let you relax away from the amplifier or tape deck. This cord is provided with two jacks for connecting two stereo headphone sets, so two persons can listen together.



**SPIRAL CORD:** The connection cord of the SS-10 is of the same curled spiral type as that used with telephones. Though as long as 3 meters, it never gets in your way.


**HAND-SEWN EAR PADS:** Made of specially-treated soft plastic, the SS-10's ear pads cover the ears very softly and do not exert uncomfortable pressure on the wearer. These comfortable pads seal out external sound and will not tire the wearer even after hours of continuous listening.

**EASY-TO-USE, FUNCTIONAL DESIGN:** The length of the head band can be freely adjusted to suit the size of the head or ear positions of each individual.



## SPECIFICATIONS:

|                              |                                  |
|------------------------------|----------------------------------|
| <b>SPEAKERS:</b>             | 8cm (3 1/8")<br>mechanical 2-way |
| <b>MAX. INPUT:</b>           | 500mW                            |
| <b>IMPEDANCE:</b>            | 8Ω                               |
| <b>FREQUENCY RESPONSE:</b>   | 20—20,000Hz                      |
| <b>SOUND PRESSURE LEVEL:</b> | Over 110dB                       |
| <b>CORD LENGTH:</b>          |                                  |
| <b>MAIN CORD</b>             | Spiral type 3m (9.8ft.)          |
| <b>EXTENSION CORD</b>        | Straight type 2m (6.5ft.)        |
| <b>WEIGHT:</b>               | 625 grams (22 oz.)               |



Design and specifications subject to change without notice for improvements.

MODEL:

SS-10

SERIAL NO:

INTERNATIONAL

# WARRANTY

Applicable only for Sansui products purchased in one country and presented for servicing in another. When no international shipment or travel is involved, only the original dealer's Warranty is applicable.



## SANSUI INTERNATIONAL WARRANTY

SANSUI ELECTRIC COMPANY, LTD., warrants all Sansui products purchased in one country and taken abroad against defects in materials and workmanship for the period(s) enumerated under "Terms of Warranty" from the original purchase date. Provided that the holder bears all costs for insuring the safe delivery and return of his equipment to and from the nearest authorized Sansui service station, repairs and parts replacement will be made without charge anywhere in the world, subject to the following exceptions:

1. Failure to present both sales slip (or its equivalent) and this Warranty card.
2. Breakdowns or damage due to careless handling, negligence, accidents, abuse or failure to follow operating instructions furnished by Sansui.
3. Breakdowns caused by other appliances.
4. Breakdowns or damage due to natural disasters, acts of war or public disturbances.
5. Repairs, alignments, alterations or tampering with the product by individuals or service stations other than those specifically designated by Sansui in the accompanying list of International Authorized Service Stations.
6. Breakdowns or damage due to packaging and shipment in containers other than those provided or designated by Sansui.
7. Equipment with serial numbers altered or removed.

*Products to which the above exceptions apply will be serviced at cost to the owner.*

### TERMS OF WARRANTY

| PRODUCTS                       | FREE LABOR | FREE PARTS | EXCEPTIONS |
|--------------------------------|------------|------------|------------|
| Receivers, Tuners & Amplifiers | 12 Months  | 24 Months  | A          |
| 4-Channel Synthesizer Decoders | 12 Months  | 24 Months  | A          |
| Electronic Crossover Units     | 12 Months  | 24 Months  | A          |
| Reverberation Amplifiers       | 12 Months  | 24 Months  | A          |
| Turntables                     | 12 Months  | 12 Months  | B          |
| Speaker Systems                | 12 Months  | 12 Months  | C          |
| Stereo Headphones              | 12 Months  | 12 Months  | —          |
| Stereo Systems                 | 12 Months  | 12 Months  | D          |
| Tape Decks & Recorders         | 6 Months   | 12 Months  | E          |

A. With the exception of panels, knobs, bonnet, smoked plate and dial glass.

B. With the exception of stylus, knobs, head shell, acrylic dust cover and all wooden parts.

C. With the exception of all wooden parts.

D. With the exception of all wooden parts, panels, knobs, smoked plates, dial glass, head shell and stylus.

E. With the exception of all wooden parts, panels, knobs, smoked plates, meter covers, dust covers, tape heads, and all other parts listed as accessories.

This International Warranty is in lieu of all other Warranties expressed, implied or statutory and is made on the express understanding that it may be invoked only by the original purchaser and covers only those Sansui products purchased in one country and presented for servicing and/or repairs in another.

Proof of date of purchase is considered to be a responsibility of the customer and must be presented when applying for In-Warranty Service at an authorized SANSUI Service Station.

**IMPORTANT**  
KEEP YOUR SALES SLIP HERE

**Sansui**

SANSUI ELECTRIC CO., LTD., 14-1, 2-CHOME, IZUMI, SUGINAMI-KU, TOKYO 168, JAPAN

# SANSUI SS10




*© beim Hersteller  
Archiv Michael-Otto*

**HIGH-FIDELITY STEREO HEADPHONE SET** The virtues of being alone have long been underrated. Or were until Sansui decided to do something really meaningful about it. Now enter the SS-10 stereo headphone set, affectionately dedicated to those purists to whom stereo is indeed a very personal experience, ideally savored in princely solitude, far from the maddening crowd. Equipped with newly developed mechanical two-way speakers, this truly high-fidelity set reproduces a wide range of frequencies from very, very low to ultra-high with uniform smoothness. Few other stereo headphones on the market today are so discreet and so solicitous of your undisturbed listening pleasure. The SS-10 "direct line" set offers a host of attractive features, including separate volume

controls for each channel, identical left and right channel characteristics, and hand-sewn so comfortable that it's a very wise investment from that standpoint alone. But Sansui is also very understanding about the pleasures of stereo sharing, and providently thought to make the "direct line" convertible to a "party line". So that on those occasions when there's something special you'd like someone special to hear with you, the SS-10 has a two-meter long Y-shaped extension cord equipped with two jacks for connecting two sets of headphones. But whether used in solitude, or adapted for sharing, the SS-10 stands alone as today's best buy in stereo headphones.

*Sansui*

**MECHANICAL 2-WAY SPEAKERS:** The unique, newly developed mechanical 2-way speakers of the SS-10 utilize large 8cm, special cone papers for the low and middle range notes, and quality polyester diaphragms that also cover the high ranges. These enable the SS-10 to reproduce sound with an absolute minimum of intermodulation and harmonic distortion and a maximum of transparency and resolution.




**WIDE FREQUENCY RANGE:** Thanks to the mechanical 2-way speakers, the SS-10 reproduces a wide 20 to 20,000Hz range of sound, from well-damped, powerful rich heavy bass comparable to that reproduced by large speakers, to delicate, transparent treble, all with exceptional smoothness.

**IDENTICAL CHANNEL CHARACTERISTICS:** The SS-10 is designed to minimize the difference in tonal quality and output sound pressure level between the left and right channels, enabling you to enjoy well-balanced stereo sound. Further, unlike speaker systems, a stereo headphone set completely separates the left and right channel sounds, so that the stereo separation is exceptional.

**SEPARATE VOLUME CONTROLS:** Equipped with a volume control on each ear pad, the SS-10 saves you the trouble of standing up and walking over to the amplifier each time you wish to adjust the sound volume. It's especially convenient when you are sitting far away from the amplifier using the extension cord supplied.

Since the left and right channels can be separately adjusted, adjustment of stereo balance is also easily accomplished.



**Y-SHAPED EXTENSION CORD WITH TWO JACKS:** The SS-10 comes complete with a 2-meter long extension cord to let you relax away from the amplifier or tape deck. This cord is provided with two jacks for connecting two stereo headphone sets, so two persons can listen together.



**SPIRAL CORD:** The connection cord of the SS-10 is of the same curled spiral type as that used with telephones. Though as long as 3 meters it never gets in your way.


**HAND-SEWN EAR PADS:** Made of specially-treated soft plastic, the SS-10's ear pads cover the ears very softly and do not exert uncomfortable pressure on the wearer. These comfortable pads seal out external sound and will not tire the wearer even after hours of continuous listening.

**EASY-TO-USE, FUNCTIONAL DESIGN:** The length of the head band can be freely adjusted to suit the size of the head or ear positions of each individual.



#### SPECIFICATIONS:

|                              |                                  |
|------------------------------|----------------------------------|
| <b>SPEAKERS:</b>             | 8cm (3 1/8")<br>mechanical 2-way |
| <b>MAX. INPUT:</b>           | 500mW                            |
| <b>IMPEDANCE:</b>            | 8Ω                               |
| <b>FREQUENCY RESPONSE:</b>   | 20-20,000Hz                      |
| <b>SOUND PRESSURE LEVEL:</b> | Over 110dB                       |
| <b>CORD LENGTH:</b>          |                                  |
| <b>MAIN CORD</b>             | Spiral type 3m (9.8ft.)          |
| <b>EXTENSION CORD</b>        | Straight type 2m (6.5ft.)        |
| <b>WEIGHT:</b>               | 625 grams (22 oz.)               |



Design and specifications subject to change without notice for improvements.